

2002
DODGE RAM QUAD CAB
(BE)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.









The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	3 =Built in Mexico by DaimlerChrysler de Mexico
2	Make	B = Dodge
3	Vehicle type	7 = Truck
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs) W=Bus's & Incomplete vehicles
5	Vehicle Line	C = Ram Cab /Ram Pick Up (4x2) F = Ram Cab/Ram Pick Up (4x4)
6	Series	2,7 = 2500 3,8 = 3500
7	Body Style	2 = Club Cab (2WD) 3 = Quad Cab (2WD&4WD) - 1/2 Rear Doors
8	Engine	7 = 5.9L 6 Cyl. (ETH) 6 = 5.9L 6 Cyl. (ETC) 5 = 5.9L 8 Cyl. (EMM) Z = 5.9L 8 Cyl. (EML) W = 8.0L 10 Cyl (EWA)
9	Check Digit	
10	Model Year	2 = 2002
11	Assembly Plant	M = Lago Alberto
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 001

Component Parts for Mopar Accessories



001-100 Audio & Electronics 	001-200 Carriers & Cargo Hauling 	001-300 Driving Convenience 	001-400 Exterior Appearance 
001-500 Exterior Protection 	001-600 Fog Lights & Electrical 	001-900 Security 	001-1000 4 - Wheeling & Off Road 

GROUP 1 - Component Parts for Mopar Accessories

Illustration Title

Group-Fig. No.

Audio & Electronics

Player Kit	Fig. 001-110
Player Kit - 12 Disc	Fig. 001-120

Carriers & Cargo Hauling

Cover Kit, Tonneau - Sport	Fig. 001-210
Cover Kit, Tonneau - Folding	Fig. 001-212
Cover Kit, Tonneau - Hard One Piece - Gas Prop	Fig. 001-216
Mirror Package - Trailer Tow	Fig. 001-230
Wiring Kit - Trailer Tow 7 Way	Fig. 001-240
Wiring Kit - Trailer Tow 4 Way	Fig. 001-242
Adapter Kit - Ball Mount	Fig. 001-250

Driving Convenience

Speed Control Kit	Fig. 001-310
-------------------	--------------

Exterior Appearance

Step Bumper	Fig. 001-410
Grille Guard	Fig. 001-440

Exterior Protection

Molding Kit	Fig. 001-510
Shield Kit - Air Front	Fig. 001-520
Skid Plate	Fig. 001-530

Fog Lights & Electrical

Fog Lamp Kit - Fascia	Fig. 001-622
Installation Kit - Off Road Lamps	Fig. 001-630
Heater Kit	Fig. 001-640


Security

Alarms - EVS II Without Power Door Locks	Fig. 001-910
Alarms - EVS II With Power Door Locks	Fig. 001-912
Alarms - EVS II For Factory Keyless Entry	Fig. 001-914

4 - Wheeling & Off Road

Winch Kit - Power	Fig. 001-1010
-------------------	---------------

**Player Kit
Figure 001-110**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Use with CD-Controlled radios. For radios without CD Changer controls, use FM-Modulator Kit 82202292

1	8220 2700	1	PLAYER KIT, CD Changer - 6 Disc
2	4797 433	1	MAGAZINE, CD Changer

DODGE RAM QUAD CAB/CLUB CAB (BE)

**BODGE RAM QUAD
SERIES**
L = Ram Truck (All)

LINE

2, 7 = 2500
3, 8 = 3500

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9L Cumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Player Kit - 12 Disc
 Figure 001-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; For radio without CD controls. Pentastar Logo, Includes RF Modulator, Power Cord, Din Cord, Hand Held and IR Remote Controller and Operating manual, 12 Disc Magazine.


1	8220 4730	1			31, 33, 34				PLAYER KIT, CD Changer - 12 Disc
2	5013 804AA	1			31, 33, 34				MODULATOR, FM
-3	5013 800AA-	1			31, 33, 34				HARDWARE KIT, Mounting
4	5013 806AA	1			31, 33, 34				CHANGER, CD
5	5013 802AA	1			31, 33, 34				CONTROLLER, CD Wireless
6	5013 805AA	1			31, 33, 34				MAGAZINE, CD Changer
7	5013 803AA	1			31, 33, 34				CONTROLLER, CD Wired
8	4465 117	1			31, 33, 34				ADAPTOR, A/C
9	5013 801AA	1			31, 33, 34				DIN CORD, CD Player

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cover Kit, Tonneau - Sport
Figure 001-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Not for use with OverRail Bedliners. Cover Kits have new material and new bow system.


1	8220 3124	1			31, 33				COVER, Tonneau 6.5 Foot Bed Snap Style
	8220 3125	1			34				8 Foot Bed Snap Style
2									COVER KIT, Tonneau with Frame- Vinyl, Contains Snap and Rail Kits
	8240 1379	1			31, 33				6.5 Foot Bed Snap Style
	8240 1380	1			34				8 Foot Bed Snap Style
-3									SNAP KIT, Tonneau Cover, Package of 10
	5017 515AA-	1			34				
		1			31, 33				
4									RAIL KIT, Tonneau - Rear Mounting, Includes Snap Kit
	5017 802AA	1			34				
		1			31, 33				

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cover Kit, Tonneau - Folding
Figure 001-212



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER KIT, Tonneau-Folding
	8220 3920	1			31, 33				6.5 Foot Bed
	8220 3921	1			34				8 Foot Bed
-2									LOCK KIT, folding-tonneau
	5018 118AA-	1			31, 33				
		1			34				
-3									KEY, Master
	5018 386AA-	1			31, 33				
		1			34				
-4									HARDWARE KIT, Tonneau - Folding
	8220 3246	1			31, 33				6.5 Foot Bed
	8220 3247	1			31, 33				8 Foot Bed


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Cover Kit, Tonneau - Hard One Piece - Gas Prop
Figure 001-216

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE; Use the gas props for the rear only. The kit contains two gas props, gas prop brackets for lid and frame - 2 of each bracket.

1									COVER KIT, Tonneau-Hard
	8220 4378	1			31, 33				White [PW7]
	8220 4380	1			31, 33				Black [PX8]
	8220 4382	1			31, 33				Flame Red [PR4]
-2	5018 117AA-	1			31, 33				LOCK KIT, hard-tonneau
-3	5018 343AA-	1			31, 33				KEY, Master
-4	5018 067AA-	1			31, 33				GAS PROP KIT, tonneau-hard,
									Contains: Two Gas Props and Two
									Sets of Brackets



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Mirror Package - Trailer Tow
Figure 001-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8240 1002	1			31, 33, 34				MIRROR PACKAGE, Exterior
-2	6031 438	1			31, 33, 34				NUT AND SEALER, .250-20
3									COVER, Mirror Flag
	5507 5444	1			31, 33, 34				Right
	5507 5445	1			31, 33, 34				Left
4	5507 4917	1			31, 33, 34				MIRROR KIT, Trailor Tow
5	4746 372	1			31, 33, 34				MIRROR, Outside Rearview
6									BRACKET, Mirror
	4746 368	1			31, 33, 34				Upper Right
	4746 369	1			31, 33, 34				Upper Left
7									BRACKET, Mirror
	4746 374	1			31, 33, 34				Lower Right
	4746 375	1			31, 33, 34				Lower Left
8	4746 373	1			31, 33, 34				WASHER, Mirror, Black
9	4746 376	1			31, 33, 34				BOLT, Mirror
10	4723 110	1			31, 33, 34				WASHER, Outside Mirror, Phenolic
11	4723 109	1			31, 33, 34				WASHER, Outside Mirror
-12 13	5513 5182	2							SEAL, Mirror Opening SCREW, Hex Head, .25-20x.75, (NOT SERVICED) (Not Serviced)


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Kit - Trailer Tow 7 Way
Figure 001-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Will not fit Chassis Cab. Built in Running Light Relay.

1	8220 4724	1			31, 33, 34				WIRING KIT, Trailer Tow - 7 Way
2	6015 756	1							STRAP, Tie
3	0154 633	4							SCREW, .164-18x.625
4	56038 366AB	1			31, 33, 34				CONNECTOR, 7 Way
-5	5600 7078	1			31, 33, 34				RELAY, Electrical

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Wiring Kit - Trailer Tow 4 Way
Figure 001-242



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE;


Molded cap with Mopar Logo.

1	8220 4641	1			31, 33, 34				WIRING KIT, Trailer Tow
2	6016 155	1							STRAP, Tie
3									WIRING, Trailer Tow, Serviced in Kit, (NOT SERVICED) (Not Serviced)
4	8220 4602	1							BRACKET KIT, Trailer Tow

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Adapter Kit - Ball Mount Figure 001-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADAPTER KIT, Ball Mount
	8220 0248	1							3.5' Rise 2.75' Drop 2,000 lb. Rating 200 lb. Tongue Weight
	8220 1148	1							1.75' Rise 1' Drop 5,000 lb Tow Rating 500 lb Tongue Weight
	8220 1149	1							3' Rise 2.25' Drop 5,000 lb. Tow Rating 500 lb. Tongue Weight
2	5016 666AA	1							PIN, Hitch
3									BALL KIT, Trailer Tow
	8240 1102	1			31, 33, 34				1 7/8' Ball 1x2 1/2' Shank
	8240 1103	1			31, 33, 34				2' Ball 1x2 1/8' Shank
	8240 1104	1			31, 33, 34				1 7/8' Ball 3/4x1 3/4' Shank
	8240 1106	1			31, 33, 34				2' Ball 1x2 7/8' Shank
	8240 1197	1			31, 33, 34				1 7/8' Ball 3/4x2 5/16 Shank
	8240 1216	1			31, 33, 34				1 7/8' Ball 1x2 7/8' Shank
	8240 1218	1			31, 33, 34				2 5/16' Ball 1x2 1/8' Shank
	8240 1219	1			31, 33, 34				2 5/16' Ball 1x2 7/8 Shank

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo I

EML,EM0 = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual


DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual
 DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control Kit
Figure 001-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									CONTROL PACKAGE, Speed
	8220 4652	1			31, 33, 34				Control 5.9L Gas Engine
	8220 4654	1			33, 34				Diesel Engine
-2									SWITCH, Speed Control
	56021 332AB-	1							Right
	56021 333AB-	1							Left
-3	56045 455AG-	1							CLOCKSPRING
4	4669 977	1							SERVO, Speed Control
5	5207 8598	1							CABLE, Speed Control, 5.9L Gas Engine
6	5300 7958	1							BRACKET, Speed Control Servo
7	5207 8320	1							HARNESS, Vacuum Speed Control, 5.9L Gas Engine
8	6100 775	2							NUT, Hex Flange, M5x.8
9	5503 5614	1							RESERVOIR, Vacuum
10	6025 867	1							CLIP, Cable to Servo Attach
11	6502 493	2							NUT, Hex Flange Serration, M6x1
12	5207 8479	1							CLIP, Vacuum Harness
13	6503 441	1							CLIP, Cruise Control
14	6032 988	3							SCREW

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Step Bumper
Figure 001-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8240 1316	1			31, 33, 34				BUMPER KIT, Step Rear, Chromed
2	55076 634AE	1							BUMPER, Rear, Chromed
3	5527 4868	1							BRACKET, Rear Bumper Side Right,Outer
	5527 4869	1							Left,Outer
4	5527 4863	2							BRACKET, Rear Bumper, Center
-5	6504 395	2							BOLT AND RETAINER, M12X1. 75X35.00
-6	6505 099AA-	6							NUT, Hex Flange Lock, M12x1.75, Quantity of 10
-7	6504 122	2							BOLT, m12x1.75x35.00
-8	6100 055	4							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75
-9	6504 394	2							BOLT AND RETAINER, M12X1. 75X35.00
10	8240 1107	1			31, 33, 34				PANEL PACKAGE, License Plate With Light
11	5507 6850	1							PANEL, License Plate
-12	5505 4891	2							LENS, License Lamp
-13	L000 0168	2							BULB, 168

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Grille Gaurd
Figure 001-440**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GUARD KIT, Grille
	8220 2692	1			31, 33, 34				Steel Chrome
	8220 2853	1							Black Painted Steel
	8220 2854	1							Silver Aluminum
	8220 2855	1							Black Aluminum
2									COVER, Grille Guard Side
	4778 110	1			31, 33, 34				Right
	4778 111	1			31, 33, 34				Left
3	5066 242AA	1			31, 33, 34				CROSSTUBE, Grille Guard, Chromed, used with 82202692

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE

2, 7 = 2500
3, 8 = 3500

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9L Cumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Molding Kit
Figure 001-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING KIT, Wheel Lip Opening
	8220 4931	1							Bright White [PW7]
	8220 4933	1							Black [PX8]
	8220 4937	1							Forest Green [PG8]
	8220 4939	1							Flat Black, P.A.R.]
2									SCREW, (NOT SERVICED) (Not Serviced)
-3									MOLDING KIT, Wheel Lip Opening Replacement [P.A.R.], Front Right
	5017 966AA-	1							Replacement [P.A.R.], Front Left
	5017 967AA-	1							Replacement [P.A.R.], Rear Right
	5017 968AA-	1							Replacement [P.A.R.], Rear Left
	5017 969AA-	1							
4									BEDLINER KIT, Under Rail
	8220 7387	1			34				
	8220 7388	1			33				
5									BEDLINER KIT, Over Rail
	8220 7159	1			34				
	8220 7161	1			31, 33				
-6	5011 297AA-	1							INSTALL KIT, Bedliner - Under Rail
-7	5011 298AA-	1							INSTALL KIT, Bedliner - Over Rail
8	8220 5217	1			31, 33,				COVER KIT, Tailgate-Molded
					34				


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shield Kit - Air Front
Figure 001-520


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD KIT, Air - Front
	8220 4150	1			31, 33, 34				Smoke, Wrap Around
	8220 4324	1			31, 33, 34				Smoke, W/Silver Rams Head Logo
	8220 4738	1			31, 33, 34				Smoke. W/Fender Shields
2	5014 754AA	1			31, 33, 34				SPACER, Air Deflector, Contains:4- Large Bumpers, 10- Small Bumpers



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Skid Plate
Figure 001-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	6101 340	2	7, 8						U-NUT, M10-1.50
2	52058 674AD	1	7, 8						SKID PLATE, Front
3	6505 524AA	2	7, 8						RETAINER
-4	6506 164AA-	2	7, 8						SCREW AND WASHER, Hex Head



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Fog Lamp Kit - Fascia
Figure 001-622


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 5656	1			31, 33, 34				LIGHT PACKAGE, Fog, With Cargo Lamp
2	4641 780	1							STRAP, Tie
3	6035 422	4							BOLT, Square Head, .312-18x.875
4	6035 423	4							NUT AND WASHER, Hex Coned, .312-18
5	6503 938	4							RIVET, Blind, .25xM4/M7
6	55076 786AB	1							SHIELD, Bumper, Right
7	55076 787AB	1							SHIELD, Bumper, Left
8									WIRING, Fog/Driving Light, Serviced in Package, (NOT SERVICED) (Not Serviced)
-9	4638 271	1			31, 33, 34				RELAY PACKAGE, Electrical
10	5269 430	1			31, 33, 34				SWITCH, Fog Lamp
11	55076 940AB	1							LAMP, Fog, Right
12	55076 941AB	1							LAMP, Fog, Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Installation Kit - Off Road Lamps
Figure 001-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 5342	1			31, 33, 34				INSTALL PACKAGE, Off Road Light
2	0154 552	1							SCREW, Hex Head, .190-16x.625
-3	5269 430	1			31, 33, 34				SWITCH, Fog Lamp
4									WIRING, Fog Lamp, (NOT SERVICED) (Not Serviced)
5	4638 271	1			31, 33, 34				RELAY PACKAGE, Electrical
6	4641 780	1							STRAP, Tie
7									WIRING, Light Bar, (NOT SERVICED) (Not Serviced)
8									WIRING, Off Road Light, (NOT SERVICED) (Not Serviced)


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Heater Kit
Figure 001-640

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Serviced as a Kit Only.

1	8230 0749	1							HEATER KIT, Engine Block
2	4798 276AC	1							HEATER PACKAGE, Engine Block
-3									O RING, Engine Block Heater
	6501 445	AR							11/64 Width
	6501 446	1							9/64 Width
4	5602 0061	1							CORD, Engine Block Heater




DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alarms - EVS II Without Power Door Locks
Figure 001-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3763	1							MODULE KIT, Alarm without Keyless
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	5012 164AA	1				31, 33, 34			MODULE, Security Alarm
-6	4886 259AA-	1							INDICATOR, Valet Status
-7	4886 258AA-	1							SWITCH, Programing Bypass
-8	8220 3765	1				31, 33, 34			WIRING KIT, Alarm without Keyless, Required For Installation

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alarms - EVS II With Power Door Locks
Figure 001-912




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8230 0985	1			31, 33, 34				MODULE KIT, Alarm with Keyless
2	8220 3198	1			31, 33, 34				SIREN, Alarm
3	4636 141	1			31, 33, 34				BATTERY, Transmitter
4	4883 255	1			31, 33, 34				MODULE, Security Alarm
-5	4886 258AA-	1			31, 33, 34				SWITCH, Programing Bypass
-6	4886 259AA-	1			31, 33, 34				INDICATOR, Valet Status
7	4886 374AA	1			31, 33, 34				TRANSMITTER, Alarm or Keyless
8	4886 260AA	1			31, 33, 34				SENSOR, Shock, With Terminals
-9	8220 4681	1			31, 33, 34				WIRING KIT, Alarm with Keyless, Required for Installation

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Alarms - EVS II For Factory Keyless Entry
Figure 001-914



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 4268	1			31, 33, 34				MODULE, Security Alarm
2	8220 3198	1			31, 33, 34				SIREN, Alarm
-3	4886 259AA-	1			31, 33, 34				INDICATOR, Valet Status
4	5011 619AA	1			31, 33, 34				MODULE, Security Alarm
5	4886 261AA	1			31, 33, 34				SENSOR, Shock, With Connector
-6	8220 4681	1			31, 33, 34				WIRING KIT, Alarm with Keyless, Required for Installation

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Winch Kit - Power Figure 001-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WINCH KIT, Power
	8220 6402	1	6, 7, 8		31, 33, 34				Ramsey Pro Plus 6000H Series
	8220 6403	1	6, 7, 8		31, 33, 34				Ramsey Pro Plus 8000H Series
	8220 6404	1	6, 7, 8		31, 33, 34				Ramsey Pro Plus 8000HX Series
2	5018 221AA	1	6, 7, 8		31, 33, 34				CABLE KIT, Winch
-3									SOLENOID, Winch
	5018 363AA-	1	6, 7, 8		31, 33, 34				For Winches 82206402, 82206403
	5018 366AA-	1	6, 7, 8		31, 33,				For Winch 82206404
					34				

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 002
Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title Group-Fig. No.

Front Suspension

Upper and Lower Control Arms,Springs and Shocks,BE 2,3	Fig. 002-110
Upper and Lower Control Arms,Springs and Shocks,BE 7,8	Fig. 002-120
Front Stabilizer Bar,BE 2,3	Fig. 002-130
Front Stabilizer Bar and Track Bar,BE 7,8	Fig. 002-140

Front Axle Drive Shafts

Front Axle Shafts,Dana M60/248MM [DJF],BE 7,8	Fig. 002-210
---	--------------

Front Axle Housing

Front Axle Housing,Dana M60/248MM [DJF],BE 7,8	Fig. 002-310
--	--------------

Front Axle Assembly


Axle Assy,Front,Dana M60/248MM [DJF],BE 7,8	Fig. 002-410
---	--------------

Front Axle Disconnect

Vacuum Lines,Front Axle and Transfer Case	Fig. 002-510
---	--------------


Front Axle Differential

Differential,Front Axle,Dana M60/248MM [DJF],BE 7,8	Fig. 002-610
---	--------------



<div>002-100</div> <div>Front Suspension</div> <div></div>	<div>002-200</div> <div>Front Axle Drive Shafts</div> <div></div>	<div>002-300</div> <div>Front Axle Housing</div> <div></div>	<div>002-400</div> <div>Front Axle Assembly</div> <div></div>
<div>002-500</div> <div>Front Axle Disconnect</div> <div></div>	<div>002-600</div> <div>Front Axle Differential</div> <div></div>		

Upper and Lower Control Arms,Springs and Shocks,BE 2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[ET0]=Engines - All 5.9L Turbo Diesel									
[EW0]=Engines - All 8.0L Gas									
[ZAJ] Throught [ZXJ] Spring Sales Codes will be found on Vehicle Identification Number [VIN] Sales Code Listing.									
1	6502 749	2	2, 3						NUT, Castle, M14x1.5, UCA Ball Joint, Mounting
2									KNUCKLE, Front Right
	52106 220AB	1	2, 3						Left
	52106 221AB	1	2, 3						
3	6502 857	2	2, 3						NUT, Hex, LCA Ball Joint, Mounting
4	6503 029	2							NUT, Hex, M12x1.25, Shock Upper, Mounting
5	52106 432AA	2	2, 3						RETAINER, Shock Absorber, Upper
6	52106 543AA	2	2, 3						GROMMET, Shock Absorber, Upper
7	52106 983AA	2	2, 3						GROMMET, Shock Absorber, Lower
8	52106 431AA	2	2, 3						RETAINER, Shock Absorber, Lower
9									SHOCK ABSORBER PACKAGE, Suspension, Front
	5017 608AC	2	2			EM0			
	5017 609AC	2	2		34	EW0			
	5017 610AC	2	2			ET0			
	5017 611AC	2	3		34	EM0, EW0			
	5017 612AC	2	3		34	ET0			
	5017 613AC	2	2		33	EW0			
10	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Lower Shock, Mounting
11	6502 817	2							LOCK NUT, M14-2.00, Lower Shock, Mounting
12									BALL JOINT, Lower Control Arm, Purchase Lower Control Arm, (NOT SERVICED) (Not Serviced)
13									SNAP RING, Control Arm, Purchase Lower Control Arm, (NOT SERVICED) (Not Serviced)
14									ARM, Lower Control, Front Right
	52113 678AA	1	2, 3						Left
	52113 679AA	1	2, 3						
15									SPRING, Front Coil Tag #018,ZHA,ZWA
	5203 9018	1							Tag #019,ZHB,ZWB
	5203 9019	1							


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BE 2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9020	1							Tag #020,ZHC,ZWC
	5203 9021	1							Tag #021,ZHD,ZWD
	5203 9022	1							Tag #022,ZHE,ZWE
	5203 9023	1							Tag #023,ZHF,ZWF
	5203 9024	1							Tag #024,ZHG,ZWG
	5203 9026	1							Tag #026,ZJA,ZXA
	5203 9027	1							Tag #027,ZJB,ZXB
	5203 9035	1							Tag #035,ZJC,ZXC
	5203 9036	1							Tag #036,ZJD,ZXD
	5203 9037	1							Tag #037,ZJE,ZXE
	5203 9038	1							Tag #038,ZJF,ZXF
	5203 9039	1							Tag #039,ZJG,ZXHG
	5203 9046	1							Tag #046,ZJH,ZXH
	5203 9047	1							Tag #047,ZJJ,ZXJ
	5203 9134	1							Tag #134,ZHH,ZWH
	52106 225AA	1							Tag #225AA,ZHJ,ZWJ
	52106 228AA	1							Tag #226AA,ZHK,ZWK
	52106 229AA	1							Tag #229AA,ZHL,ZWL
	52106 230AA	1							Tag #230AA,ZJL,ZXL
	52106 231AA	1							Tag #231AA,ZAJ,ZNJ
	52106 232AA	1							Tag #232AA,ZCE,ZRE
	52106 233AA	1							Tag #233AA,ZCF,ZRF
	52106 240AA	1							Tag #240AA,ZDJ,ZSJ
	52106 241AA	1							Tag #241AA,ZDH,ZSH
	52113 005AA	1							Tag #005AA,ZFF,ZUF
	52113 006AA	1							Tag #006AA,ZFG,ZUG
	52113 007AA	1							Tag #007AA,ZFH,ZUH
	52113 008AA	1							Tag #008AA,ZFJ,ZUJ
	52113 077AA	1							Tag #077AA,ZFD,ZUD
	52113 078AA	1							Tag #078AA,ZFE,ZUE
	52113 165AA	1							Tag #165AA,ZEA,ZTA
	52113 166AA	1							Tag #166AA,ZEB,ZTB
	52113 167AA	1							Tag #167AA,ZEC,ZTC
	52113 168AA	1							Tag #168AA,ZED,ZTD
	52113 169AA	1							Tag #169AA,ZEE,ZTE
	52113 170AA	1							Tag #170AA,ZEF,ZTF
	52113 171AA	1							Tag #171AA,ZEG,ZTG
	52113 172AA	1							Tag #172AA,ZEH,ZTH
	52113 173AA	1							Tag #173AA,ZEJ,ZTJ
	52113 174AA	1							Tag #174AA,ZFA,ZUA
	52113 175AA	1							Tag #175AA,ZFB,ZUB
	52113 176AA	1							Tag #176AA,ZFC,ZUC


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BE 2,3
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5203 7718	2	2, 3						ISOLATOR, Spring
17	6503 047	4	2, 3						BOLT, Hex Flange Head, M16x2.00x135, LCA to Frame, Mounting
18	6502 396	4	2, 3						NUT, Hex Flange Lock, LCA to Frame, Mounting
19	6505 804AA	4	2, 3						BOLT AND RETAINER, Suspension Arm
20	5203 7673	4	2, 3						BUSHING, Control Arm, Upper
21	6505 476AA	4	2, 3						NUT, Upper
22	5203 8241	4	2, 3						WASHER, Control Arm Shaft, Upper
23	6502 396	4	2, 3						NUT, Hex Flange Lock, UCA to Frame, Mounting
24	52106 678AA	2	2, 3						ARM, Upper Control, Front
25									BALL JOINT, Upper Control Arm, Purchase Upper Control Arm, (NOT SERVICED) (Not Serviced)
26	52106 301AA	2	2, 3						SHAFT, Control Arm, Upper
27	5208 7636	2	2, 3						BUMPER, Jounce
28	0120 123	2	2, 3						PIN, Cotter

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BE 7,8
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[ET0]=Engines - All 5.9L Turbo Diesel									
[EW0]=Engines - All 8.0L Gas									
[ZAJ] Through [ZXL] Spring Sales Codes will be found on Vehicle Identification Number [VIN] Sales Code Listing									
1	6502 696	6	7, 8						NUT, Hex Flange Lock, M10x1.5, Shock Bracket to Frame, Mounting
2	5203 8111	2	7, 8						BRACKET, Upper Shock Cup
3	5203 8105	2	7, 8						RING, Shock Absorber, With Studs
4	5203 7719	2	7, 8						ISOLATOR, Spring
5	5203 8838	2	7, 8						BUMPER, Jounce
6	52106 799AA	2	7, 8						ARM, Control, With Bushings, Upper
-7	6504 989AA-	2	7, 8						SCREW AND WASHER, Hex Head, M14-2x95, UCA to Axle, Mounting
-8	6502 698	2	7, 8						NUT, Hex Flange Lock, UCA to Axle, Mounting
9	6502 698	2	7, 8						NUT, Hex Flange Lock, UCA to Frame, Mounting
10	6502 396	2	7, 8						NUT, Hex Flange Lock, UCA to Frame, Mounting
11	6504 989AA	2	7, 8						SCREW AND WASHER, Hex Head, M14-2x95, UCA to Frame, Mounting
12	6505 444AA	2	7, 8						SCREW, Hex Flange Head, UCA to Frame, Mounting
13	52106 778AA	2	7, 8						ARM, Control, With Bushings, Lower
14	6502 396	2	7, 8						NUT, Hex Flange Lock, LCA to Axle, Mounting
15	6505 741AA	2	7, 8						WASHER, Flat, LCA to Axle, Mounting
16	6505 742AA	2	7, 8						SCREW, LCA to Axle, Mounting
17	6502 818	2							BOLT, Hex Flange Head, M14x2. 00x80, Shock Mounting, Lower
18	6502 696	6	7, 8						NUT, Hex Flange Lock, M10x1.5, Shock Mounting, Lower
19									SHOCK ABSORBER PACKAGE, Suspension, Front
	4897 468AE	2	7			EM0, EW0			
	4897 469AE	2	7		33	ET0			
	4897 473AE	2	7		34	ET0			


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BE 7,8

Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 464AE	2	8		34				
20	5203 8258	2	7, 8						RETAINER, Shock Absorber, Lower
21	52106 747AA	2	7, 8						GROMMET, Shock Absorber, Lower
22									SPRING, Front Coil
	5203 9018	1							Tag #018,ZWA,ZHA
	5203 9019	1							Tag #019,ZWB,ZHB
	5203 9020	1							Tag #020,ZWC,ZHC
	5203 9021	1							Tag #021,ZWD,ZHD
	5203 9022	1							Tag #022,ZWE,ZHE
	5203 9023	1							Tag #023,ZWF,ZHF
	5203 9024	1							Tag #024,ZWG,ZHG
	5203 9026	1							Tag #026,ZXA,ZJA
	5203 9027	1							Tag #027,ZXB,ZJB
	5203 9035	1							Tag #035,ZXC,ZJC
	5203 9036	1							Tag #036,ZXD,ZJD
	5203 9037	1							Tag #037,ZXE,ZJE
	5203 9038	1							Tag #038,ZXF,ZJF
	5203 9039	1							Tag #039,ZXG,ZJG
	5203 9046	1							Tag #046,ZXH,ZJH
	5203 9047	1							Tag #047,ZJJ,ZXJ
	5203 9134	1							Tag #134,ZHH,ZWH
	52106 225AA	1							Tag #225AA,ZHJ,ZWJ
	52106 228AA	1							Tag #228AA,ZHK,ZWK
	52106 229AA	1							Tag #229AA,ZH,ZWL
	52106 230AA	1							Tag #230AA,ZJL,ZXL
	52106 231AA	1							Tag #231AA,ZAJ,ZNJ
	52106 232AA	1							Tag #232AA,ZCE,ZRE
	52106 233AA	1							Tag #233AA,ZCF,ZRF
	52106 240AA	1							Tag #240AA,ZDJ,ZSJ
	52106 241AA	1							Tag #241AA,ZDH,ZSH
	52113 005AA	1							Tag #005AA,ZFF,ZUF
	52113 006AA	1							Tag #006AA,ZFG,ZUG
	52113 007AA	1							Tag #007AA,ZFH,ZUH
	52113 008AA	1							Tag #008AA,ZFJ,ZUJ
	52113 077AA	1							Tag #077AA,ZFD,ZUD
	52113 078AA	1							Tag #078AA,ZFE,ZUE
	52113 165AA	1							Tag #165AA,ZEA,ZTA
	52113 166AA	1							Tag #166AA,ZEB,ZTB
	52113 167AA	1							Tag #166AA,ZEC,ZTC
	52113 168AA	1							Tag #168AA,ZED,ZTD
	52113 169AA	1							Tag #169AA,ZEE,ZTE
	52113 170AA	1							Tag #170AA,ZEF,ZTF


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BE 7,8
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52113 171AA	1							Tag #171AA,ZEG,ZTG
	52113 172AA	1							Tag #172AA,ZEH,ZTH
	52113 173AA	1							Tag #173AA,ZEJ,ZTJ
	52113 174AA	1							Tag #174AA,ZFA,ZUA
	52113 175AA	1							Tag #175AA,ZFB,ZUB
	52113 176AA	1							Tag #176AA,ZFC,ZUC
23	52106 742AA	2	7, 8						GROMMET, Shock Absorber, Upper
24	5203 8258	2	7, 8						RETAINER, Shock Absorber, Upper
25	6503 029	2							NUT, Hex, M12x1.25, Shock Mounting, Upper

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Stabilizer Bar, BE 2,3
Figure 002-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame, Mounting
2	5203 8455	1	2, 3						BAR, Front Sway
3	5203 8851	2	2, 3						BUSHING, Sway Bar
4	5203 7710	2	2, 3						RETAINER, Sway Bar
5	6101 687	4	2, 3						NUT, Hex Lock, M10x1.5
6	5203 8115	4	2, 3						RETAINER, Sway Bar, Upper
7	5203 7916	8	2, 3						GROMMET, Link
8	5203 8116	4	2, 3						RETAINER, Sway Bar, Lower
9	52037 712AB	2	2, 3						LINK, Sway Eliminator

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Stabilizer Bar and Track Bar, BE 7,8
Figure 002-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6503 861	1	7, 8						NUT, Hex Flange, M14x1.5, Track Bar to Frame, Mounting
2	6505 649AA	2	7, 8						NUT, Hex Lock, M12 x 1.25, Front Axle to Link, Mounting
3	5018 748AA	1	7, 8						SEAL, Dust, Track Bar End
4	6101 687	2	7, 8						NUT, Hex Lock, M10x1.5, Link to Stabilizer Bar, Mounting
5	5203 8115	2	7, 8						RETAINER, Sway Bar, Grommet, Upper
6	5203 7916	4	7, 8						GROMMET, Link
7	5203 8116	2	7, 8						RETAINER, Sway Bar, Grommet, Lower
8	52106 481AA	1	7, 8						LINK, Sway Eliminator
9	52113 551AA	1	7, 8						BAR, Front Sway
10	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35
11	5203 7710	2	7, 8						RETAINER, Sway Bar
12	52106 897AA	2	7, 8						BUSHING, Sway Bar
13	6502 817	1	7, 8						LOCK NUT, M14-2.00, Track Bar to Axle
14	52113 283AA	1	7, 8						BAR, Track
15	6503 576	1	7, 8						BOLT, Hex Flange Head, M14x2. 00x67.50, Track Bar to Axle

DODGE RAM QUAD CAB/CLUB CAB (BE)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions				




Front Axle Shafts,Dana M60/248MM [DJF],BE 7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes, [DJF]=Axle - Front,Dana M60/248mm									
1									SHAFT, Axle
	5015 208AB	1	7						With Vacuum Disconnect, Right
	5086 250AA	1	7						Without Vacuum Disconnect, Right
	5015 209AB	1	7						Left
	5015 208AB	1	8		34				With Vacuum Disconnect, Right
	5086 250AA	1	8		34				Without Vacuum Disconnect, Right
	5015 209AB	1	8		34				Left
2									SHAFT, Stub
	5015 194AA	1	7						Right or Left
		1	8		34				Right or Left
3									U JOINT, Front Axle
	5003 004AB	1	7						Right or Left
		1	8		34				Right or Left
4									BUSHING, Intermediate Shaft
	5252 686	1	7						With Vacuum Disconnect
		1	8		34				With Vacuum Disconnect
5									COLLAR, Axle Shift
	5015 212AA	1	7						With Vacuum Disconnect
		1	8		34				With Vacuum Disconnect
6									BUSHING, Axle Shaft
	5017 907AA	1	7						With Vacuum Disconnect
		1	8		34				With Vacuum Disconnect
7									SEAL, Axle Drive Shaft
	5015 198AA	1	7						With Vacuum Disconnect, Right
	5015 201AA	1	7						Without Vacuum Disconnect, Right
	5015 198AA	1	8		34				With Vacuum Disconnect, Right
	5015 201AA	1	8		34				Without Vacuum Disconnect, Right
8									SHAFT, Axle Intermediate
	5015 203AA	1	7						With Vacuum Disconnect
		1	8		34				With Vacuum Disconnect
9									SEAL, Axle Drive Shaft
	5015 201AA	1	7						Left
		1	8		34				Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Front Axle Housing,Dana M60/248MM [DJF],BE 7,8



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes, [DJF]=Axle - Front,Dana M60/248mm									
1	4506 117	1	7		34				SHIELD, Vacuum Disconnect Motor Motor
2	J535 2955	1	7, 8						VENT, Axle, Upper
3	5503 6022	1	7, 8						CLIP, A/C Liquid Line, Vent Hose
4	4137 734	4	7						BOLT, Axle Disconnect Cover
		4	8		34				
5	HFV0 0516	1	7, 8						HOSE, Fuel And Vapor, 25 Foot Roll 5/16", Breather Hose
6	0153 455	1	7, 8						CLAMP, Hose, .620
7	5011 283AA	1	7		34				VENT, Axle Lower Lower
		1	8						NUT, Steering Knuckle Socket
8	5015 124AA	1	7		34				
		1	8						
9	0120 123	1	7, 8						PIN, Cotter, Upper
10									BOLT, Hub
	5015 125AA	8	7		34				Mounting Mounting
		8	8						KNUCKLE, Front
11	5015 238AA	1	7						Right
	5015 239AA	1	7						Left
	5015 238AA	1	8		34				Right
	5015 239AA	1	8		34				Left
12									NUT, Steering Knuckle Socket
	3634 267	1	7		34				
		1	8						
13	5015 114AA	2	7						BALL JOINT, Front Knuckle
		2	8		34				
14									COVER, Differential With Vacuum Disconnect Without Vacuum Disconnect
	5015 193AA	1	7						
	5086 251AA	1	7						
	5015 193AA	1	8		34				With Vacuum Disconnect
	5086 251AA	1	8		34				Without Vacuum Disconnect
15									BOLT, Differential Cover
	2952 474	10	7						

SERIES LINE
L = Ram Truck (All) 2, 7 = 2500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Figure 002-310



SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

September 16, 2005


Figure 002-310



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

September 16, 2005

Axle Assy,Front,Dana M60/248MM [DJF],BE 7,8
Figure 002-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes,									
[BRT]=Brakes - Anti-Lock 4-Wheel Disc									
[DJF]=Axle - Front,Dana M60/248mm									
[DMD]=Axle Ratio - 355									
[DMF]=Axle Ratio - 4.09									
[DMH]=Axle Ratio - 3.92									
1									AXLE, Service Front
	5015 195AB	1	7						[DJF,DMD,BRT] Tag 52070136AM- With Vacuum Disconnect
	5086 252AA	1	7						[DJF,DMD,BRT] Tag 52070136AO- Without Vacuum Disconnect
	5015 243AB	1	7						[DJF,DMF,BRT] Tag 52070137AM- With Vacuum Disconnect
	5086 253AA	1	7						[DJF,DMF,BRT] Tag 52070137AO- Without Vacuum Disconnect
	5015 195AB	1	8		34				[DJF,DMD,BRT] Tag 52070138AN- With Vacuum Disconnect
	5086 252AA	1	8		34				[DJF,DMD,BRT] Tag 52070138AP- Without Vacuum Disconnect
	5015 243AB	1	8		34				[DJF,DMF,BRT] Tag 52070139AM- With Vacuum Disconnect
	5086 253AA	1	8		34				[DJF,DMF,BRT] Tag 52070139AO- Without Vacuum Disconnect

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Vacuum Lines,Front Axle and Transfer Case
Figure 002-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6032 173	2	7, 8						CLAMP, Tube, .335 Diameter
2	52105 299AB	1	7, 8						HARNESS, Vacuum Front Axle
3	6505 905AA	3	7, 8						SCREW, Hex Head, M6x1x20
4	52105 317AB	1	7, 8						HARNESS, Vacuum Front Axle

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential,Front Axle,Dana M60/248MM [DJF],BE 7,8
Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes, [DJF]=Axle - Front,Dana M60/248mm [DMD]=Axle Ratio - 355 [DMF]=Axle Ratio - 4.09									
1									NUT, Pinion Yoke
	1795 173	1	7						
		1	8		34				
2									WASHER, Pinion Yoke
	1795 175	1	7						
		1	8		34				
3									YOKE, Axle
	5015 190AA	1	7						
		1	8		34				
-4									O RING, Pinion Flange Fits Over Hub of Axle Yoke
	5012 847AA-	1	7						
		1	8		34				Fits Over Hub of Axle Yoke
5									SLINGER, Drive Pinion
	4746 867	1	7						
		1	8		34				
6									SEAL, Drive Pinion
	5072 265AA	1	7						
		1	8		34				
7									BEARING, Drive Pinion Bearing and Cup, Front
	4746 604	1	7						
		1	8		34				Bearing and Cup, Front
8									SPACER, Drive Pinion Bearing Collapsible
	4746 606	1	7						
		1	8		34				Collapsible
9									BEARING, Drive Pinion Bearing and Cup, Rear
	4746 603	1	7						
		1	8		34				Bearing and Cup, Rear
10									SHIM KIT, Pinion Shaft
	4746 868	1	7						
		1	8		34				
11									GEAR KIT, Ring And Pinion [DMD]
	4762 222	1	7						
	4864 966	1	7						[DMF]
	4762 222	1	8		34				[DMD]
	4864 966	1	8		34				[DMF]
12									SCREW, Hex Head Ring Gear, Mounting
	4506 066	12	7						

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential,Front Axle,Dana M60/248MM [DJF],BE 7,8
Figure 002-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		12	8		34				Ring Gear, Mounting
13	4746 605	1	7						BEARING, Differential
		1	8		34				Consists of 2 Bearings and 2 Cups
14	4746 982AB	1	7						Consists of 2 Bearings and 2 Cups
		1	8		34				SHIM KIT, Differential
15	3507 543	2	7						WASHER
		2	8		34				Pinion, Thrust
16									Pinion, Thrust
									WASHER, Differential Side Gear,
									[Purchase Center Differential Gear
									Kit], (NOT SERVICED) (Not
									Serviced)
17									SNAP RING, Axle Shaft, [Purchase
									Center Differential Gear Kit], (NOT
									SERVICED) (Not Serviced)
18									SHAFT, Differential, [Purchase
									Center Differential Gear Kit], (NOT
									SERVICED) (Not Serviced)
19									CASE, Differential
	5015 191AA	1	7						Includes Items 12,19
		1	8		34				Includes Items 12,19
20	5015 192AA	1	7						GEAR KIT, Center Differential
		1	8		34				
21	4883 560AA	1	7						ROLL PIN, Differential
		1	8		34				

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 003
Rear Axle

GROUP 3 - Rear Axle

Illustration Title Group-Fig. No.

Rear Axle


Axle Assembly,Rear,Dana M60 HD/248MM [DRD],BE 2,7 AXLE - REAR, DANA M60 HD/248MM . . .	Fig. 003-110
Axle Assembly,Rear,Dana M70/267MM [DRE],BE 2,7	Fig. 003-120
Axle Assembly,Rear,Dana M80 [DRL],BE 2,3,7,8	Fig. 003-130

Differential and Housing

Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BE 2,7	Fig. 003-210
Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BE 2,7	Fig. 003-220
Axle,Rear,with Differential and Housing,Dana M80 [DRL],BE 2,3,7,8	Fig. 003-230

Rear Axle Vent

Vent, Rear Axle	Fig. 003-310
---------------------------	--------------




003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	

Axle Assembly,Rear,Dana M60 HD/248MM [DRD],BE 2,7 AXLE - REAR, DANA M60 HD/248MM
Figure 003-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;
[DMD]=Axle Ratio - 3.55
[DMF]=Axle Ratio - 4.10
[DRD]=Axle - Rear,Dana M60 HD/248MM
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear
	5017 708AC	1	2						Tag #52069454AI [DMD]
	5017 717AC	1	2						Tag #52069455AI [DMF,DSA]
	5018 265AC	1	7						Tag #52069456AK [DMD]
	5018 267AC	1	7						Tag #52069457AK [DMF,DSA]




DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Axle Assembly,Rear,Dana M70/267MM [DRE],BE 2,7
Figure 003-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:Sales Codes;
[DMD]=Axle Ratio - 3.55
[DMF]=Axle Ratio - 4.10
[DRE]=Axle - Rear,Dana M70/267MM
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear
	5017 723AC	1	2						Tag #52069458AJ [DMD]
	5018 051AC	1	2						Tag #52069459AJ [DMD,DSA]
	5018 062AC	1	2						Tag #52069460AJ [DMF]
	5018 075AC	1	2						Tag #52069467AJ [DMF,DSA]
	5018 269AC	1	7						Tag #52069468AL [DMD]
	5018 271AC	1	7						Tag #52069469AL [DMD,DSA]
	5018 276AC	1	7						Tag #52069470AL [DMF]
	5018 277AC	1	7						Tag #52069471AL [DMF,DSA]



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Axle Assembly,Rear,Dana M80 [DRL],BE 2,3,7,8
Figure 003-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;
[DMD]=Axle Ratio - 3.55
[DMF]=Axle Ratio - 4.10
[DRL]=Axle - Rear,Dana M80
[DSA]=Axle - Anti-Spin Differential


1									AXLE, Service Rear
	5018 077AC	1	2						Tag #52069472AI [DMD]
	5018 089AC	1	2						Tag #52069473AI [DMD,DSA]
	5018 091AC	1	2						Tag #52069474AI [DMF]
	5018 092AC	1	2						Tag #52069475AI [DMF,DSA]
	5018 100AC	1	3		34				Tag #52069480AJ [DMD]
	5018 101AC	1	3		34				Tag #52069481AJ [DMD,DSA]
	5018 108AC	1	3		34				Tag #52069482AJ [DMF]
	5018 216AC	1	3		34				Tag #52069483AJ [DMF,DSA]
	5018 283AC	1	7						Tag #52069476AK [DMD]
	5018 285AC	1	7						Tag #52069477AK [DMD,DSA]
	5018 287AC	1	7						Tag #52069478AK [DMF]
	5018 288AC	1	7						Tag #52069479AK [DMF,DSA]
	5018 290AC	1	8		34				Tag #52069484AJ [DMD]
	5018 291AC	1	8		34				Tag #52069485AJ [DMD,DSA]
	5018 293AC	1	8		34				Tag #52069486AJ [DMF]
	5018 295AC	1	8		34				Tag #52069487AJ [DMF,DSA]

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BE 2,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DMD]=Axle Ratio - 3.55									
[DMF]=Axle Ratio - 4.10									
[DRD]=Axle - Rear,Dana M60 HD/248MM									
[DSA]=Axle - Anti-Spin Differential									
1	3507 543	2	2						WASHER
		1	7						Pinion Gear-Without [DSA], Thrust
2	2961 848	2	2						WASHER
		2	7						Side Gear-Without [DSA], Thrust
3	4506 058AB	1	2						Side Gear-Without [DSA], Thrust
									CASE, Differential
		1	7						With [DSA] includes items 4,22,23,
									27
									With [DSA] includes items 4,22,23,
									27
4	4746 982AB	1	2						SHIM KIT, Differential
		1	7						
5	4746 605	1	2						BEARING, Differential
		1	7						Consists of 2 Bearings and 2 Cups
6	4746 603	1	2						Consists of 2 Bearings and 2 Cups
		1	7						BEARING, Drive Pinion
									Bearing and Cup, Rear
									Bearing and Cup, Rear
7	4746 868	1	2						SHIM KIT, Pinion Shaft
		1	7						
8	5017 707AC	1	2						HOUSING, Rear Axle
	5018 264AC	1	7						
9	2952 474	10	2						BOLT, Hex Flange Head
		10	7						Differential Cover, Mounting
10	3640 792	1	2						Differential Cover, Mounting
		1	7						PLUG, Differential Cover
11	5010 884AA	1	2						SEALANT, RTV
		1	7						
12									COVER, Differential

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BE 2,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 402	1	2						
	4506 142	1	7						
13	4137 696AB	1							BOLT, Axle Vent
14									SPACER, Drive Pinion Bearing
	4746 606	1	2						Crush
		1	7						Crush
15									BEARING, Drive Pinion
	4746 604	1	2						Bearing and Cup, Front
		1	7						Bearing and Cup, Front
16									SLINGER, Drive Pinion
	4746 867	1	2						
		1	7						
17									SEAL, Drive Pinion
	5072 265AA	1	2						
		1	7						
18									YOKE, Axle
	5016 791AA	1	2						
		1	7						
-19									O RING, Pinion Flange
	5016 792AA-	1	2						Fits Over Hub of Flange
		1	7						Fits Over Hub of Flange
20									WASHER, Pinion Yoke
	1795 175	1	2						
		1	7						
21									NUT, Pinion Yoke
	1795 173	1	2						
		1	7						
22									DISC AND PLATE KIT, Differential
	4506 060	1	2						With [DSA]
		1	7						With [DSA]
23									SCREW, Hex Head
	4506 066	12	2						Ring Gear, Mounting
		12	7						Ring Gear, Mounting
24									GEAR KIT, Ring And Pinion
	4762 222	1	2						[DMD]
	4864 966	1	2						[DMF]
	4762 222	1	7						[DMD]
	4864 966	1	7						[DMF]
25									CASE, Differential
	4746 024AB	1	2						Without [DSA] includes item 4,23, 26


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BE 2,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7						Without [DSA] includes item 4,23, 26
26	4746 027	1	2						GEAR KIT, Center Differential
		1	7						
27	4506 059	1	2						GEAR KIT, Center Differential
		1	7						
28	5018 556AA	4	2						STUD Axle Housing to Backing Plate, Mounting
		4	7						Axle Housing to Backing Plate, Mounting
-29	5017 709AA-	8	2						NUT Axle Housing to Backing Plate, Mounting
		8	7						Axle Housing to Backing Plate, Mounting
30	4384 186	2	2						GASKET, Axle Shaft Axle Shaft to Hub, Mounting
		2	7						Axle Shaft to Hub, Mounting
31	4746 601	2	2						SHAFT, Axle
		2	7						
32	4506 057	1	2						TONE RING, Sensor
		1	7						
33	4883 560AA	1	2						ROLL PIN, Differential With or Without [DSA]
		1	7						With or Without [DSA]
34	1922 276	1	2						SHAFT, Differential With or Without [DSA]
		1	7						With or Without [DSA]
35	5003 648AA	4	2						BOLT, Differential
		4	7						

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

**Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BE 2,7
Figure 003-220**

[illegible]

SERIES LINE

L = Ram Truck (All)

2, 7 :

 $33 = Q$

34 = Quad Cab (154 WB)


ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BE 2,7
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									SPACER, Drive Pinion Bearing
	4773 913	1	2						
		1	7						
15									BEARING, Drive Pinion Bearing and Cup, Front
	4746 604	1	2						
		1	7						Bearing and Cup, Front
16									SLINGER, Drive Pinion
	4746 867	1	2						
		1	7						
17									SEAL, Drive Pinion
	5072 265AA	1	2						
		1	7						
18									YOKE, Axle
	5016 791AA	1	2						
		1	7						
-19									O RING, Pinion Flange
	5016 792AA-	1	2						Fits Over Hub of Flange
		1	7						Fits Over Hub of Flange
20									WASHER, Pinion Yoke
	2070 117	1	2						
		1	7						
21									NUT, Pinion Yoke
	1795 173	1	2						
		1	7						
22									DISC AND PLATE KIT, Differential
	4506 072	1	2						With [DSA]
		1	7						With [DSA]
23									SCREW, Hex Head
	4506 066	12	2						Ring Gear, Mounting
		12	7						Ring Gear, Mounting
24									GEAR KIT, Ring And Pinion
	4746 618AB	1	2						[DMD]
	4746 624AB	1	2						[DMF]
	4746 618AB	1	7						[DMD]
	4746 624AB	1	7						[DMF]
25									CASE, Differential
	4746 621AB	1	2						Without [DSA] Includes Items 23,26
		1	7						Without [DSA] Includes Items 23,26
26									GEAR KIT, Center Differential
	4746 622	1	2						
		1	7						
27									GEAR KIT, Center Differential


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BE 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4638 255	1	2						
		1	7						
28	5018 556AA	1	2						STUD Axle Housing to Backing Plate, Mounting
		1	7						Axle Housing to Backing Plate, Mounting
-29	5017 709AA-	8	2						NUT Axle Housing to Backing Plate, Mounting
		8	7						Axle Housing to Backing Plate, Mounting
30									GASKET, Axle Shaft
	4384 186	2	2						Axle Shaft to Hub, Mounting
		2	7						Axle Shaft to Hub, Mounting
31	4746 620	2	2						SHAFT, Axle
		2	7						
32	4506 069	1	2						RING, Tone
		1	7						
33	5015 590AA	1	2						ROLL PIN, Differential Without [DSA]
		1	7						Without [DSA]
34	4856 290	1	2						SHAFT, Differential Without [DSA]
		1	7						Without [DSA]
35	5003 648AA	4	2						BOLT, Differential
		4	7						

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BE 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: DRL=Dana Model 80---DMD = 3.54 Ratio---DMF = 4.10 Ratio---DSA = Limited Slip Differential									
1									WASHER, (NOT SERVICED) (Not Serviced)
2									WASHER, (NOT SERVICED) (Not Serviced)
3									CASE, Differential
	4778 763AC	1	2						[DMD,DSA] Includes 4.5,23,24,28
	4778 772AC	1	2						[DMF,DSA] Includes 4.5,23,24,28
	4778 763AC	1	3		34				[DMD,DSA] Includes 4.5,23,24,28
	4778 772AC	1	3		34				[DMF,DSA] Includes 4.5,23,24,28
	4778 763AC	1	7						[DMD,DSA] Includes 4.5,23,24,28
	4778 772AC	1	7						[DMF,DSA] Includes 4.5,23,24,28
	4778 763AC	1	8		34				[DMD,DSA] Includes 4.5,23,24,28
	4778 772AC	1	8		34				[DMF,DSA] Includes 4.5,23,24,28
4									SHIM KIT, Differential
	4746 982AB	1	2						
		1	3		34				
		1	7						
		1	8		34				
5									BEARING, Differential
	4746 981	1	2						Consists of 2 Bearings and 2 Cups
		1	3		34				Consists of 2 Bearings and 2 Cups
		1	7						Consists of 2 Bearings and 2 Cups
		1	8		34				Consists of 2 Bearings and 2 Cups
6									SPACER KIT, differential
	4746 984	1	2						Consists of 2 Flat Spacers
		1	3		34				Consists of 2 Flat Spacers
		1	7						Consists of 2 Flat Spacers
		1	8		34				Consists of 2 Flat Spacers
7									BEARING, Drive Pinion
	4746 978	1	2						Bearing and Cup, Rear
		1	3		34				Bearing and Cup, Rear
		1	7						Bearing and Cup, Rear
		1	8		34				Bearing and Cup, Rear
8									SHIM KIT, Pinion Shaft
	4746 983	1	2						Front and Rear
		1	3		34				Front and Rear
		1	7						Front and Rear
		1	8		34				Front and Rear
9									HOUSING, Rear Axle
	5018 076AC	1	2						[DMD]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BE 2,3,7,8
 Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5018 090AC	1	2						[DMF]
	5018 097AC	1	3		34				[DMD]
	5018 107AC	1	3		34				[DMF]
	5018 282AC	1	7						[DMD]
	5018 286AC	1	7						[DMF]
	5018 289AC	1	8		34				[DMD]
	5018 292AC	1	8		34				[DMF]
10	2952 474	10	2						BOLT, Differential Cover Mounting
		10	3		34				Mounting
		10	7						Mounting
		10	8		34				Mounting
11	3640 792	1	2						PLUG, Differential Cover
		1	3		34				
		1	7						
		1	8		34				
12	5010 884AA	1	2						SEALANT, RTV
		1	3		34				
		1	7						
		1	8		34				
13	4746 985	1	2						COVER, Differential
		1	3		34				
	4746 989	1	7						
		1	8		34				
14	4137 696AB	1							BOLT, Axle Vent
15	4773 230	1	2						SPACER, Drive Pinion
		1	3		34				
		1	7						
		1	8		34				
16	4746 979	1	2						BEARING, Drive Pinion
		1	3		34				Bearing and Cup, Front
		1	7						Bearing and Cup, Front
		1	8		34				Bearing and Cup, Front
17									SLINGER, Drive Pinion, Order Yoke Assembly, (NOT SERVICED) (Not Serviced)
18									SEAL, Drive Pinion

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BE 2,3,7,8
 Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5073 944AA	1	2						
		1	3		34				
		1	7						
		1	8		34				
19									YOKE, Axle
	5015 614AB	1	2						
	5015 641AA	1	3		34				
	5015 614AB	1	7						
	5015 641AA	1	8		34				
-20									O RING, Pinion Flange
	5015 619AA-	1	2						Fits Over Hub of Flange
		1	3		34				Fits Over Hub of Flange
		1	7						Fits Over Hub of Flange
		1	8		34				Fits Over Hub of Flange
21									WASHER, Pinion Yoke
	4773 240	1	2						
		1	3		34				
		1	7						
		1	8		34				
22									NUT, Pinion Yoke
	4773 239	1	2						
		1	3		34				
		1	7						
		1	8		34				
23									DISC AND PLATE KIT, Differential
	5015 623AA	1	2						With [DSA]
		1	3		34				With [DSA]
		1	7						With [DSA]
		1	8		34				With [DSA]
24									BOLT, Ring Gear
	4773 238	12	2						Mounting
		12	3		34				Mounting
		12	7						Mounting
		12	8		34				Mounting
25									GEAR KIT, Ring And Pinion
	4746 976	1	2						[DMD]
	4746 992	1	2						[DMF]
	4746 976	1	3		34				[DMD]
	4746 992	1	3		34				[DMF]
	4746 976	1	7						[DMD]
	4746 992	1	7						[DMF]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BE 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4746 976	1	8		34				[DMD]
	4746 992	1	8		34				[DMF]
	4746 977AB	1	2						CASE, Differential
	4746 993AB	1	2						[DMD] Without [DSA] Includes Items 4,24,27
27	4746 977AB	1	3		34				[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	3		34				[DMD] Without [DSA] Includes Items 4,24,27
	4746 977AB	1	7						[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	7						[DMD] Without [DSA] Includes Items 4,24,27
28	4746 977AB	1	8		34				[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	8		34				[DMD] Without [DSA] Includes Items 4,24,27
	4746 977AB	1	8		34				[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	8		34				[DMD] Without [DSA] Includes Items 4,24,27
29	4746 977AB	1	8		34				[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	8		34				[DMD] Without [DSA] Includes Items 4,24,27
	4746 977AB	1	8		34				[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	8		34				[DMD] Without [DSA] Includes Items 4,24,27
30	4746 977AB	1	8		34				[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	8		34				[DMD] Without [DSA] Includes Items 4,24,27
	4746 977AB	1	8		34				[DMF] Without [DSA] Includes Items 4,24,27
	4746 993AB	1	8		34				[DMD] Without [DSA] Includes Items 4,24,27

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BE 2,3,7,8
Figure 003-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	3		34				Axle Housing to Backing Plate, Mounting
		8	7						Axle Housing to Backing Plate, Mounting
		8	8		34				Axle Housing to Backing Plate, Mounting
31	4384 186	2	2						GASKET, Axle Shaft
		2	3		34				Axle Shaft to Hub, Mounting
		2	7						Axle Shaft to Hub, Mounting
32		2	8		34				Axle Shaft to Hub, Mounting
	4746 995	2	2						SHAFT, Axle
	4746 967	2	3		34				
	4746 995	2	7						
	4746 967	2	8		34				
33									RING, Tone
	4761 653	1	2						ABS Sensor
		1	3		34				ABS Sensor
		1	7						ABS Sensor
		1	8		34				ABS Sensor
34									ROLL PIN, Differential, (NOT SERVICED) (Not Serviced)
35									SHAFT, Differential, (NOT SERVICED) (Not Serviced)
36									BOLT, Differential
	5003 648AA	4	2						
		4	3		34				
		4	7						
		4	8		34				

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Vent, Rear Axle
Figure 003-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J535 2955	1							VENT, Axle, Upper
2	6032 633	1							CLIP, Vent Tube
3	HFV0 0516	1							HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
4	0153 455	1							CLAMP, Hose, .620
5	4137 696AB	1							BOLT, Axle Vent, Lower

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Group – 004

Parking Brake


GROUP 4 - Parking Brake


Illustration Title

Group-Fig. No.


Parking Brake Lever and Cables

Parking Brake Lever	Fig. 004-110
Parking Brake Cable	Fig. 004-120
Rear Disc Parking Brake Assembly	Fig. 004-130



<div>004-100</div> <div>Parking Brake Lever and Cables</div> <div></div>			
---	--	--	--


Parking Brake Lever
Figure 004-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 842AD	1							LEVER, Park Brake
2	6102 153AA	1							SCREW, Tapping, M8x20, Park Brake Lever, Mounting
3	5017 047AA	1							SWITCH, Parking Brake
4	3420 1711	2							NUT, Hex Flange, M8x1.25, Park Brake Lever to Dash, Mounting
5	52009 767AA	1							CABLE, Parking Brake
6	J400 4642	1							SCREW, Round Head, .164-18x.560, Park Brake Cable Clip, Mounting
7	0120 524	1							CLIP, Cable
8	5017 048AA	1							PAD, Parking Brake Pedal
9	J400 4642	3							SCREW, Round Head, .164-18x.560, Park Brake Cable Seal, Mounting
10	RU38 LAZAA	1							RELEASE, Parking Brake [AZ]
	RU38 RC8AA	1							[C3]
	RU38 VK9AA	1							[K9]
11	52009 907AC	1							ROD, Parking Brake Release

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Parking Brake Cable
Figure 004-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52010 030AB	1							CABLE, Parking Brake, Right
2									SCREW, Hex Flange Head, M8x1.25x25.00, (NOT SERVICED) (Not Serviced)
3	6503 291	1							CLIP, Brake Cable, 23x45x.76
4	5200 9060	1							GUIDE, Parking Brake Cable
5									SCREW, Hex Flange Head, M8x1.25x25.00, (NOT SERVICED) (Not Serviced)
6	5200 8943	1							GUIDE, Parking Brake Cable
7	6502 282	2							SCREW, Hex Head, M8x1.25x30
8									CABLE, Parking Brake
	52010 031AA	1	2						Left
	52013 005AA	1	3		34				Left
	52009 987AA	1	7						Left
	52013 007AA	1	8		34				Left
9									TENSIONER, Parking Brake Cable
	52008 437AD	1	2, 7						
	52010 319AB	1	3, 8		34				
10									CABLE, Parking Brake
	52010 321AA	1			34				Intermediate
	52010 320AA	1	2, 7		33				Intermediate
11	52009 767AA	1							CABLE, Parking Brake, Front
-12	4780 615AB-	1							PLUG, Body, .75 Diameter, Frame Rail

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Disc Parking Brake Assembly
Figure 004-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 919AA	2	2						ADAPTER, Parking Brake
		2	3		34				Complete assembly
		2	7						Complete assembly
		2	8		34				Complete assembly
2	5018 553AA	1	2						SPRING, Park Brake Shoe Return
		1	3		34				
		1	7						
		1	8		34				
3	5018 550AA	2	2						SHOE AND LINING KIT, Parking Brake
		2	3		34				
		2	7						
		2	8		34				
4	4238 733	1	2						PIN, Brake Shoe Hold Down
		2	3		34				
		2	7						
		2	8		34				
5	4383 543	2	2						CLIP, Brake Shoe Hold Down
		2	3		34				
		2	7						
		2	8		34				
6	5018 551AA	1	2						ADJUSTER, Parking Brake
		1	3		34				
		1	7						
		1	8		34				
7	5018 554AA	1	2						SPRING, Park Brake Shoe Return
		1	3		34				
		1	7						
		1	8		34				
8	5018 557AA	1	2						PLUG, Brake Adjusting Hole
		1	3		34				
		1	7						
		1	8		34				
9									LEVER, Park Brake

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Disc Parking Brake Assembly Figure 004-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5018 552AA	1	2						
		1	3		34				
		1	7						
10		1	8		34				BOOT, Parking Brake Lever
	5018 555AA	1	2						
		1	3		34				
		1	7						
		1	8		34				

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year








September 16, 2005

Group – 005
Service Brakes


GROUP 5 - Service Brakes

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes,Front,BE 2,3,7,8	Fig. 005-110
Rear Brakes	
Disc,Bearings and Hub,Rear Brake,BE 2,3,7,8	Fig. 005-210
Power Brake Booster	
Booster--Power Brake and Hydro	Fig. 005-310
Brake Master Cylinder	
Master Cylinder--Brake,All Bodies	Fig. 005-410
Hydraulic Control Unit,Brake	Fig. 005-420
Brake Lines and Hoses	
Lines And Hoses,Brake,Front and Chassis	Fig. 005-510
Lines and Hoses,Brake,Rear	Fig. 005-520
Brake Pedals	
Pedal.Brake	Fig. 005-610
Vacuum Pump	
Vacuum Pump, Brake,All Diesel	Fig. 005-710



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 	005-700 Vacuum Pump 	

Brakes,Front,BE 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CALIPER, Disc Brake
	5015 252AA	1	2, 3						Right
	5015 253AA	1	2, 3						Left
	5015 252AA	1	7						Right
	5015 253AA	1	7						Left
	5015 252AA	1	8		34				Right
	5015 253AA	1	8		34				Left
2									PIN, Caliper
	5003 898AA	2	2, 3						
		2	7						
		2	8		34				
3									BUSHING, Disc Brake Caliper
	5003 896AA	2	2, 3						
		2	7						
		2	8		34				
4									SLEEVE, Disc Brake Caliper
	5003 897AA	2	2, 3						
		2	7						
		2	8		34				
5									BLEEDER SCREW, Brake
	3780 788	1	2, 3						
		1	7						
		1	8		34				
6									CAP, Bleeder
	4238 717	1	2, 3						
		1	7						
		1	8		34				
7									CLIP, Brake Anti-Rattle
	5066 246AA	1	2, 3						Leading
		1	7						Leading
		1	8		34				Leading
8									PAD KIT, Front Disc Brake
	5015 254AC	1	2, 3						Contains 4 Pads
		1	7						Contains 4 Pads
		1	8		34				Contains 4 Pads
9									CLIP, Brake Anti-Rattle
	5066 245AA	1	2, 3						Trailing
		1	7						Trailing
		1	8		34				Trailing
10									BOOT, Brake Piston
	5003 911AA	2	2, 3						

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummm Diesel
ETH = 5.9LCummm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BE 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7						
		2	8		34				
11	5003 910AA	2	2, 3						SEAL, Caliper Piston
		2	7						
		2	8		34				
12	5003 912AA	2	2, 3						PISTON, Brake
		2	7						
		2	8		34				
13	5015 318AA	1	2, 3						ADAPTER, Disc Brake Caliper
	5015 319AA	1	2, 3						Right
	5015 318AA	1	7						Left
	5015 319AA	1	7						Right
	5015 318AA	1	8		34				Left
	5015 319AA	1	8		34				Right
14	6505 830AA	4	2, 3						BOLT
	5015 130AA	4	7						Adapter to Knuckle, Mounting
		4	8		34				Adapter to Knuckle, Mounting
15	6502 905	2	2, 3						SCREW, Hex Flange Head, M8x1.
16	56028 216AD	2	2, 3						25x23, Sensor, Mounting
17									SENSOR, Anti-Lock Brake
	5015 882AA	1	7						SENSOR KIT, Anti-Lock Brakes
		1	8		34				Contains wire,screw and I-Sheet
-18									BRACKET, Brake Sensor
	5015 126AA-	1	7						Right
	5015 127AA-	1	7						Left
	5015 126AA-	1	8		34				Right
	5015 127AA-	1	8		34				Left
19									SHIELD, Brake
	52009 676AB	1	2, 3						Right
	52009 677AB	1	2, 3						Left
	5015 128AA	1	7						Right
	5015 129AA	1	7						Left
	5015 128AA	1	8		34				Right
	5015 129AA	1	8		34				Left
20	6502 905	2	2, 3						SCREW, Hex Flange Head, M8x1.
									25x23, Splash Shield, Mounting
21									HUB AND BEARING, Brake

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BE 2,3,7,8
Figure 005-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 228AA	2	2						
		2	3		34				
	5015 282AA	1	7						
		1	8		34				
22	5015 229AA	16	8		34				STUD, Hub, Hub to Wheelhouse
									Extension, Mounting
23									ROTOR, Brake
	5015 230AA	2	2						
		2	3		34				
		1	7						
		1	8		34				
24	5015 234AA	1	8		34				EXTENSION, Wheel House
25									STUD, Hub
	5015 229AA	8	2						Wheel, Mounting
		16	3		34				Wheel, Mounting
		8	7						Wheel, Mounting
		16	8		34				Wheel, Mounting
26									WASHER, Flat
	4746 811	2	7						
		2	8		34				
27									NUT, Axle Hub
	6505 007AA	2	2, 3						
	4746 773	2	7						
		2	8		34				
28	4746 899	8	8		34				NUT, Wheel House Extension to Hub
									Stud, Mounting

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BE 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CALIPER, Disc Brake
	5018 586AA	1	2						Right
	5018 587AA	1	2						Left
	5018 570AA	1	3		34				Right
	5018 571AA	1	3		34				Left
	5018 586AA	1	7						Right
	5018 587AA	1	7						Left
	5018 570AA	1	8		34				Right
	5018 571AA	1	8		34				Left
2									BLEEDER SCREW, Brake
	5015 248AA	1	2						
		1	3		34				
		1	7						
		1	8		34				
3									CAP, Bleeder
	4238 717	1	2						
		1	3		34				
		1	7						
		1	8		34				
4									PIN, Caliper
	4423 639	2	2						
		2	3		34				
		2	7						
		2	8		34				
5									PISTON, Brake
	5018 589AA	2	2						
	5018 572AA	2	3		34				
	5018 589AA	2	7						
	5018 572AA	2	8		34				
6									BUSHING, Disc Brake Caliper
	5003 896AA	2	2						
		2	3		34				
		2	7						
		2	8		34				
7									SEAL, Caliper Piston
	5018 588AA	2	2						
	5018 574AA	2	3		34				
	5018 588AA	2	7						
	5018 574AA	2	8		34				
8									SLEEVE, Disc Brake Caliper
	5018 575AA	2	2						

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BE 2,3,7,8
Figure 005-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5018 238AA	2	3		34				BOOT, Brake Piston
	5018 575AA	2	7						
	5018 238AA	2	8		34				
	5018 590AA	2	2						
10	5018 573AA	2	3		34				CLIP, Brake Anti-Rattle
	5018 590AA	2	7						
	5018 573AA	2	8		34				
	5018 579AA	1	2						
11		1	3		34				PAD KIT, Rear Disc Brake
		1	7						
		1	8		34				
	5018 563AA	1	2						
12		1	3		34				CLIP, Brake Anti-Rattle
		1	7						
		1	8		34				
	5018 578AA	1	2						
13		1	3		34				ADAPTER, Disc Brake Caliper
		1	7						
		1	8		34				
	5018 580AA	1	2						
14		1	3		34				BOLT
		1	7						
		1	8		34				
	6504 691	4	2						
15		4	3		34				BOLT, Hub and Rotor
		4	7						
		4	8		34				
	5017 651AA	8	3		34				
16		8	8		34				ROTOR, Brake
	52009 932AA	2	2						
		1	3		34				
		2	7						
17		1	8		34				SEAL, Wheel Bearing

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500


BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Disc,Bearings and Hub,Rear Brake,BE 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3496 557	2	2						
	2954 738	2	3		34				
	3496 557	2	7						
	2954 738	2	8		34				
18									BEARING, Wheel
	0927 017	2	2						Inner
	2959 942	2	3		34				Inner
	0927 017	2	7						Inner
	2959 942	2	8		34				Inner
19									CUP, Wheel Bearing
	4746 918	1	2						Inner
	4746 919	1	3		34				Inner
	4746 918	1	7						Inner
	4746 919	1	8		34				Inner
20									HUB, Wheel
	52009 735AA	2	2						
	5017 657AA	1	3		34				
	52009 735AA	2	7						
	5017 657AA	1	8		34				
21									STUD, Hub
	4746 915	8	2						
	4746 916	8	3		34				
	4746 915	8	7						
	4746 916	8	8		34				
22									CUP, Wheel Bearing
	2955 374	1	2						Outer
		1	3		34				Outer
		1	7						Outer
		1	8		34				Outer
23									BEARING, Wheel
	2852 729	2	2						Outer
		2	3		34				Outer
		2	7						Outer
		2	8		34				Outer
24									LOCK, Wheel Bearing Adj Nut
	4797 126	2	2						
		2	3		34				
		2	7						
		2	8		34				
25									NUT, Bearing Adjusting
	5206 9306	2	2						

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BE 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3		34				
		2	7						
		2	8		34				
26	4384 186	2	2						GASKET, Axle Shaft Axle Shaft to Hub, Mounting
		2	3		34				Axle Shaft to Hub, Mounting
		2	7						Axle Shaft to Hub, Mounting
		2	8		34				Axle Shaft to Hub, Mounting
27									BOLT
	5003 466AA	16	2						Axle Shaft to Hub, Mounting
		16	3		34				Axle Shaft to Hub, Mounting
		16	7						Axle Shaft to Hub, Mounting
		16	8		34				Axle Shaft to Hub, Mounting

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Booster--Power Brake and Hydro
 Figure 005-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes; [EM0]=Engines - All 5.9L 8 Cylinder Gas [ET0]=Engines - All 5.9L Turbo Diesels [EW0]=Engines - All 8.0L Gas									
1	4883 813AA	1	2, 7						GROMMET, Brake Booster Check Valve, [EM0,EW0], Mounting
2	52008 111AE	1	2, 7						HOSE, Brake Booster [EM0]
	52008 212AD	1	2, 7						[EW0]
-3	2448 761	2							CLAMP, Hose
-4	6016 020	1							STRAP, Tie, Booster Hose to Breather Hose
5	4723 391	1	2, 7						VALVE, Brake Booster Check, [EM0, EW0]
6	5017 033AA	1	2, 7						BOOSTER, Power Brake, [EM0, EW0]
-7	6503 269	4							NUT, Hex, M10-1.5, Booster to Dash, Mounting
8	52009 651AA	2	2, 7						CLIP, Brake Tube [ET0]
		2	3, 8		34				
9	52009 645AB	1	2, 7						TUBE, Brake [ET0]
		1	3, 8		34				
10	52009 651AA	2	2, 7						CLIP, Brake Tube [ET0]
		2	3, 8		34				
11	52009 650AC	1	2, 7						TUBE, Brake [ET0]
		1	3, 8		34				
12	52009 652AA	1	2, 7						BRACKET, Brake Booster
		1	3, 8		34				
13	5134 380AA	1	2, 7						SPACER, Brake Booster
		1	3, 8		34				
14	5018 222AA	1	2, 7						HYDRO-BOOSTER, Power Brake [ET0]
		1	3, 8		34				


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Master Cylinder--Brake,All Bodies
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5017 034AA	1	2, 7						MASTER CYLINDER, Brake
		1	2, 7						[EM0,EW0]
		1	3, 8		34				[ET0]
2	4683 656	1	2, 7						CAP, Master Cylinder Reservoir
		1	2, 7						[EM0,EW0]
		1	3, 8		34				[ET0]
3	5017 577AA	1	2, 7						RESERVOIR, Brake Master Cylinder
		1	2, 7						[ET0]
		1	3, 8		34				[EM0,EW0]
4	5017 035AA	1	2, 7						GASKET, Master Cylinder, [EM0,EW0] To Booster, Mounting
5	4897 209AA	2	2, 7						NUT
		1	2, 7						[EM0,EW0] Booster to Dash, Mounting
		1	3, 8		34				[ET0] Booster to Dash, Mounting

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hydraulic Control Unit,Brake
Figure 005-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Anti-lock Brakes
	5017 757AE	1	2, 7						
	5017 758AE	1	3, 8		34				
2	3420 1711	2							NUT, Hex Flange, M8x1.25, HCU to Stud Plate, Mounting
3									HYDRAULIC CONTROL UNIT, Anti-Lock Brake System
	5096 265AA	1	2, 7						
		1	3, 8		34				
-4									TUBE, Brake
	5003 307AA-	1	2, 7						Module Jumper, Front
	5003 308AA-	1	2, 7						Module Jumper, Rear
	5003 307AA-	1	3, 8		34				Module Jumper, Front
	5003 308AA-	1	3, 8		34				Module Jumper, Rear
5	6100 841	2							PUSH NUT, M8, HCU to Stud Plate, Mounting
6	52008 038AB	1							STUD PLATE, Hydraulic Control Unit, Mounting
7									VALVE, Proportioning
	5015 425AA	1	2, 7						
		1	3, 8		34				
8									BRACKET, Anti-Lock Brake Module
	5003 305AA	1	2, 7						Mounting
		1	3, 8		34				Mounting
9									SCREW AND WASHER, Hex Head, M8x1.25x33, (NOT SERVICED) (Not Serviced)
10									CONTROL UNIT, Anti-Lock Brake
	52010 033AE	1	2, 7						Includes Items 1,3,4,7,8
	52010 034AE	1	3, 8		34				Includes Items 1,3,4,7,8

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[BGJ]=Rear Wheel Antilock Brakes									
[BGK]=Brakes - 4-Wheel Anti-Lock									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EW0]=Engines - All 8.0L Gas									
1	52009 845AB	1	2, 3						HOSE, Brake Right
	52009 683AB	1	2, 3						Left
	52009 945AC	1	7, 8						Right
	52009 689AC	1	7, 8						Left
-2	6035 832	1	2, 3						BOLT, Banjo Brake Hose to Caliper, Mounting
		1	7, 8						Brake Hose to Caliper, Mounting
-3	J323 7672	2	2, 3						GASKET, Brake Hose To Caliper
		2	7, 8						Mounting Mounting
4	3420 1888	5	2, 3						SCREW, Hex Head D Clip to Frame, Mounting
		4	7, 8						D Clip to Frame, Mounting
5	5200 9165	5	2, 3						CLIP, Brake Line To Frame and Crossmember
		4	7, 8						To Frame and Crossmember
6	3420 1888	5	2, 3						SCREW, Hex Head D Clip to Frame, Mounting
		4	7, 8						D Clip to Frame, Mounting
7	5200 9176	1	2, 3						TUBE, Brake From Junction Block to Right Front
	5200 9177	1	7, 8						Brake Hose From Junction Block to Right Front
8	5200 8940	2							CLIP, Brake Line, 2 Way
9	52009 917AD	1	2, 7						TUBE, Brake [EM0,EW0], Primary
	52010 333AA	1	2, 7						[EM0,EW0], Secondary
	52009 763AC	1	3, 8		34				[EM0,EW0], Primary
	52010 335AA	1	3, 8		34				[EM0,EW0], Secondary
	52009 763AC	1							[ET0], Primary
	52010 335AA	1							[ET0], Secondary
10	3420 1888	1							SCREW, Hex Head, Junction Block to Frame, Mounting
11									CLIP, Brake Line

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5200 9165	5	2, 3						To Frame and Crossmember, Mounting
		4	7, 8						To Frame and Crossmember, Mounting
12	52009 399AB	1							TUBE, Brake
	52009 390AB	1							HCU to Junction Block, Right
13	52009 706AB	1							HCU to Junction Block, Left
									TUBE, Brake, HCU to Junction Block, Rear
-14	5200 9163	1							CLIP, Brake Line, 2 Way
-15	5200 9437	2							CLIP, 3 Way
16									TUBE, Brake
	52009 913AB	1	2, 7			33			Junction Block to Rear Brake Hose
	52009 914AB	1				34			Junction Block to Rear Brake Hose
17	6101 452	2	7, 8						SCREW AND WASHER, Hex Head, M8x1.25x20, Front Brake Hose to xle, Mounting
18									TUBE, Brake
	52009 913AB	1	2, 7			33			Junction Block to Rear Brake Hose
	52009 914AB	1				34			Junction Block to Rear Brake Hose
19	5200 7914	2							CLIP, Brake Line, Tube to Rear of
20									Frame, Mounting
	52102 371AB	3							CLIP, Fuel Line
	52102 373AC	3							[EM0,EW0], Mounting
	52102 469AB	1							[ET0], Mounting
21	3420 1888	3							[ET0], Mounting
22									SCREW, Hex Head, Tube to Frame, Mounting
	52102 371AB	3							CLIP, Fuel Line
	52102 373AC	3							[EM0,EW0], Mounting
	52102 469AB	1							[ET0], Mounting
23	3420 1888	1							[ET0], Mounting
24	5200 8053	1							SCREW, Hex Head, Tube to Frame, Mounting
									CLIP, Brake Line, Tube to Frame, Mounting


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines and Hoses,Brake,Rear
Figure 005-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52010 174AA	1							HOSE, Brake
2	4137 696AB	1							BOLT, Axle Vent
3	0152 472	2							NUT, Hex Flange Lock, .312-18
4	52009 990AA	1	2, 7						TUBE, Brake With Hose, Right
	52009 994AA	1							With Hose, Right
-5	6035 886	2							GASKET, Brake Hose To Caliper, Mounting
6	6035 832	1							BOLT, Banjo, Brake Tube/Hose to Caliper, Mounting
7	6502 885	1							SCREW AND WASHER, Hex Head, M6x1x18.5, Tube to Axle Spring Seat, Mounting
8	52009 991AA	1	2, 7						TUBE, Brake With Hose, Left
	52009 995AA	1							With Hose, Left
-9	6035 886	2							GASKET, Brake Hose To Caliper, Mounting
10	6502 885	1							SCREW AND WASHER, Hex Head, M6x1x18.5, Tube to Axle Spring Seat, Mounting
11	6035 832	1							BOLT, Banjo, Brake Tube/Hose to Caliper, Mounting

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pedal.Brake
Figure 005-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DBB]=Transmissions - All Manual

[DG0]=Transmissions - All Automatic

1	6101 712	2							NUT, U, M6x1
2	56045 044AD	1							BRACKET, Brake Lamp Switch
3	6101 718	2							SCREW AND WASHER, Oval Head, M6x1x25, Brake Switch Bracket, Mounting
4	4103 262	2							RETAINER, Shaft, Pivot
5	5207 7902	1							SHAFT, Pedal
6	55351 014AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
7									SCREW AND WASHER, Hex Head, M10x1.5x30, Brake Pedal Bracket to Support Mounting, (NOT SERVICED) (Not Serviced)
8	4294 639	4							BUSHING, Clutch and Brake Pedal
9	5200 9582	1							WASHER, Brake Pedal Spring
10									PEDAL AND PAD, Brake
	52009 423AB	1							[DG0]
	52009 570AC	1							[DBB]
11									PAD, Pedal
	5207 9345	1							[DG0]
	5200 9562	1							[DBB]
12	56045 043AG	1							SWITCH, Stop Lamp
-13	4294 036	1							CLIP, Master Cylinder Push Rod to Brake Pedal Pin, Mounting
14	0120 395	1							WASHER, Flat, Master Cylinder Push Rod to Brake Pedal Pin, Mounting


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Vacuum Pump, Brake,All Diesel
Figure 005-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4883 960AA	1							PUMP, Power Steering
2	5018 358AA	1							CAP, Power Steering Pump
3	5003 637AA	1							NIPPLE, Pump
4	5015 841AA	1							HOSE, Vacuum Pump
5	5011 799AA	1							BRACKET, Vacuum Pump
6	4429 862	1							NUT, Hex Flange, M10x1.5
7	4429 862	1							NUT, Hex Flange, M10x1.5
8	4429 637	1							SCREW, Hex Head, m12X1.75X.35
9	5011 617AA	1							CHECK VALVE, Vacuum Pump
10	4638 531	1							GASKET, Hydraulic Pump
11	5011 797AA	1							GEAR, Accessory Drive
12	5019 734AA	1							PUMP, Vacuum
13	4638 672	1							SCREW
14	4728 162	1							HUB, Hydraulic Brake Pump
15	4761 972	1							STUD

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Group – 006





Clutch

GROUP 6 - Clutch


Illustration Title Group-Fig. No.

Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Housing And Pan, Clutch	Fig. 006-210
Clutch Controls	
Controls, Hydraulic Clutch	Fig. 006-310
Clutch Pedals	
Pedal, Clutch	Fig. 006-410



006-100 Clutch	006-200 Clutch Housing	006-300 Clutch Controls	006-400 Clutch Pedals
			

Clutch
Figure 006-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DDX] = 5 Speed Heavy Duty Manual Transmission
[DEE] = 6 Speed Heavy Duty Manual Transmission
[EL0] = 5.2L 8 Cylinder Gas Engine
[EM0]= 5.9L 8 Cylinder Gas Engine
[ET0]= All 5.9L Turbo Diesel Engines
[ETH] = 5.9L Cummins Turbo Diesel Engine
[EW0] = All 8.0L Gas Engines


1									DISC, Clutch
	5210 7587	1				EM0	DBB		
	52107 611AD	1				EW0	DDX		
		1				ETC	DDX		
	52107 775AA	1				ETH	DEE		
2	6035 626	6				EM0	DBB		BOLT, Hex Head, .375-16x.84
3									BOLT, Hex Flange Head
	6036 096AA	8				EW0	DDX		
		8				ET0	DBB		
4	4762 857	1				EM0	DBB		CLUTCH KIT, Manual Transmission
5									CLUTCH PACKAGE
	4897 532AC	1				EW0	DDX		
		1				ETC	DDX		
	5014 767AA	1				ETH	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummins Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummins HO Turbo Diesel	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Housing And Pan, Clutch Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = 5.2L 8 Cylinder Gas Engine									
[EM0] = 5.9L 8 Cylinder Gas Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
[ETH] = 5.9L Cummins Turbo Diesel Engine									
[EW0] = All 8.0L Gas Engines									
[DBB] = All Manual Transmissions									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
1	5211 7772	1				EM0	DDP		STRUT, Transmission to Block
2	6035 212	6				EM0, EW0			SCREW, Hex Flange Head, .375- 16x1.125
3	6036 385AA	2				EW0	DDX		SCREW AND WASHER, Hex Head, .437-14x2.00
4	6023 092	2				EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
5	6101 985	2				EM0	DDP		SCREW AND WASHER, M10x1. 50x45.00
6	52107 753AC	1				EM0	DBB		COVER, Transmission Case
	5211 7614	1				EW0	DDX		
7	52107 753AC	1				EM0	DBB		COVER, Transmission Case
	5211 7614	1				EW0	DDX		
8	6023 092	2				EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
9	6022 266	5				EM0	DBB		SCREW, Hex Head, .375-16x1.5
		4				EW0	DBB		
10	0152 474	2				EW0	DDX		NUT, Hex Flange Lock, .375-16
11	52107 540AB	1				EM0	DDP		HOUSING, Clutch
	5300 6513	1				ETC, EW0	DDX		
	5003 582AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
12	5211 7709	1				EM0			GROMMET, Timing Probe
13	0152 474	2				EW0	DDX		NUT, Hex Flange Lock, .375-16
14	6024 055	4					DDP, DDX		SCREW AND WASHER


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Hydraulic Clutch Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EL0] = 5.2L 8 Cylinder Gas Engine									
[EM0]= 5.9L 8 Cylinder Gas Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
[DBB] = All Manual Transmissions									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
1	5210 7555	1				EM0	DBB		FORK, Clutch Release
2	5208 7515	1				ET0, EW0	DBB		LEVER, Clutch Release
3									BEARING, Clutch Release
	5300 8342	1				EM0	DBB		
	5208 7514	1				ET0, EW0	DDX, DEE		
4									PIVOT, Clutch Release
	5208 7542	1				EM0	DDP		
		1				ETC, EW0	DDX		
		1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
5	4338 855	1					DBB		SPRING, Clutch Release
6									HYDRAULIC CONTROL PACKAGE, clutch master and slave cylinder
	5015 258AA	1				EM0, ET0	DBB		
		1	2, 3			EW0	DBB		
	5019 820AA	1	7, 8			EW0	DBB		
7	6032 988	2					DBB		SCREW
8	0152 472	2					DBB		NUT, Hex Flange Lock, .312-18
9	6032 878	2					DBB		STUD, .312-18x2.00
10	6026 125	1							CLIP, Retainer
11	53007 944AB	1				EM0, ET0	DBB		SWITCH, Clutch Starter Interlock
12	4720 156	1				EM0, ET0	DBB		CAP, Clutch Reservoir
13	4720 157	1				EM0, ET0	DBB		DIAPHRAGM, Clutch Reservoir
14	6503 269	4							NUT, Hex, M10-1.5


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pedal, Clutch
Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sale Codes


[DBB] = All Manual Transmissions

1	5200 9562	1					DBB		PAD, Pedal
2	52009 557AB	1					DBB		PEDAL, Clutch
3	4294 639	4							BUSHING, Clutch and Brake Pedal
4	0120 395	1							WASHER, Flat
5	4294 036	1							CLIP
6	6507 188AA	2							STUD, M6x1.00mmx48.80mm
7	5207 7902	1							SHAFT, Pedal
8	4103 262	2							RETAINER, Shaft

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Group – 007
Cooling



GROUP 7 - Cooling

Illustration Title
 Group-Fig. No.

Radiator and Related Parts

Radiator And Related Parts Gas Engines	Fig. 007-125
Radiator And Related Parts Diesel Engine	Fig. 007-130

Water Pump and Related Parts

Water Pump 5.9L Gas Engines	Fig. 007-210
Water Pump Diesel Engine	Fig. 007-225
Water Pump 8.0 Engine	Fig. 007-230

Tank, Coolant Engine

Coolant Tank	Fig. 007-320
--------------------	--------------

Pulleys and Related Parts

Drive Pulleys 5.9 LD And 8.0 Engine	Fig. 007-410
Drive Pulleys 5.9 HD Gas Engine	Fig. 007-420
Drive Pulleys Diesel Engine	Fig. 007-440

Drive Belts








Drive Belts 5.9L Gas Engine	Fig. 007-520
Drive Belts Diesel Engine	Fig. 007-530
Drive Belts 8.0 Engine	Fig. 007-550

Lines, Transmission Oil Cooler


Oil Cooler And Lines Gas Engine	Fig. 007-615
Oil Cooler And Lines Diesel Engine	Fig. 007-620
Auxiliary Oil Cooler Gas Engine	Fig. 007-650
Auxiliary Oil Cooler Diesel Engine	Fig. 007-660

Grilles

Grille And Related Parts	Fig. 007-720
--------------------------------	--------------

007-100 Radiator and Related Parts 	007-200 Water Pump and Related Parts 	007-300 Tank, Coolant Engine 	007-400 Pulleys and Related Parts 
007-500 Drive Belts 	007-600 Lines, Transmission Oil Cooler 	007-700 Grilles 	

Radiator And Related Parts Gas Engines
Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code EML,EMM,EM0 = 5.9L Gas Engine									
Sales Code EWA,EW0 = 8.0L Gas Engine									
1	5503 6415	1				EW0			HOSE AND TUBE, Thermostat
2	6502 017	4				EM0			CLAMP, Heater Hose
		6				EW0			
3	55035 944AB	1				EM0			NIPPLE, Heater Inlet
		1				EW0			
4	6034 506	6				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
5	53006 047AB	1				EW0			HOUSING, Thermostat
6	53005 868AB	1				EW0			GASKET, Thermostat
7	5304 1078	1				EW0			THERMOSTAT, 195 Degrees
8	5301 0047	1				EW0			SEAL, Thermostat
9	6034 549	18				EM0			SCREW, Hex Head, .312-18x.94
10	5302 0115	1				EM0			HOUSING, Thermostat
11	5202 8185	1				EM0			THERMOSTAT, 195 Degrees
12	53021 051AB	1				EM0			GASKET, Thermostat
13	52029 176AB	1				EW0	DG0		RADIATOR, Engine Cooling
	52029 177AB	1				EW0	DBB		
	52006 491AC	1				EM0	DBB		
	52029 189AB	1				EM0	DG0		
-14	52028 466AB-	1				EW0	DG0		DRAINCOCK, Radiator
15	52028 892AA	1				EW0	DBB		CAP, Radiator
		1				EW0	DG0		
16	52028 643AB	1				EM0			HOSE, Radiator
	52028 641AB	1				EW0			Upper
17	52006 484AB	1				EW0			Upper
	52029 002AB	1				EML, EMM			HOSE, Radiator
									Lower
18	5200 6750	1				EW0			CLAMP, Radiator
	6032 277	1				EM0			
19	5200 6750	1				EW0			CLAMP, Radiator
20									BOLT, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Radiator And Related Parts Gas Engines
Figure 007-125

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25
22	52028 002AC	1				EM0			SHROUD, Fan
	5200 6486	1				EW0			
23	5202 7846	1				EM0			FAN, Cooling Without NMC
	5202 7709	1				EW0			
	5202 7999	1				EM0			With NMC
24	6022 225	4							SCREW AND WASHER, Hex Head, .312-18x.75
25	52029 400AA	1				EM0			DRIVE, Fan With NMC
	52027 883AB	1				EM0			Without NMC
	5202 7885	1				EW0			
26	5202 7828	2				EW0	DG0		ISOLATOR, Radiator
	4401 950	2				EM0	DG0		
		2				EM0	DBB		
27	5202 7828	2				EW0	DG0		ISOLATOR, Radiator
	4401 950	2				EM0	DG0		
		2				EM0	DBB		
28	5202 7560	1				EM0			SEAL, Radiator Right
	5202 7561	1				EM0			Left
29	6030 441	2							PIN, Retainer

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Radiator And Related Parts Diesel Engine

Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	4546 145	1				ET0			CLIP, Radiator Fan Shroud
2	4546 145	1				ET0			CLIP, Radiator Fan Shroud
3	52030 191AB	1				ET0			RADIATOR, Engine Cooling
4	6032 277	1				ET0			CLAMP, Radiator
5	5202 8715	1				ET0			HOSE, Radiator, Inlet,Upper
6	5202 8003	1				ET0			SHROUD, Fan
7	52006 482AB	1				ET0			HOSE, Radiator, Outlet,Lower
8	6032 277	1				ET0			CLAMP, Radiator
9									ISOLATOR, Radiator
	5202 7827	2				ET0			Right
	5202 7828	2				ET0			Left
10	52028 892AA	2				ET0			CAP, Radiator
11	52028 893AA	1				ET0			FAN, Cooling
12	52028 894AA	1				ET0			DRIVE, Fan
13	6022 225	4							SCREW AND WASHER, Hex Head, .312-18x.75
14	4429 460	3				ETC			SCREW, Water Inlet, M10x1.5x25
15	4638 933	1				ETC			CONNECTOR, Water Inlet
16	4429 484	2				ETC			PIN, Roll
17	5011 903AA	1				ETC			PLUG, Pipe
18									SCREW, Hex Flange Head
	4761 269	6				ETC			
	5016 651AA	3				ETH	DBB		
19									HOUSING, Thermostat
	5015 713AA	1				ETH	DBB		
		1				ETC	DBB		
20									THERMOSTAT
	5015 708AB	1				ETH	DBB		
		1				ETC	DBB		
21	4429 697	1				ETC			SEAL, Water Outlet
22	4429 495	3				ETC			BOLT, Hex Head, M12x1.75x25
-23	52028 466AB-	1				ET0			DRAINCOCK, Radiator


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Water Pump 5.9L Gas Engines
Figure 007-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
1	53021 018AD	1				EM0			PUMP, Water, with Pulley
2	4483 757	1				EM0			GASKET, Water Pump
3	5300 8654	1				EM0			HOSE, Water Pump Bypass
4	6032 277	1				EM0			CLAMP, Radiator
5	5302 0185	1				EM0			NIPPLE, By-Pass
6	6034 279	2				EM0			SCREW AND WASHER, Hex Head
Lock, .375-16x1.75									
7									HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Water Pump Diesel Engine
Figure 007-225




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETH = 5.9L HO Cummins Turbo Diesel Engine
ET0 = All 5.9L Diesel Engines

1	4429 698	1				ETC			SEAL, Water Pump To Front Cover
		1				ETH	DBB		
		1				ETC	DBB		
2	5010 964AB	1				ETC			PUMP, Water
		1				ETH	DBB		
		1				ETC	DBB		
3	5003 666AA	2				ETC			SCREW, Cap
		2				ETH	DBB		
		1				ETC	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Water Pump 8.0 Engine Figure 007-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EW0 = All 8.0L Gas Engines									
1	53021 074AE	1				EW0			PUMP, Water
2	5302 1072	1				EW0			O RING, Water Pump
3	6034 279	2				EW0			SCREW AND WASHER, Hex Head
									Lock, .375-16x1.75
4	6034 076	4				EW0			SCREW AND WASHER, Hex Head
									Lock, .375-16x4.45
5	5300 5879	1				EW0			HOSE, Water Pump Bypass
6	4401 438	2				EW0			CLAMP, Radiator
7	5300 6046	1				EW0			NIPPLE, By-Pass
8	5304 1101	1				EW0			ELBOW, .375-18 Straight

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Coolant Tank
Figure 007-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code ELF,EL0 = 5.2L Gas Engine									
Sales Code EML,EMM,EM0 = 5.9L Gas Engine									
Sales Code EWA,EW0 = 8.0L Gas Engine									
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	4026 148	1				EW0			HOSE, Coolant Reserve Tank
2	2448 761	1				EW0			CLAMP, Hose
3									TANK, Coolant Reserve
	5202 8624	1				EW0			
	5202 7778	1				EM0,			
						ET0			
4	5202 8612	1				EW0			CAP, Coolant Reserve Tank
5									SCREW, (NOT SERVICED) (Not Serviced)
6									BRACKET, Serviced in Radiator Shroud, (NOT SERVICED) (Not Serviced)
7									HOSE, Coolant Reserve Tank
	4026 148	1				EW0			
	5202 8147	1				EM0,			
						ET0			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 5.9 LD And 8.0 Engine Figure 007-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code EML,EMM,EM0 = 5.9L Gas Engine									
Sales Code EWA,EWO = 8.0L Gas Engine									
1									PULLEY, Water Pump, Serviced with Pump, (NOT SERVICED) (Not Serviced)
-2	53021 284AA-	1				EM0			DAMPER, Crankshaft
3									SCREW, (NOT SERVICED) (Not Serviced)
4	0181 088	10	7, 8			EM0	DDP		BOLT, Hex Head, .312-18x1.00
5	5300 8614	1				EM0			BRACKET, Alternator And Compressor
6	6034 247	1				EWO			BOLT, Hex Head, .375-16x.25
7	5300 9508	1				EWO			PULLEY, Idler
8	3300 2201	1				EWO			BUSHING, Idler Pulley
9									BOLT, (NOT SERVICED) (Not Serviced)
10									BOLT, (NOT SERVICED) (Not Serviced)
11	6034 246	3				EMM			BOLT, Hex Head, .375-16x.75
12	5300 8618	1				EM0			BRACKET, Alternator
13									TENSIONER, Belt
	53010 158AB	1				EMM			[NAB]
	5301 0240	1				EMM			[NAA,NAE,NA1]
		1				EWO			
14									SCREW, Torx Socket Head Cap, .375-16x2.75
	6035 198	1				EMM			
		1				EWO			


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 5.9 HD Gas Engine Figure 007-420



W/O A/C

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

EL0 = All 5.2L 8 Cyl Gas Engines

EML = Magnum 5.9L SMPI V8 Engine

EMM = Magnum 5.9L SMPI V8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

1									PULLEY, Water Pump, (NOT SERVICED) (Not Serviced)
2									SCREW AND WASHER, .375-16x1.00, (NOT SERVICED) (Not Serviced)
3	5300 8614	1				EM0			BRACKET, Alternator And Compressor
4	5300 8344	1				EMM			BRACKET, Air Pump And Tensioner
5	5301 0240	1				EMM			TENSIONER, Belt
6	6034 246	3				EMM			BOLT, Hex Head, .375-16x.75
7									SCREW, (NOT SERVICED) (Not Serviced)
8	6501 714	3				EMM			SCREW AND WASHER, Hex Head, M6x1x18
9	5300 8638	1				EMM			PULLEY, Air Pump
-10	53021 284AA-	1				EM0			DAMPER, Crankshaft


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys Diesel Engine
Figure 007-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	4429 445	1				ETC			BOLT, Hex Head, M8
		1				ETH	DBB		
2	4429 114	3				ETC			SCREW, Hex Flange Head
		3				ETH	DBB		
3	4882 043	1				ETC			RETAINER, Fan Hub
		1				ETH	DBB		
4	4429 660	1				ETC			SUPPORT, Fan
		1				ETH	DBB		
5	4429 661	1				ETC			HUB, Fan
		1				ETH	DBB		
6	4429 639	1				ETC			BEARING, Idler Pulley
		1				ETH	DBB		
7	4429 668	6				ETC			SCREW, Cap
		6				ETH	DBB		
8	4429 946	1				ETC			PULLEY, Fan
		1				ETH	DBB		
9	4429 779	3				ETC			BOLT, Hex Head
		3				ETH	DBB		
10	5080 633AA	1				ETC			TENSIONER, Belt
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts 5.9L Gas Engine
Figure 007-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EL0 = All 5.2L 8 Cyl Gas Engines

EML = Magnum 5.9L SMPI V8 Engine



1									BELT, Accessory Drive
	5301 0304	1				EML			
		1				EMM			
2									BELT, Accessory Drive
	5301 0303	1				EML			
		1				EMM			[NAB]
	53032 520AA	1				EMM			[NAA,NAE,NA1]
-3									LABEL, Belt Routing
	5300 8745	1				EML			
		1				EMM			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummi Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummi HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts Diesel Engine Figure 007-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ETC = 5.9L Cummins 24V Diesel Engine

ETH = 5.9L HO Cummins Turbo Diesel Engine

ET0 = All 5.9L Diesel Engines

1	5304 0171	1	ET0	BELT, Accessory Drive, with Air
-2	5301 0177	1	ET0	LABEL, Belt Routing
-3	5304 0076	2	ET0	LABEL, Battery Jump Start

DODGE RAM QUAD CAB/CLUB CAB (BE)

**BODGE RAM QUAD
SERIES**
L = Ram Truck (All)

LINE

2, 7 = 2500

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo D

EML,EMO = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Ma



DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts 8.0 Engine
Figure 007-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EW0 = 8.0L Gas Engine

1	53032 520AA	1				EW0			BELT, Accessory Drive With Air Conditioning
	53032 521AA	1				EW0			Without Air Conditioning
2	53032 522AA	1				EW0			BELT, Accessory Drive With Air Conditioning
	53032 523AA	1				EW0			Without Air Conditioning
-3	5300 8747	1				EW0			LABEL, Belt Routing



DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Cooler And Lines Gas Engine
Figure 007-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGP = 4 Speed Automatic Transmission 47RE									
DGT = 4 Speed Automatic Transmission 46RE									
DG0 = All Automatic Transmissions									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	J400 6001	2					DGT		NUT, Hex Flange, .375-16
2									TUBE AND HOSE, Oil Cooler
	52029 303AC	1				EMM	DGT		Pressure
	52028 839AA	1					DGT		Return
	52028 671AD	1				EW0	DGP		Pressure
	52028 672AD	1				EW0	DGP		Return
	4883 317AB	1					DGT		Pressure with Aux. Cooler
-3									COOLER, Transmission Oil
	4863 834	1				EW0	DG0		
	52027 525AB-	1					DGT		
4									BRACKET, Cooler Line
	5211 8483	1					DGT		
	5211 8484	2				EW0	DGP		
-5	0180 077	4							BOLT, Hex Head, 5/16x18x3/4
6	5300 6015	1					DGT		BRACKET, Oil Cooler Tube
7	J400 6001	2					DGT		NUT, Hex Flange, .375-16
8									CLIP, (NOT SERVICED) (Not Serviced)
9									SCREW, (NOT SERVICED) (Not Serviced)
10	52117 663AB	1					DGT		BRACKET, Oil Cooler Tube
11	5300 6015	1					DGT		BRACKET, Oil Cooler Tube
-12	4810 001AC-	1					DGT		VALVE, Oil Cooler Pressure

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Cooler And Lines Diesel Engine
Figure 007-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ETC = 5.9L Cummins 24V Diesel Engine
ETH = 5.9L HO Cummins Turbo Diesel Engine
ET0 = All 5.9L Diesel Engines


1									BOLT, Hex Head
	4429 630	2				ETC			
		2				ETH	DBB		
2	5011 918AA	1				ETC	DG0		TUBE, Oil Cooler
3	6504 180	2				ET0	DG0		CLAMP, Hose
4	5014 171AA	1				ETC	DG0		TUBE, Oil Cooler
5	4429 812	1				ETC	DG0		ELBOW, Oil Cooler Hose
6									NUT, Lock
	4882 114	1				ETC			
		1				ETH	DBB		
7	4883 885AA	1				ETC	DG0		COUPLING, Hose
8	5202 7991	2				EM0	DG0		BRACKET, Oil Cooler
9									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ETC			
		1				ETH	DBB		
10	5014 861AA	1				ETC	DG0		COOLER, Torque Converter
11	52028 723AA	1				ETC	DG0		CONNECTOR, Oil Cooler
12	5202 7991	2				EM0	DG0		BRACKET, Oil Cooler
13									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ETC			
		1				ETH	DBB		
14	6036 035AA	1				ETC	DG0		CONNECTOR, Oil Cooler Tube

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Auxiliary Oil Cooler Gas Engine
Figure 007-650



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGT = 4 Speed Automatic Transmission 46RE
DG0 = All Automatic Transmissions
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	4863 834	1				EW0	DG0		COOLER, Transmission Oil
2	6502 064	2				EW0			SCREW, Tapping, M6x1x20
3	5202 7991	2				EM0	DG0		BRACKET, Oil Cooler
4	4863 830AC	1				EW0	DG0		TUBE AND HOSE, Oil Cooler

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummi Diesel ETH = 5.9LCummi HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Auxiliary Oil Cooler Diesel Engine
Figure 007-660


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DGP = 4 Speed Automatic Transmission 47RE
DG0 = All Automatic Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETH = 5.9L HO Cummins Turbo Diesel Engine
ET0 = All 5.9L Diesel Engines

1	52028 574AB	1				ET0	DG0		COOLER, Transmission Oil
2	52028 732AC	1				ET0	DGP		TUBE, Oil Cooler
3	5202 8673	1				ET0	DGP		TUBE AND HOSE, Oil Cooler
4	52028 467AB	1				ET0	DG0		CONNECTOR, Oil Cooler Tube, .50 Toc
5	52028 680AB	2				ET0	DG0		CLIP
6	5202 8633	1				ET0	DGP		TUBE, Oil Cooler
7									HOSE AND CONNECTOR, Oil Cooler
	4798 875AB	1				ET0	DG0		Return
	4798 876AB	1				ET0	DG0		Pressure

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Grille And Related Parts
Figure 007-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	55275 412AD	1							Upper
	5527 5413	1							Lower
-2	5523 5112	1							TAPPING PLATE, Hood Latch
3									SCREW, (NOT SERVICED) (Not
									Serviced)
4	5523 4644	1							CROSS BRACE, Radiator
5									BRACKET, Radiator Grille
	55076 476AB	1							with Chrome Grille
	55076 867AB	1							with Body Color Grille
6									SCREW AND WASHER, Hex Head,
									(NOT SERVICED) (Not Serviced)
7									GRILLE, Radiator
	55076 550AB	1							Chrome
	QR33 WSBAE	1							[SB]
	QR33 DX8AE	1							[X8]
	QR33 GW7AE	1							[W7]
	QR33 PR4AE	1							[R4]
	QR33 ZBJAE	1							[BJ]
	QR33 ZDRAE	1							[DR]
8	5529 5240	1							MEDALLION, Hood, Rams Head

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 008
Electrical




008-100 Starters	008-200 Alternators	008-300 Distributor	008-400 Modules
008-500 Relays	008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches

Group – 008
Electrical

008-900 Horns	008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
008-1300 Wiring-Headlamp to Dash	008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair
008-1900 Spark Plugs-Cables-Coils			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Starters		Wiring-Headlamp to Dash	
Starter & Mounting Gas Engines	Fig. 008-105	Wiring Headlamp / Dash	Fig. 008-1320
Starter & Mountings Diesel Engines	Fig. 008-110	Wiring-Instrument Panel	
Alternators		Wiring, Instrument Panel	Fig. 008-1420
Alternator & Mounting 5.9L Engines	Fig. 008-205	Wiring-Body & Accessories	
Alternator & Mounting 8.0L Engine	Fig. 008-215	Wiring, Body & Accessories	Fig. 008-1520
Alternator & Mounting 5.9L Diesel Engines	Fig. 008-220	Wiring Repair	
Distributor		Wiring Repair Package	Fig. 008-1605
Distributors	Fig. 008-305	Spark Plugs-Cables-Coils	
Modules		Spark Plugs--Cables--Coils	Fig. 008-1905
Modules	Fig. 008-405		
Relays			
Power Distribution Center - Relays and Fuses	Fig. 008-505		
Junction Block Relays and Fuses	Fig. 008-510		
Sensors			
Sensors - 5.9L Gas Engine	Fig. 008-605		
Sensors - 8.0L V10 Engine	Fig. 008-610		
Sensors - 5.9L Diesel Engine	Fig. 008-615		
Sensors - Drivetrain	Fig. 008-625		
Sensors - Body	Fig. 008-630		
Single Board Engine Controllers			
Single Board Engine Controllers	Fig. 008-720		
Switches			
Switches - Instrument Panel	Fig. 008-805		
Switches - Drivetrain	Fig. 008-810		
Switches - Body	Fig. 008-815		
Horns			
Horns	Fig. 008-905		
Battery Tray and Cables			
Battery Tray & Cables	Fig. 008-1020		
Lamps - Front, Rear and Courtesy			
Lamps Front	Fig. 008-1160		
Lamps Rear	Fig. 008-1170		
Lamps, Dome Courtesy and Reading	Fig. 008-1180		
Wiring-Engine & Related Parts			
Wiring, Engine	Fig. 008-1220		

Starter & Mounting Gas Engines
 Figure 008-105



V6-V8-V10

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DGT = 4 Speed Automatic Transmission 46RE

DG0 = All Automatic Transmissions

ELF = Magnum 5.2L SMPI V8 Engine

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines


1									STARTER
	56027 703AC	1				EW0			
	56027 702AC	1				EM0			
2	6035 606	1				EM0			STUD, .437-14/.437-20x2.00
3	0271 506	1				EM0			NUT, Hex, .42-20
4									WASHER, (NOT SERVICED) (Not Serviced)
5									SCREW AND WASHER, Hex Head, .437-14x1.50
	6035 604	2				EW0			
		1				EM0			
6									BRACKET, Oil Cooler Lines (See Cooling Section), (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Starter & Mountings Diesel Engines
 Figure 008-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:


[ETC] = 5.9L Cummins 24V Diesel Engine

1	5016 522AA	1				ETC			STARTER
		1				ETH	DBB		
2	4429 834	3				ETC			SCREW, Starter Motor
		3				ETH	DBB		
3	5018 174AA	3				ETC			SCREW
		3				ETH	DBB		
-4	5018 522AA-	1				ETC			SPACER, Starter
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Alternator & Mounting 5.9L Engines
Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1									ALTERNATOR
	56028 925AA	1				EM0			136 Amp
	56029 913AA	1				EM0			117 Amp
2									NUT, 3/8-16, (NOT SERVICED) (Not Serviced)
3	5300 8614	1				EM0			BRACKET, Alternator And Compressor
4									SCREW AND WASHER, Hex Head, 3/8-16x2.0, (NOT SERVICED) (Not Serviced)
5	6034 246	1				EM0			BOLT, Hex Head, .375-16x.75
6	6034 247	1				EM0			BOLT, Hex Head, .375-16x.25
7	5300 8618	1				EM0			BRACKET, Alternator

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator & Mounting 8.0L Engine
Figure 008-215

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1	56028 560AA	1				EW0			ALTERNATOR
2									NUT, [.375-16], (NOT SERVICED) (Not Serviced)
3	53005 621AB	1				EW0			BRACKET, Air Pump And Tensioner
4	6034 247	4				EW0			BOLT, Hex Head, .375-16x.25
5									BOLT, [.375-16x5.0], (NOT SERVICED) (Not Serviced)
6									BOLT, [.375-16x2.0], (NOT SERVICED) (Not Serviced)
7									SCREW AND WASHER, [.312-18x. 75], (NOT SERVICED) (Not Serviced)
8	53010 013AB	1				EW0			BRACE, Alternator
-9	53041 112AB-	1				EW0			BRACKET, Tensioner




DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator & Mounting 5.9L Diesel Engines
Figure 008-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:
[ETC] = 5.9L Cummins 24V Diesel Engine
[ET0]=All 5.39L Diesel Engines

1	56027 221AD	1				ET0			ALTERNATOR
2									BRACKET, Alternator
	5011 801AA	1				ETC			
		1				ETC	DBB		
-3	5011 802AA-	1				ETC			BRACKET, Alternator
		1				ETH	DBB		
4	6100 949	1				ET0			SCREW, Hex Head
5	6502 337	1				ET0			NUT, M10x1.5
6	4638 696	1				ET0			BOLT, Hex Flange Head, M10x1.50x45
7	4429 363AB	1				ETC			SCREW, Hex Head
		1				ETH	DBB		
-8	4429 114	3				ETC			SCREW, Hex Flange Head
		3				ETH	DBB		
-9	5011 803AA-	1				ETC			SCREW, Hex Head
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Distributors
Figure 008-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EM0 = All 5.9L 8 Cyl Gas Engines

1	4740 339AB	1				EM0			DISTRIBUTOR, Engine
2	5602 6706	2				EM0			SCREW, Hex Head, M5x0.8x27
3	5300 8767	1				EM0			CAP, Distributor
4	5300 8778	1				EM0			ROTOR, Distributor
5	5602 8143	1				EM0			SWITCH, Distributor Pick-Up
6	6028 606	1				EM0			SCREW AND WASHER, Hex Head Lock, .312-18x1.00
7	4343 950	1				EM0			CLAMP, Distributor
8	2875 923	1				EM0			O RING, Distributor

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Modules
Figure 008-405

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

[ETC]= 5.9L Cummins 24V Diesel Engine

[ETH]= 5.9L Cummins Turbo Diesel Engines

[DBB]=All Manual Transmissions

[DG0]=All Automatic Transmissions

1	55350 003AH	1							MODULE, Compass Temperature With Security
	55350 660AH	1							Without Security
2	5017 757AB	1	2, 7						MODULE, Anti-lock Brakes
	5017 758AB	1	3, 8		34				
-3	5003 305AA-	1	2, 7						BRACKET, Anti-Lock Brake Module
		1	3, 8		34				
4	56043 128AF	1							MODULE, Air Bag Control
5	56020 157AC	1							MODULE, Timing and Control Without Keyless Entry (Integrated)
	56045 448AE	1							With Keyless Entry (Integrated)
	56045 999AF	1							With Heated Seats
	56021 561AC	1							MODULE, Daytime Running Lamp


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 008-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									POWER DISTRIBUTION CENTER, Served in Headlamp to Dash Harness, (NOT SERVICED) (Not Served)
2	4671 168	11							RELAY, Mini
3	4638 094	5							RELAY PACKAGE, Electrical
4	00AT C20	1							FUSE, Standard, 20 Amp, Yellow
5	00AT M10	1							FUSE, Mini, 10 AMP, Red
6	00AT M15	5							FUSE, Mini, 15 AMP, Light Blue
7	00AT M20	4							FUSE, Mini, 20 AMP, Yellow
8	6102 075AA	3							FUSE CARTRIDGE, 20 Amp
9	6102 076AA	2							FUSE CARTRIDGE, 30 Amp
10	6102 077AA	3							FUSE CARTRIDGE, 40 Amp
11	6102 078AA	2							FUSE CARTRIDGE, 50 Amp
12	56021 922AA	1							PULLER, Fuse
-13	5602 1167	1							COVER, Power Distribution Center, Lower
-14	56045 714AC-	1							COVER, Power Distribution Center, Upper
15	5602 6842	1				ET0			RELAY, Electrical, Heater Intake Air

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

2, 7 = 2500

$$3, 8 = 3500$$

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo Dis

EML,EM0 = Magnum 5.9L V8

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DGO = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual


DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56045 391AB	1							JUNCTION BLOCK, Relay
2	4606 418AA	1							RELAY, Electrical
3	5600 7348	1							FLASHER
4	4604 235	2							BREAKER, Circuit
5	00AT C10	1							FUSE, Standard, 10 AMP, Red
6	00AT C15	1							FUSE, Standard, 15 AMP, Light Blue
7	000A TM5	1							FUSE, Mini, 5 Amp, Tan
8	00AT M10	1							FUSE, Mini, 10 AMP, Red
9	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
10	4687 835	1							FUSE, Mini, 25 Amp, Natural
-11	4897 895AA-	1							HOLDER, Fuse
-12	4897 906AA-	2							HOLDER, Fuse



September 16, 2005


Sensors - 5.9L Gas Engine
Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	5602 7872	1				EM0			SENSOR, Air Temperature
2	5602 9405	1				EM0			SENSOR, Map
3	5017 479AA	1				EM0			SENSOR KIT, Throttle Position
4									SENSOR, Crankshaft Position
	5602 7870	1				EM0	DG0		
	5602 7871	1				EM0	DBB		
5									SENSOR, Oxygen
	56030 111AA	1				EML			Federal Emission
	56041 706AA	1				EML	DG0		California Emission, Right & Left
6	5600 4815	1				EM0			SENSOR, Coolant Temperature
7									SENSOR, Oxygen
	56030 100AA	1				EML	DG0		Federal Emissions
		1				EMM	DG0		Federal Emissions
	56031 110AA	1				EML	DDP		Federal Emissions
	56041 698AA	1	2, 3, 7			EML	DG0		California Emissions, Right & Left
-8									SENSOR, Camshaft, Serviced in Distributor Pickup Switch, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Sensors - 8.0L V10 Engine
Figure 008-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 7872	1				EW0			SENSOR, Air Temperature
2	4896 131AA	1				EW0			SENSOR, Map
3	5017 479AA	1				EW0			SENSOR KIT, Throttle Position
4	5602 7864	1				EW0			SENSOR, Crankshaft Position
5	56030 111AA	1				EW0			SENSOR, Oxygen
6	5600 4815	1				EW0			SENSOR, Coolant Temperature
7	5602 7860	1				EW0			SENSOR, D.I.S. Camshaft
8	56030 100AA	1				EW0			Reference SENSOR, Oxygen, Right or Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Sensors - 5.9L Diesel Engine
Figure 008-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5083 365AA	1				ETC			SENSOR, Turbo Boost Pressure
		1				ETH	DBB		
2	5011 851AA	1				ETC			O RING
		1				ETH	DBB		
3	5014 197AA	1				ETC			SENSOR, Air Temperature
		1				ETH	DBB		
4	5003 602AA	1				ETC			O RING
		1				ETH	DBB		
5	53031 575AF	1				ETC	DG0		BELLCRANK, Accelerator and Cruise
	53031 576AC	1				ETC	DBB		With Throttle Position Sensor
		1				ETH	DBB		With Throttle Position Sensor
6									With Throttle Position Sensor
									SENSOR, Camshaft
	5080 577AA	1				ETC			
		1				ETH	DBB		
7	5080 578AA	1				ETC			O RING
		1				ETH	DBB		
8	5011 856AA	1				ETC			SCREW
		1				ETH	DBB		
9	5011 852AA	1				ETC			SENSOR, Temperature Sending Unit
		1				ETH	DBB		
10	5003 602AA	1				ETC			O RING
		1				ETH	DBB		
11	5015 582AB	1				ETC			SENSOR, Fuel/Water
		1				ETH	DBB		
-12	5083 366AA-	1				ETC			SWITCH, Oil Pressure
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - Drivetrain
Figure 008-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

[DG4]=Multi-Speed Automatic Transmission


1	56028 196AB	1					DGP, DGT		TRANSDUCER, Pressure Sensor
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	4412 879	1	2, 3			ET0	DGP		SENSOR, Transmission Output Speed
		1	7, 8			ET0	DGP		
	4800 879	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
3	56028 187AD	1							SENSOR, Wheel Speed

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - Body
Figure 008-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	4688 204	1							SENSOR, Ambient Temperature
-2	56021 433AC-	1							BRACKET, Ambient Temperature Sensor
3	5602 7332	1							SENSOR, Battery Temperature
4	5515 5039	1							SENSOR, Washer Fluid Level
5									SENSOR KIT, Anti-Lock Brakes
	5015 882AA	1	7						Right or Left
		1	8		34				Right or Left
6	56028 216AD	2	2, 3						SENSOR, Anti-Lock Brake, Right or Left
7	56028 187AD	1							SENSOR, Wheel Speed


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Single Board Engine Controllers

Figure 008-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: [DG0] = All Automatic Transmissions [EL0]= All 5.2L 8 Cyl Gas Engines [EML]= Magnum 5.9L SMPI V8 Engine [EMM] = Magnum 5.9L SMPI V8 Engine [EM0]= All 5.9L 8 Cyl Gas Engines [ETC]= 5.9L Cummins 24V Diesel Engine [ETH] = 5.9L HO Cummins Turbo Diesel Engine [ET0]= All 5.9L Diesel Engines [EW0] = All 8.0L Gas Engines									
1									MODULE, Powertrain Control
	56028 726AA	1				EMM	DBB		Federal / Export Emissions
	56028 728AA	1				EMM	DG0		Federal / Export Emissions
	56028 730AA	1				EW0	DG0		Federal / Export Emissions
	56028 731AA	1				EW0	DBB		Federal / Export Emissions
	56040 207AB	1				EML	DGT		Export Emissions
	56040 214AB	1				EML	DBB		Federal Emissions
	56040 215AB	1				EML	DBB		Export Emissions
	56040 218AB	1				ET0	DG0		Federal / Export Emissions
	56040 219AB	1				ET0	DG0		California Emissions
	56040 220AB	1				ET0	DBB		Federal / Export Emissions
	56040 222AB	1				ET0	DBB		California Emissions
	56040 318AB	1				EW0	DG0		California Emissions
	56040 205AB	1	8		34	EML	DGT		California Emissions
		1	2, 7			EML	DGT		Federal Emissions
		1	3, 8		34	EML	DGT		California Emissions
	56040 206AB	1	2, 7			EML	DGT		California Emissions
-2									MODULE, Engine Controller
	3130 34302J	1				ETC	DG0		Cummins Module on Engine Block
	3130 38303J	1				ETH	DBB		Cummins Module on Engine Block
3									SCREW, Tapping, M4x8, SCREW, Mounting M4.8x1.59x45.00, (NOT SERVICED) (Not Serviced)
4									NUT, NUT (M6x1.00) Not Serviced ***, (NOT SERVICED) (Not Serviced)
5	56028 207AA	1							BRACKET, Module, JTEC Module


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches - Instrument Panel
Figure 008-805




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	56021 673AD	1							SWITCH, Headlamp
	56021 674AD	1							With Cargo Lamp
	56021 675AE	1							With Cargo Lamp, Fog Lamp
2	5066 184AA	1							SWITCH, Horn
3	4728 424	1					DG0		SWITCH, Multifunction
		1					DBB		
4	56045 879AA	1					DBB		SWITCH, Ignition
		1					DG0		
-5	6503 845	5					DBB		SCREW, Ignition Switch
6	4685 619AB	1							SWITCH, Remote Radio
	4685 632AB	1							Right
7	5602 1048	1					DG0		SWITCH, Overdrive Lockout
8	56045 177AC	1							SWITCH, Passenger Airbag Disarm
9	53007 944AB	1				EM0, ET0	DBB		SWITCH, Clutch Starter Interlock
		1	2, 3			EW0	DBB		
10	5017 047AA	1							SWITCH, Parking Brake
11	56045 043AG	1							SWITCH, Stop Lamp
12	56045 044AD	1							BRACKET, Brake Lamp Switch
13	56021 332AB	1							SWITCH, Speed Control
	56021 333AB	1							Right
14									Left
	56045 454AG	1							CLOCKSPRING
	56045 455AG	1							Without Speed Control
	56045 456AG	1							With Speed Control
15	4565 022	1							With Remote Radi Controls
16									SWITCH AND LAMP, Glove Box
	56045 098AB	1							SWITCH, Heated Seat
	56045 099AB	1							Right
17	56045 274AB	1							Left
18	6101 946	3							BEZEL, Switch, Heated Seat Switch
									SCREW, Tapping

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Switches - Instrument Panel
Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19									SWITCH, Transfer Case Mode, (NOT REQUIRED)


DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES		LINE		BODY		ENGINE		TRANSMISSION	
L = Ram Truck (All)		2, 7 = 2500		33 = Quad Cab (138 WB)		ETC, ET0 = 5.9L Cummi Diesel		DGP = 47RE 4 Speed Auto.	
		3, 8 = 3500		34 = Quad Cab (154 WB)		ETH = 5.9LCummi HO Turbo Disl		DGT, DG0 = 46RE 4 Speed Auto.	
						EML,EM0 = Magnum 5.9L V8		DDX, DDC = 5 Speed HD Manual	
						EMM,EM0 = 5.9L SMPI V8		DDP, DD0 = 5 Speed Manual	
						EWA, EW0 = 8.0L V10 MPI		DEE = 6 Speed HD Manual	
								DBB = All Manual Transmissions	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches - Drivetrain

Figure 008-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENDING UNIT, Oil Pressure
	5603 1005	1				EW0			
		1				EM0			
2									SWITCH, Neutral, Safety, Back Up
	56028 181AB	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
3									SWITCH, Back Up Lamp
	5600 7270	1	2, 3			ET0, EW0	DDX		
		1	2, 3			EM0	DDP		
		1	7, 8			ETH	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches - Body
Figure 008-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SWITCH, Seat
	56045 025AA	1							Driver Side (8-Way)
	56045 106AA	1							Passenger Side (8-Way)
2	56021 912AB	1							SWITCH, Window and Door Lock
3	5602 1311	1							SWITCH, Mirror
-4	5600 7040	1							KNOB, Power Mirror Switch
-5	6503 107	1							NUT, Plastic, Mirror Mounting
6									SWITCH, Disarm
	56049 284AA	1							Right
	56049 285AA	1							Left
7	5602 0394	1							SWITCH, 2 Gang
8	4687 558	2							SWITCH, Door Ajar
9									BEZEL, Power Window/Door Lock
									Switch
	56020 390AB	1							2 gang
	56045 302AA	1							3 gang
-10	4796 652	1							CLIP, Bezel

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Horns
Figure 008-905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 0086	1							HORN AND BRACKET, High Note
-2	56020 085AB-	1							HORN, Low Note
-3	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Battery Tray & Cables

Figure 008-1020

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DG0 = All Automatic Transmissions

EL0 = All 5.2L 8 Cyl Gas Engines

EM0 = All 5.9L 8 Cyl Gas Engines

ETC = 5.9L Cummins 24V Diesel Engine

ETH = 5.9L HO Cummins Turbo Diesel Engine

ET0 = All 5.9L Diesel Engines

EW0 = All 8.0L Gas Engines

1									TRAY, Battery
	55275 126AE	1				ET0			Right
	55275 127AE	1							Left
-2	5523 5050	1				ET0			STUD PLATE, Battery Tray
3	6101 712	2							NUT, U, M6x1
4	5527 5220	1							STRAP, Battery
5	5523 5142	2							STUD, Battery Hold Down
6	5523 5051	1							PLATE, Battery Tray
-7	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned
									Washer, .25-20
8									WIRING, Battery Positive
	56017 788AB	1				ET0			Goes from right to left battery
	56021 878AF	1				EM0,			
						EW0			
9									WIRING, Battery Negative
	56020 688AC	1				ET0			Left
	56020 663AE	1				EM0,			
						EW0			
	56020 665AE	1				ET0			Right
-10	5602 7332	1							SENSOR, Battery Temperature
-11	6100 048	2				ET0	DG0		NUT, Hex, M6x1.00
-12									NUT, Hex, .312-18, (NOT
									SERVICED) (Not Serviced)
13									BATTERY, Storage
	4713 921	1				EM0,			[BCE]
		2				EW0			
	4713 923	1				ET0			[BCE]
						EM0,			[BCQ]
						EW0			
		2				ET0			[BCQ]


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Front Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[EL0]= All 5.2L 8 Cyl Gas Engines									
[EM0]= All 5.9L 8 Cyl Gas Engines									
[EW0] = All 8.0L Gas Engines									
1									LAMP, Headlamp Park And Turn
	55076 748AO	1							Right
	55076 749AO	1							Left
	55077 024AG	1							Quad Headlamps, Right
	55077 025AG	1							Quad Headlamps, Left
-2									BULB, Headlamp
	0154 882AA-	1							Quad Headlamps
	L0009 004LL-	1							
-3									HEADLAMP
	55054 780AH-	1							Right
	55054 781AH-	1							Left
	55077 042AF-	1							Quad Headlamps, Right
	55077 043AF-	1							Quad Headlamps, Left
-4									LAMP, Park, Turn, Side Marker
	55054 772AD-	1							Right
	55054 773AD-	1							Left
	55077 032AC-	1							Quad Headlamps, Right
	55077 033AC-	1							Quad Headlamps, Left
-5									CARRIER, Headlamp
	55076 674AH-	1							Right
	55076 675AH-	1							Left
	55077 034AD-	1							Quad Headlamps, Right
	55077 035AD-	1							Quad Headlamps, Left
-6	6033 375AB-	2							SCREW, Special Head, .218-28x2.44, Right or Left
-7	55054 856AB-	1							SCREW, Aero Headlamp, Right or Left
-8									WELT, Headlamp To Grille
	5507 6746	1							Right
	5507 6747	1							Left
-9	4805 147	1							VENT, Headlamp, Right or Left
-10	J400 4262	3							PIN, Push, .15x.41, Right or Left
11	6502 776AB	2							CLIP, Lamp, Headlamp Mounting, Right or Left
-12	6033 376	3							CLIP, Lamp, Right or Left
-13	55077 046AA-	2							RETAINER, Headlamp Bulb, Right or Left
14	6504 289	6							SCREW, Hex Head


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Front
Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	L031 57NA	2							BULB, 3157A, Park & Turn Signal
16	5602 1441	1							LAMP, Underhood
-17	4897 446AA-	1							LENS, Lamp Module
18	L000 0561	1							BULB, 561, Underhood Lamp
19									LAMP, Park, Turn, Side Marker
	55054 772AD	1							Right
	55054 773AD	1							Left
	55077 032AC	1							Quad Headlamps, Right
	55077 033AC	1							Quad Headlamps, Left
-20									LAMP, Fog
	55076 940AB-	1							Right
	55076 941AB-	1							Left
	55076 942AB-	2							Sport
-21	4418 098	2							CLIP, Tube, Fog Lamp Wiring
-22	L000 0896	1							BULB, 896, Right or Left
-23	6035 422	4							BOLT, Square Head, .312-18x.875
-24	6035 423	4							NUT AND WASHER, Hex Coned, .312-18

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Rear
Figure 008-1170

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	55055 264AC	1							Without Sport Package (Black), Right
	55055 265AC	1							Without Sport Package (Black), Left
	5EK44 DX8AC	1							With Sport Package[X8], Right
	5EK44 GW7AC	1							With Sport Package [W7], Right
	5EK44 PR4AC	1							With Sport Package [R4], Right
	5EK45 DX8AC	1							With Sport Package[X8], Left
	5EK45 GW7AC	1							With Sport Package [W7], Left
	5EK45 PR4AC	1							With Sport Package [R4], Left
	5EK44 WSBAC	1							With Sport Package [SB], Right
	5EK44 ZBJAC	1							With Sport Package [BJ], Right
	5EK44 ZDRAC	1							With Sport Package [DR], Right
	5EK45 WSBAC	1							With Sport Package [SB], Left
	5EK45 ZBJAC	1							With Sport Package [BJ], Left
	5EK45 ZDRAC	1							With Sport Package [DR], Left
2	6035 455	4							SCREW, Tapping, .19-16x.625
3	6502 831	4							CLIP, Lamp
-4	L000 3157	4							BULB, 3157, Tail Lamp
-5	5602 1369	2							WIRING, Turn Signal and Back Up, Tail Lamp
6	5507 6850	1							PANEL, License Plate
-7	4357 065	1							LENS, License Lamp, without Rear Bright Step Bumper or without Body Color Bumper
8									SCREW, (NOT SERVICED) (Not Serviced)
9	4362 133	1							SOCKET AND CABLE, License Lamp
10	5505 4823	1	3, 8		34				LAMP BAR, Tailgate
-11	5505 4819	2	3, 8		34				LAMP, Side Marker
-12	5505 4820	2	3, 8		34				LENS, Clearance Lamp, Yellow
13	5505 4821	2	3, 8		34				HOUSING, Clearance Lamp
14	5505 4960	2	3, 8		34				WIRING, Clearance Lamp Jumper
-15									SCREW, Mounting, (NOT SERVICED) (Not Serviced)
-16	6504 118	5							U-NUT, M6 x 1.00, M6x1.00
17	5505 4824	1	3, 8		34				WIRING, Tailgate
18									SCREW, (NOT SERVICED) (Not Serviced)
19									LAMP, High Mounted Stop

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Rear
Figure 008-1170

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55077 262AB	1							
	55077 263AB	1							With Cargo Lamp
-20	55054 852AB-	1							SEAL, High Mounted Stop Lamp
21									HOUSING, Lamp, Serv. Assy., (NOT SERVICED) (Not Serviced)
22									LENS, Taillamp, Serv. Assy., (NOT SERVICED) (Not Serviced)
23									LENS, High Mounted Stop Lamp, Serv. Assy., (NOT SERVICED) (Not Serviced)
24									WIRING, High Mounted Stop Lamp With Cargo Lamp
	5017 192AA	1							
	5017 193AA	1							
25	L000 921E	1							BULB, 921
26									LAMP, Fender Marker
	5505 4956	2	3, 8		34				Red
	5505 4958	2	3, 8		34				Yellow
27									BRACKET, Fender Lamp (Serviced w/Housing Assembly), (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps, Dome Courtesy and Reading
Figure 008-1180


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 067AA	5							LAMP, Cab
2	L000 0194	5							BULB, 194
3									SCREW, (NOT SERVICED) (Not Serviced)
-4	J400 0141	10							NUT, Square, .286x.355
5	JV76 TL2	1							LAMP, Dome, Beige
6	0154 762	1							BULB, 579
7									BEZEL, Dome Lamp, Serviced w/ Dome Lamp, (NOT SERVICED) (Not Serviced)
8									SCREW, Dome Lamp Mtg., (NOT SERVICED) (Not Serviced)
9	55077 262AB	1							LAMP, High Mounted Stop
10	55054 852AB	1							SEAL, High Mounted Stop Lamp
11									WIRING, High Mounted Stop Lamp With Cargo Lamp
	5017 192AA	1							
	5017 193AA	1							

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring, Engine Figure 008-1220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EL0=5.2L Engine EML / EMM=5.9L MAGNUM SMPI Engine EW0=8.0L Engine ETC=5.9L Cummins 24V Engine ET0=5.9L Turbo Diesel Engine DG0=Automatic Transmission DBB-Manual Transmission DDC=5 Speed HD Manual Transmission DDP=5 Speed Manual Transmission									
1	56045 903AB	1				ET0	DG0		WIRING, Engine To Cummins Harness up to 01/07/02
	56045 904AB	1				ET0	DBB		To Cummins Harness up to 01/07/02
	56045 934AC	1				EMM	DDP		Up to 01/07/02
	56045 935AC	1				EML	DBB		Up to 01/07/02
	5083 364AA	1				ETC			Cummins Harness on Block
		1				ETH	DBB		Cummins Harness on Block
	56045 931AD	1				EW0	DBB		Up to 01/07/02
	56000 942AA	1				EW0	DG0		Up to 01/07/02, California
	56000 942AB	1				EW0	DG0		01/07/02 & After, California
	56045 902AG	1				EW0	DG0		Up to 01/07/02
	56045 931AE	1				EW0	DBB		01/07/02 & After
	56045 902AH	1				EW0	DG0		01/07/02 & After
	56045 903AC	1				ET0	DG0		To Cummins Harness after 01/07/02
	56045 904AC	1				ET0	DBB		To Cummins Harness after 01/07/02
	56051 776AA	1				EMM	DDP		After 01/07/02
	56051 777AA	1				EML	DBB		After 01/07/02
-2	5601 9829	1	7, 8						WIRING, Indicator Lamp
-3	4372 040	1							STRAP, Ground Cab to Box (Radio Noise Suppression Ground)
	4430 302	1				EM0			Engine to Dash Panel
		2				EW0			Engine to Dash Panel
-4	5011 852AA-	1				ETC			SENSOR, Temperature Sending Unit
		1				ETH	DBB		
-5	56021 908AE-	1				ET0			WIRING, Jumper, Air Heater


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Headlamp / Dash
Figure 008-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

[EL0]=5.2L Engine
[EM0]=5.9L Engine
[EW0]=8.0L Engine
[ET0]=5.9L Turbo Diesel Engine


1									WIRING, Headlamp and Dash
	56045 665AG	1				EM0, EW0	DG0		With Quad Headlamps, California Emissions
	56045 773AG	1				EM0, EW0	DG0		With California Emissions
	56045 887AG	1				EM0, EW0			
		1				EM0	DBB		
	56045 898AG	1				EM0,			Canada
						EW0			
	56045 940AG	1				EM0, EW0			With Quad Headlamps
		1				EM0	DBB		With Quad Headlamps
		1				EW0			With Quad Headlamps
	56045 941AG	1				EM0, EW0			Canada, with Quad Headlamps
	56045 942AG	1				ET0			With Quad Headlamps
	56045 943AG	1				ET0			Canada, with Quad Headlamps
	56045 944AG	1				ET0			
	56045 945AG	1				ET0			Canada

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring, Instrument Panel
Figure 008-1420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	56045 361AG	1							with Heated Seats (06/26/00 & After)
	56045 362AG	1							with Infinity Stereo, Keyless Entry, Power Seats & without Heated Seats (06/26/00 & After)
	56045 363AG	1							without Infinity Stereo, Power Seats, Heated Seats & with Keyless Entry (06/26/00 & After)
	56045 364AG	1							with Overhead Console, Infinity Stereo, Power Seats, Power Mirrors & Foglamp (06/26/00 & After)
	56045 768AF	1							with Infinity Stereo, Audio Control Steering Wheel, Keyless Entry, Power Seats & without Heated Seats (06/26/00 & After)
	56045 365AG	1							Base Model (06/26/00 & After)
2	00AT M10	1							FUSE, Mini, 10 AMP, Red
3	6101 487	1							FUSE, Mini, 15 AMP, Light Blue
4	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
5									FUSE, Standard, 20 Amp, Yellow, (NOT SERVICED) (Not Serviced)
6									FUSE CARTRIDGE, 50 Amp, (NOT SERVICED) (Not Serviced)
7									FUSE CARTRIDGE, 40 Amp, (NOT SERVICED) (Not Serviced)
8									FUSE CARTRIDGE, 30 Amp, (NOT SERVICED) (Not Serviced)
9									FUSE CARTRIDGE, 20 Amp, (NOT SERVICED) (Not Serviced)
-10	5601 7713	1							PULLER, Fuse
-11	4604 235	1							BREAKER, Circuit
-12	5600 7348	1							FLASHER
-13	4671 168	1							RELAY, Mini
-14									RELAY PACKAGE, Electrical, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring, Body & Accessories
Figure 008-1520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Body
	56045 355AC	1							Without Power Seats, Infinity, Keyless Entry
	56045 356AC	1							With Power Seats Only
	56045 357AC	1							With Keyless Entry, Without Infinity
	56045 358AC	1							With Infinity, Without Keyless Entry
	56045 359AC	1							With Infinity, Keyless Entry
	56045 360AC	1							With Heated Seats
2									WIRING, Overhead Console
	56045 923AA	1							With Mini Overhead Console & without Clearance Lamp (Overhead Console Thru 'A' Pillar)
	56045 924AB	1							With Mini Overhead Console & with Clearance Lamp (Overhead Console Thru 'A' Pillar)
		1							With Clearance Lamp & without Overhead Console (Overhead Console Thru 'A' Pillar)
	5013 609AA	1							With Mini Overhead Console
	5013 608AA	1							With Overhead Console, With or Without Security Alarm
	56045 921AD	1							With Overhead Console, Without Clearance Lamps
	56045 922AE	1							With Overhead Console, With Clearance Lamps
3									WIRING, Chassis
	56045 517AD	1							Without Trailer Tow
	56045 518AE	1							With Trailer Tow
4									WIRING, Door
	56045 244AB	1							Without Infinity Stereo, with Power Locks & Windows, Right Door
	56045 245AB	1							With Infinity Stereo, Power Locks & Windows, Right Door
	56045 137AB	2							Without Power Mirror, Infinity Stereo, Power Locks & Windows (Base Model), Right Door
5									WIRING, Door
	56045 240AB	1							Without Infinity Stereo, with Power Locks & Windows, Left Door
	56045 241AB	1							With Infinity Stereo, Power Locks & Windows, Left Door

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring, Body & Accessories
Figure 008-1520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56045 137AB	2							Without Power Mirror, Infinity Stereo, Power Locks & Windows (Base Model), Left Door
6	56020 697AB	2							WIRING, Door Without Infinity, Rear Door
	56020 698AB	2							With Infinity, Rear Door
7	5602 1369	2							WIRING, Turn Signal and Back Up
8	56045 795AA	1							WIRING, Trailer Tow, Includes 'E' Brake Pigtail
9	5017 192AA	1							WIRING, High Mounted Stop Lamp
-10	5601 8807	2							WIRING, License Lamp
-11	56038 366AB-	1							CONNECTOR, 7 Way
12									WIRING, Mirror Jumper, (NOT SERVICED) (Not Serviced)
13	5505 4824	1	3, 8		34				WIRING, Tailgate
-14	5601 6895	1	3, 8		34				WIRING, Fender Lamp
-15									WIRING, Fog Lamp Jumper
	56021 863AB-	1							Without Sport Package
	56045 212AC-	1							With Sport Package
-16	5601 9405	1				ET0			WIRING, Air Intake Heater
-17									WIRING, Power Seat
	56045 195AB-	1							With Heated Seats
	56045 523AA-	1							Without Heated Seats
-18	56045 178AA-	1							WIRING, Instrument Panel Jumper
-19	56021 994AB-	1							WIRING, Temperature Sensor Jumper
-20	56045 194AB-	1							WIRING, Heated Seat

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Repair Package
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[EW0] = All 8.0L Gas Engines									
-1									WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp , (NOT SERVICED) (Not Serviced)
-2	4641 780	1				EW0			STRAP, Tie
-3									WIRING REPAIR PACKAGE, Fuel Pump, (NOT SERVICED) (Not Serviced)
-4	4773 905	1							SOCKET AND WIRING, Turn Signal Lamp

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummi Diesel ETH = 5.9LCummi HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

[ELO] = All 5.2L 8 Cyl Gas Engines

[EML] = Magnum 5.9L SMPI V8 Engine

[EMM] = Magnum 5.9L SMPI V8 Engine

[EM0] = All 5.9L 8 Cyl Gas Engines

[EW0] = All 8.0L Gas Engines


1	4728 038AE	1				EM0			CABLE PACKAGE, Ignition
2	4796 500AC	AR				EW0			CABLE PACKAGE, Ignition
3									SPARK PLUG
4	SP00Q C9MC4	10				EW0			SEPERATOR, Ignition Cable [2]-Wire
	SP0RC 12LC4	8				EM0			
	5602 6850	3				EW0			
-5	5602 8186	1				EML			[1]-Wire
	56041 333AA	4				EM0			[5]-Wire
									TRAY, Ignition Cable
6	5602 6852	1				EW0			Lower
	5602 6853	1				EW0			Upper
	56028 398AA	1				EM0			CABLE, Ignition Coil
7									CABLE, Ignition
	56028 256AA	3				EM0			[#1,2,4]
	56028 279AA	1				EM0			[#3]
8	56028 280AA	2				EM0			[#5,7]
	56028 404AA	1				EM0			[#8]
	5101 907AA	1				EM0			[#6]
8									CABLE, Ignition
	5300 6567	1				EW0			[#1]
	5300 6568	1				EW0			[#2]
9	5300 6571	1				EW0			[#5]
	5602 6844	1				EW0			[#6]
	5602 6845	1				EW0			[#7]
10	5602 6847	1				EW0			[#9]
	5602 6848	1				EW0			[#10]
	5602 7823	2				EW0			[#4,8]
9									CABLE PACKAGE, Ignition
	4773 914	1				EW0			[#1]
	4773 915	1				EW0			[#3]
10									COIL, Ignition
	5603 2520	1				EW0			With 6 Tower
	5603 2521	1				EW0			With 4 Tower
	56028 172AB	1				EML			

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005



Spark Plugs--Cables--Coils

Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EMM			With Leaded Fuel Emission
11									BRACKET, Ignition Coil
	5300 8980	1				EMM			
	5602 6891	1				EML			
		1				EMM			With Leaded Fuel Emission
-12	5304 0054	1				EW0			BRACKET, Coil Mount and Plenum



DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 08A


Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-135
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-235
Radio, Antenna, and Speakers	
Radio	Fig. 08A-333
Speakers	Fig. 08A-334
Antenna	Fig. 08A-335
Consoles	
Overhead Console	Fig. 08A-430
Floor Console	Fig. 08A-435



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

Instrument Panel
Figure 08A-135




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									INSTRUMENT PANEL KIT, with Lower I/Panel & without Passenger Airbag
	SS39 1AZAB	1							[AZ]
	SS39 1C8AB	1							[C8]
	SS39 1K9AB	1							[K9]
-2	5GD95 DX9AA-	1							COVER, Instrument Panel Opening
-3	5505 5689	1							DUCT, Defroster
-4	55055 725AB-	1							BRACKET, Instrument Panel to Cowl
-5	6101 786	5							SCREW, Self Tapping, M6x1x15
-6									PANEL, Instrument Upper
	5GK45 LAZAB-	1							[LAZ]
	5GK45 RC8AB-	1							[RC8]
	5GK45 VK9AB-	1							[VK9]
-7	5602 1449	1							BRACKET, Instrument Panel Wiring
-8									NUT, Plastic Snap-In, For .190-16 Screw, (NOT SERVICED) (Not Serviced)
-9	5FZ72 DX9AB-	1							BIN, Instrument Panel
10									DOOR, Fuse Access
	RU36 LAZAB	1							[AZ]
	RU36 RC8AB	1							[C3]
	RU36 VK9AB	1							[K9]
-11	5601 7713	1							PULLER, Fuse
12									SWITCH, Headlamp
	56021 673AD	1							with Cargo Lamp
	56021 674AD	1							without Cargo Lamp
	56021 675AE	1							with Cargo Lamp & Foglamp
13	6101 946	6							SCREW, Tapping
-14									NUT, Plastic Snap-In, For .190-16 Screw, (NOT SERVICED) (Not Serviced)
15	0154 903AA	2							SCREW, Hex Flange Head, .25-14x. 75
16									CLUSTER PACKAGE, CLUSTER (See 8A-230), (NOT SERVICED) (Not Serviced)
17									RELEASE, Parking Brake
	RU38 LAZAA	1							[AZ]
	RU38 RC8AA	1							[C3]
	RU38 VK9AA	1							[K9]
18	56045 177AC	1							SWITCH, Passenger Airbag Disarm

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Panel Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5013 875AA	1							BEZEL, Instrument Panel Switch, Passenger Airbag (French/English)
20	4685 164	1							COVER, Glove Box Lamp Hole
21	5FR47 1AZAB	1							GLOVE BOX, Instrument Panel [AZ]
	5FR47 1C8AB	1							[C8]
	5FR47 1K9AB	1							[K9]
-22	5010 362AA-	1							BIN, Glove box
23	4565 022	1							SWITCH AND LAMP, Glove Box
24									LATCH, Glovebox, LATCH ASSEMBLY, Glove Box (Serviced in Glove Box Assembly), (NOT SERVICED) (Not Serviced)
25	5GK51 DX9AA	1							BEZEL, Instrument Cluster Black without Woodgrain
	5GK52 AAAAA	1							With Woodgrain
-26	6504 067	13							CLIP, Hood
27	5014 842AA	1							OUTLET, Air Conditioning & Heater
28	5014 841AA	1							OUTLET, Air Conditioning & Heater
29	5014 840AA	1							OUTLET, Air Conditioning & Heater
30	4793 555	1							RING, Cigar Lighter Mounting
31	4685 590	1							BASE, Cigar Lighter
32	4685 536	1							KNOB AND ELEMENT, Cigar Lighter
33									KNOB, KNOB, Cigar Lighter (Serviced with Item # 34), (NOT SERVICED) (Not Serviced)
34	5EU13 1AZAB	1							COVER, Steering Column Opening [AZ]
	5EU13 1C8AB	1							[C3]
	5EU13 1K9AB	1							[K9]
35	4793 554AB	1							POWER OUTLET
-36	4793 555	1							RING, Cigar Lighter Mounting
37									CUPHOLDER, Instrument Panel
	5FR42 1AZAD	1							[AZ]
	5FR42 1C8AD	1							[C8]
	5FR42 1K9AD	1							[K9]
-38									BULB, 161
	L000 0161	1							Cupholder Light
39		1							
	5GD95 DX9AA	1							COVER, Instrument Panel Opening with Manual Transmission

SERIES	LINE
--------	------

SERIES	LINE
L = Ram Truck (All)	2, 7 = 2500
	3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Instrument Panel
Figure 08A-135




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GD98 DX9AA	1							With Automatic Transmission
									includes lens and bulb holder for cup holder
40	5FR4 51AZ	1							ASH RECEIVER, Instrument Panel [AZ]
	5FR4 51C8	1							[C8]
	5FR4 51K9	1							[K9]
-41	55055 853AD-	1							SHIELD, Ash Tray
-42	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
43	4595 749AA	1							LABEL, Air Bag Warning Bilingual
	55350 848AA	2							Sun Visor (English/French)
44	5010 358AA	1							STRIKER, Glove Box Door Latch
45									SCREW, Console, SCREW, I/Panel to Cowl Bar (M4x8x1.59x32.00) Not Serviced, (NOT SERVICED) (Not Serviced)
46									SCREW AND WASHER, SCREW & WASHER ASSEMBLY, I/Panel End Support to Body (M8x1.25x30.00), (NOT SERVICED) (Not Serviced)
47	6504 485AB	4							NUT, Plastic Snap-in
48	5FM16 1AZAB	1							BIN, Instrument Panel [AZ]
	5FM16 1C8AB	1							[C3]
	5FM16 1K9AB	1							[K9]
49	5GJ24 LAZAA	1							COVER, Control Unit [AZ]
	5GJ24 RC8AA	1							[C3]
	5GJ24 VK9AA	1							[K9]
50	RU34 LAZAA	1							GRILLE, Instrument Panel Demister [AZ], Right
	RU34 RC8AA	1							[C3], Right
	RU34 VK9AA	1							[K9], Right
	RU35 LAZAA	1							[AZ], Left
	RU35 RC8AA	1							[C3], Left
	RU35 VK9AA	1							[K9], Left
51									AIR BAG, Passenger, Cover & Air/ Heat Outlet Included
	5GE24 LAZAA	1							[AZ]
	5GE24 RC8AA	1							[C8]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Instrument Panel
Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GE24 VK9AA	1							[K9]
52	RU48 LAZAA	1							OUTLET, Air Conditioning & Heater
	RU48 RC8AA	1							[AZ], Right
	RU48 VK9AA	1							[C8], Right
	RU49 LAZAA	1							[K9], Right
	RU49 RC8AA	1							[AZ], Left
	RU49 VK9AA	1							[C8], Left
-53	5012 954AA-	1							[K9], Left
									RETAINER, Air Outlet

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Instrument Cluster
Figure 08A-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER
	56045 782AB	1							8.0L Engine 120 MPH
	56045 784AB	1							5.9L Turbo Diesel Engine 120 MPH
	56045 788AB	1							8.0L Engine 200 KPH
	56045 790AB	1							5.9L Turbo Diesel Engine 200 KPH
	56045 780AB	1							5.9L Gas 120 MPH
	56045 786AB	1							539L Gas 200 KPH
2	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
3	5602 0162	1							MASK, Instrument Cluster
4	5602 0161	1							LENS, Cluster
5									KNOB, KNOB, Trip Odometer (Serviced with Cluster Assembly), (NOT SERVICED) (Not Serviced)
6	5602 0622	1							INDICATOR, PRNDL
-7	5600 7476	1							PLUG
8	6101 946	2							SCREW, Tapping
9	5602 1790	1							BRACKET, Gear Selector
10	L00P C194	1							LAMP, Bulb And Socket

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Radio
Figure 08A-333

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

RAS=AM/FM Cassette									
RAZ=AM/FM w/CD & Cassette									
RBR=AM/FM w/CD & Equalizer									
RBN=AM/FM Cassette w/Control									
RBA=AM/FM w/CD									
1	56038 933AB	1							RADIO, AM/FM Cassette, RAS
2	4704 383AH	1							RADIO, AM/FM with CD and Cassette, RAZ
3	4704 392AD	1							RADIO, AM/FM Cassette with CD Control, RBA
4	4704 386AD	1							RADIO, AM/FM Cassette with CD Control, RBN
5	4704 373AE	1							RADIO, AM/FM with CD and Equalizer
6									SCREW, (NOT SERVICED) (Not Serviced)
7	5604 3033	1							STRAP, Ground

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speakers
Figure 08A-334


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[RCE]=Infinity 6-Speakers System									
[RCD]=Standard 4-Speaker System									
1									SPEAKER PACKAGE, Radio, Lower Door
	5017 821AA	2							Standard [6X9]
	5017 822AB	2							Infinity [RCE]
2									SPEAKER, Front Tweeter, [A] Pillar
	5FV66 LAZAB	1							[AZ]
	5FV66 RC3AB	1							[C3]
	5FV66 RK5AB	1							[K9]
3									SPEAKER, 5.25", Rear
	56020 372AB	2							[RCD]
	56043 856AB	2							[RCE]
4	56009 941AB	1							CHOKE, Speaker
5	6032 723	6							SCREW, Self Tapping, M4.2x1.69x19.05
6	6034 715	8							CLIP, Speaker
7									SCREW, Hex Flange Head Tapping, .190x16x.750, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 08A-335

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

$$2, 7 = 2500$$
$$3, 8 = 3500$$

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo D

EML,EM0 = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Overhead Console
Figure 08A-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SN94 TL2AA	1							HOUSING, Overhead Console, Beige
2	5013 618AA	1							LENS, Maplamp Right
	5013 619AA	1							Left
3	9431 809	2							BULB, 212-2
4	55350 003AH	1							MODULE, Compass Temperature With Security
	55350 660AH	1							Without Security
5	5013 606AB	1							HOUSING, Bulb, (Bulb Reflectors & Storage Door Detent Spring Included)
6	5013 608AA	1							WIRING, Overhead Console With Temperature Compass
	5013 609AA	1							Without Temperature Compass
7	5013 612AA	1							LENS, Message Center Without Security L.E.D.
	5013 613AA	1							With Security L.E.D.
8	SN93 TL2AA	1							COVER, Module
9	SN96 TL2AA	1							DOOR, Sunglass Bin
10	SN97 TL2AA	1							BUTTON, Door Lock
11	SN98 TL2AA	1							DOOR, Garage Door Opener

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Floor Console
Figure 08A-435

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONSOLE, Floor
	5EZ5 4LAZ	1							[AZ]
	5EZ5 4RC8	1							[C3]
	5EZ5 4VK9	1							[K9]
2	5GA43 DX9AA	1							MAT, Console Cup Holder
3	55055 630AB	1							BRACKET, Console
4									SCREW, Hex Flange Head Tapping, .190-16x.750, (NOT SERVICED) (Not Serviced)
5									CUPHOLDER, Console
	5EZ5 3LAZ	1	2, 3						[LAZ]
	5EZ5 3RC8	1	2, 3						[RC8]
	5EZ5 3VK9	1	2, 3						[VK9]
6	5GA44 DX9AA	1							PAD, Console Storage Bin
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	7, 8						[LAZ]
	5FB39 RC8AB	1	7, 8						[[RC8]
	5FB39 VK9AB	1	7, 8						[VK9]

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting


Illustration Title

Group-Fig. No.

Engine Mounting

Engine Mounting, Front 5.2L (ELF), 5.9L (EML), 5.9 (EMM), 5.9L (ETC,ETH), 8.0L (EWA) Engine	Fig. 009-110
Engine Mounting, Rear, 2WD 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETC,ETH), 8.0L (EWA) Engine	Fig. 009-120
Engine Mounting, Rear, 4WD 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETC,ETH), 8.0L (EWA) Engine	Fig. 009-130



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--

Engine Mounting, Front 5.2L (ELF), 5.9L (EML), 5.9 (EMM), 5.9L (ETC,ETH), 8.0L (EWA) Engine
Figure 009-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:[ELO]= All 5.2L Gas Engines, [EMO]= All 5.9L Gas Engines, [EWO]= All 8.0L Gas Engines, [ETO]= All Diesel Engines, [ETC]= 5.9L Cummins 24 Valve Diesel, [ETH]= 5.9L[HO] Cummins Turbo, [DBB]= Manual Transmissions,[DGO]= All Automatic Transmissions									
1	5205 8238	1				EM0,			SHIELD, Exhaust Manifold
-2	57008 125AB-	1				EW0			SHIELD, Engine Mount
3	6502 960	1				ET0			SCREW AND WASHER, Hex Head, M12x1.75x155
4	52018 235AB	1				EM0, EW0			INSULATOR, Engine Mount Left
	52021 490AC	1				ETH	DBB		Right
		1				ETC	DBB		Right
		1				ETC	DG0		Right
	52021 491AC	1				ETC	DG0		Left
		1				ETH	DBB		Left
		1				ETC	DBB		Left
	52058 804AB	1				EM0, EW0			Right
5	52058 447AB	2							RESTRICTOR, Engine Mount
6									NUT, M12x1.75, (NOT SERVICED) (Not Serviced)
7	6035 212	6				EM0, EW0			SCREW, Hex Flange Head, .375- 16x1.125
-8	4864 516	1				ETC	DBB		BOLT, Hex Flange Head
9									SCREW, [.190x.625], (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounting, Rear, 2WD 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETC,ETH), 8.0L (EWA) Engine
Figure 009-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2L Gas Engines, EMO= All 5.9L Gas Engines,
[EWO]= All 8.0L Gas Engines,[ETO]= All 5.9L Diesel Engines,
[DGO]= All Automatic Transmissions,[DDC]= 5 Speed HD Transmission,
[DDP]= 5 Speed Manual Transmission, [DDX]= 5 Speed HD Manual Transmission,
[DEE]= 6 Speed Manual Transmission

1	5201 9641	1					DDP, DDX DEE		BRACKET, Transmission Mount
	52019 603AB	1				ET0			
2	6033 358	2					DDP, DDX DEE		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
		4							
3									NUT, M10x1.50, (NOT SERVICED) (Not Serviced)
4	52021 367AA	1				ET0			INSULATOR, Engine Mount
	5205 8218	1	2, 3			EM0, EW0			
5									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
6	6101 761	2							NUT, Coned Washer, M10 x 1.50

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Engine Mounting, Rear, 4WD 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 5.9L (ETC,ETH), 8.0L (EWA) Engine
Figure 009-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; [ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,
[EWO]= All 8.0L Gas Engines, [ETO]= All 5.9L Diesel Engines,
DGO= All Automatic Transmissions, DDC= 5 Speed HD Manual Transmissions,
DDP= 5 Speed Manual Transmissions, DDX= 5 Speed HD Manual Transmissions,
DEE= 6 Speed Manual Transmissions

1	5201 9641	1					DDP, DDX DEE		BRACKET, Transmission Mount
	52019 603AB	1				ET0			
-2	52058 593AB-	1	7, 8			EM0	DG0		BRACKET, Transmission Case Mounting
-3	52058 693AB-	1	7, 8			ET0, EW0	DG0		BRACKET, Transfer Case Shaft
4	6033 358	2					DDP, DDX DEE		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
5	52021 367AA	1				ET0			INSULATOR, Engine Mount
	5205 8218	1	2, 3			EM0, EW0			
6									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
7	6101 761	2							NUT, Coned Washer, M10 x 1.50


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005









Group – 5.9L

Engine 5.9L Eight Cylinder




GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head, 5.9L (EML,EMM)	Fig. 5.9L-210
Cylinder Block Cylinder Block, 5.9L (EML,EMM)	Fig. 5.9L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter, 5.9L (EML,EMM)	Fig. 5.9L-410
Camshafts & Valves Camshaft and Valves, 5.9L (EML,EMM)	Fig. 5.9L-510
Timing Belt and Cover Timing Gear and Cover, 5.9L (EML,EMM)	Fig. 5.9L-610
Engine Oiling Engine Oiling, 5.9L (EML,EMM)	Fig. 5.9L-710
Manifolds Manifold, Intake and Exhaust, 5.9L (EML,EMM)	Fig. 5.9L-810
Crankcase Ventilation Crankcase Ventilation, 5.9L (EML,EMM)	Fig. 5.9L-910

5.9L-200 Cylinder Head	5.9L-300 Cylinder Block	5.9L-400 Crankshaft, Piston and Torque Converter	5.9L-500 Camshafts & Valves
			
5.9L-600 Timing Belt and Cover	5.9L-700 Engine Oiling	5.9L-800 Manifolds	5.9L-900 Crankcase Ventilation
			



Cylinder Head, 5.9L (EML,EMM)
Figure 5.9L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,									
1	4777 536	1				EM0			CAP, Oil Filler
2									COVER, Cylinder Head
	53020 340AC	1				EM0			With Oil Fill Hole
	53020 612AC	1				EM0			Without Oil Fill Hole
3	5300 6695	2				EM0			GASKET, Valve Cover
4	5302 1139	2				EM0			HEAD, Cylinder
5	53021 098AC	2				EM0			GASKET, Cylinder Head
6	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
7	6035 878AA	14				EM0			STUD
-8	6035 877AA-	5				EM0			SCREW AND WASHER, Hex Head, .25-20x.875
9	5302 0419	8				EM0			SHIELD, Heat
10									BOLT, Cylinder Head
	6034 690	10				EM0			[.50-13x2.00]
	6034 691	10				EM0			[.50x4.625]
-11	4897 386AE-	1				EM0			GASKET PACKAGE, Engine Upper

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Cylinder Block, 5.9L (EML,EMM)
Figure 5.9L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines, [EWO]= All 8.0L Gas Engines, Lower Engine Gasket Set 4746001AB									
1	4899 205AB	1				EM0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
2	3830 603	1				EM0			BEARING, Camshaft, #1
3	4556 020	2				EM0			PLUG, Core, 1.25 Diameter
-4	4556 022	8				EM0			PLUG, Core, 1.625 Diameter
5	3751 818	2				EM0			PLUG, Pipe
-6	5300 9518	1				EM0			PLUG, Cylinder Block Oil Hole
-7									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
8	1122 532	2				EM0			DOWEL, Block To Clutch Housing
9	0141 215	4				EM0			DOWEL, .312 x .500
10	4798 276AC	1				EM0, EWO			HEATER PACKAGE, Engine Block
11	6501 445	AR							O RING, Engine Block Heater, 1-11/ 32 Diameter 11/64 Width
12	5602 0061	1				EM0, EWO			CORD, Engine Block Heater

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.9L (EML,EMM) Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines, [DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2									PISTON PIN AND ROD, B-Size
	4778 871AD	4				EMO			[#1.3.5.7 Size,3.99975]
	4778 872AD	4				EMO			[#2.4.6.8 Size .399975]
-3									PISTON PIN AND ROD, C-Size
	4778 873AD-	4				EMO			[#1.3.5.7. Size4.00025]
	4778 874AD-	4				EMO			[#2.4.6.8. Size 4.00025]
-4									PISTON PIN AND ROD, D-Size
	4778 875AD-	4				EMO			[#1.3.5.7. Size, 4.00075]
	4778 876AD-	4				EMO			[#2.4.6.8. Size. 4.00075]
5	4740 259	1				EMO			RING, Piston
6									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
7									BEARING, Connecting Rod, STD.
	2421 305	4				EMO			[#1.3.5.7.]
		4				EMO			[#2.4.6.8.]
8	6033 441	8				EMO			BOLT, Connecting Rod
9	4026 487	3				EMO			BEARING PACKAGE, Crankshaft, Standard Size, #1,2,4
10	4713 030AC	1				EMO			BEARING KIT, Crankshaft, Standard
11	3780 100	1				EMO			BEARING PACKAGE, Crankshaft, Standard Size, [#5]
12	4790 759AB	1				EMO	DGO		CRANKSHAFT AND KEY
13	6036 207AA	1				EMO			BOLT, Hex Head
14	53021 284AA	1				EMO			DAMPER, Crankshaft
15									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
16	6036 297AA	8				EMO			NUT, Hex, .375-24
17	6027 264	10				EMO			SCREW, Socket Hex Head, .50-13x3.25
18	4798 216AC	1				EMO			SEAL PACKAGE, Crankshaft
19	53009 180AB	1				EMO	DBB		BEARING, Pilot, Sleeve and Bearing
20	6035 462	6				EMO	DGO		BOLT, Flexplate
21	4863 841	1				EMO	DGO		PLATE, Torque Converter Drive
22	1949 765	4				EMO	DGO		SCREW, Hex Head Header Point, .312-24x.44
23	2843 214	1				EMO	DBB		GEAR, Flywheel Ring


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DGO = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.9L (EML,EMM)
Figure 5.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-24	3515 203	1				EM0	DG0		GEAR, Ring
25	5302 0585	1				EM0	DBB		FLYWHEEL
26									WASHER, Sealing, (NOT REQUIRED)
27	6036 143AA	6				EM0	DBB		SCREW
28	4736 591AB	1				EM0	DG0		CONVERTER PACKAGE, Torque

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummi Diesel ETH = 5.9LCummi HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L (EML,EMM) Figure 5.9L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines									
1	5300 8282	16				EM0			ROCKER ARM, Valve
2	5300 8283	16				EM0			PIVOT, Rocker Arm
3	6036 154AA	16				EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EM0			RETAINER, Valve Spring
7	5302 1056	16				EM0			SPRING, Valve
8	5300 9886	8				EM0			SEAL, Valve Guide, Standard and .003 O/S
9	5300 9887	8				EM0			SEAL, Valve Guide, Standard and .003 O/S
10	5300 6723	8				EM0			VALVE, Intake, Standard
11	5300 6724	8				EM0			VALVE, Exhaust, Standard
12	2863 071	1				EM0			PLUG, Camshaft
13	3830 603	1				EM0			BEARING, Camshaft, #1
-14	4179 776	1				EM0			BEARING, Camshaft, #2
-15	4179 777	1				EM0			BEARING, Camshaft, #3
-16	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-17	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
18	4713 439	16				EM0			TAPPET PACKAGE, Valve
19	0431 787	1				EM0			KEY, Camshaft Sprocket
20	5302 1101	1				EM0			CAMSHAFT, Engine
21	5300 6722	16				EM0			PUSH ROD, Valve
22	4323 207	1				EM0			RETAINER, Tappet Yoke Aligning
23	4483 045	8				EM0			YOKE, Tappet Aligning
24	6034 549	1				EW0			SCREW, Hex Head, .312-18x.94

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Timing Gear and Cover, 5.9L (EML,EMM)
Figure 5.9L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,
[DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions


1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case Cover
2	5302 1057	1				EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing
4	3671 649	1				EM0			TAB, Timing Chain Oil
5	4315 764	1				EM0			PLATE, Camshaft Thrust
6	6034 549	2				EM0			SCREW, Hex Head, .312-18x.94
7									KEY, Crankshaft Sprocket
	6029 411	1				EM0	DBB		
		1				EM0	DGO		
8	0431 787	1				EM0			KEY, Camshaft Sprocket
9	8350 7095	1				EM0			CHAIN PACKAGE, Timing
10	6034 321	1				EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
11	6034 479	1				EM0			BOLT, Hex Head, .375-16x2.25
12	6034 452	1				EM0			STUD, .375-16x.375-16x2.38
13	6034 453	2				EM0			STUD, .375-16x.375-16x1.63

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DGO = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Engine Oiling, 5.9L (EML,EMM)
Figure 5.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines, [EML]= 5.9L Light Duty Magnum V-8, [EMM]= 5.9L Heavy Duty Magnum V-8									
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2				EM0			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EM0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EM0			SHAFT, Oil Pump
8	0108 636	1				EM0			PIN, Cotter
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 8610	1				EM0			GASKET, Oil Pan
14	6034 549	18				EM0			SCREW, Hex Head, .312-18x.94
15	5302 0918	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain, With Gasket
17	5302 0934	1				EMM			INDICATOR, Engine Oil Level
18	5302 0926	1				EML			TUBE, Oil Gauge
-19	5302 0062	1				EMM			TUBE, Engine Oil Indicator
20	5281 090	1				EM0			FILTER, Engine Oil
21	5300 7563	1				EM0			CONNECTOR, Oil Filter
22	5302 1053	1				EM0			PLATE, Oil Filter Adapter
23	53020 461AB	1				EM0			GASKET, Oil Filter Adapter

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Manifold, Intake and Exhaust, 5.9L (EML,EMM)
Figure 5.9L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines, [EWO]= All 8.0L Gas Engines									
1	4897 383AC	1				EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AC	1				EM0			MANIFOLD, Intake
3	6035 967AA	12				EM0			SCREW AND WASHER, Hex Head
4	5017 208AA	1				EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust, Right
-8	5205 8238	1				EM0, EWO			SHIELD, Exhaust Manifold, Right
9	5301 0189	1				EM0			MANIFOLD, Exhaust, Left
-10	57008 125AB-	1				EM0, EWO			SHIELD, Engine Mount, Exhaust Manifold, Left
11	0154 732	1				EM0, EWO			NUT, Hex, .375-16
12	0115 729	4				EM0			NUT, Hex, .312 x 24
13	6035 375	4				EM0			BOLT, Hex Head, .375-16x2.50
14	5300 6617	1				EM0			PAN, Intake Manifold
15	4004 001	4				EM0, EWO			RETAINER, Exhaust Pipe to Manifold
16									PLUG, 3/8-18, (NOT SERVICED) (Not Serviced)
17	5301 0091	4				EM0			CLAMP, Exhaust Manifold
18	6034 583	15				EM0			SCREW AND WASHER, Hex Head, .25-20x.892


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Crankcase Ventilation, 5.9L (EML,EMM)
Figure 5.9L-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines.

1	53030 817AE	1				EM0			HOSE, Crankcase Vent
2	5303 1135	1				EM0			VALVE, Crankcase Vent
3	5303 0017	1				EM0			GROMMET, Crankcase Vent
4	53008 675AD	1				EM0			TUBE, PCV Valve
5	5303 0497	1				EM0			FITTING, Crankcase Vent Tube
6	2946 079	1				EM0			GROMMET, Crankcase Vent



DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 8.0L

Engine 8.0L Ten Cylinder (Truck)

GROUP 8.0L - Engine 8.0L Ten Cylinder (Truck)

Illustration Title

Group-Fig. No.

Cylinder Head	
Cylinder Head, 8.0L (EWA)	Fig. 8.0L-210
Cylinder Block	
Cylinder Block, 8.0L (EWA)	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter, 8.0L (EWA)	Fig. 8.0L-410
Camshafts & Valves	
Camshaft and Valves, 8.0L (EWA)	Fig. 8.0L-510
Timing Belt and Cover	
Timing Gear and Cover, 8.0L (EWA)	Fig. 8.0L-610
Engine Oiling	
Engine Oiling, 8.0L (EWA)	Fig. 8.0L-710
Manifolds	
Manifold, Intake, 8.0L (EWA)	Fig. 8.0L-810
Manifold, Exhaust, 8.0L (EWA)	Fig. 8.0L-815
Crankcase Ventilation	
Crankcase Ventilation, 8.0L (EWA)	Fig. 8.0L-910









8.0L10-100	8.0L10-200	8.0L10-300	8.0L10-400	8.0L10-500	8.0L10-600	8.0L10-700	8.0L10-800	8.0L10-900
1	2	3	4	5	6	7	8	9
1	2	3	4	5	6	7	8	9

8.0L10-100


8.0L10-200

8.0L10-300

8.0L10-800

8.0L-200 Cylinder Head	8.0L-300 Cylinder Block	8.0L-400 Crankshaft, Piston and Torque Converter	8.0L-500 Camshafts & Valves
			
8.0L-600 Timing Belt and Cover	8.0L-700 Engine Oiling	8.0L-800 Manifolds	8.0L-900 Crankcase Ventilation
			

Cylinder Head, 8.0L (EWA)
Figure 8.0L-210





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[EWO]= All 8.0L Gas Engines,

Upper Gasket Set 4746045AC									
1	5304 1054	1				EWO			COVER, Cylinder Head, Right
2	5304 1055	1				EWO			COVER, Cylinder Head, Left
3	4556 020	1				EWO			PLUG, Core, 1.25 Diameter
4	J400 7307	12				EWO			BOLT, Hex Flange Head, .500-13x4.52
5	53020 066AD	2				EWO			HEAD, Cylinder
6	J317 8449	2				EWO			PLUG, Cylinder Block Oil Hole
7	5304 1049	2				EWO			GASKET, Cylinder Head
8	5302 0073	2				EWO			GASKET, Valve Cover
9	6034 444	7				EWO			STUD, .312-18/.250-20x2.685
10	6034 443	17				EWO			SCREW, Hex Head Coned, .312-18x1.375
11	4777 536	1				EWO			CAP, Oil Filler
12	5302 0067	12				EWO			BOLT, Cylinder Head
-13	4746 045AC-	2				EWO			GASKET PACKAGE, Engine

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Cylinder Block, 8.0L (EWA)
Figure 8.0L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[EWO]= All 8.0L Gas Engines,[DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions									
1	6034 847	12				EWO			BOLT, Main Bearing Cap
2	J400 5149	4				EWO			DOWEL, Oil Pump
3									BLOCK, Short
	4796 663AB	1				EWO			Use this Number after 01-02-02, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
	4796 663	1				EWO			Use this Number up to 01-02-02, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
4	6036 385AA	2					DGO		SCREW AND WASHER, Hex Head, .437-14x2.00
5									CAP, [Serviced in Block], (NOT SERVICED) (Not Serviced)
6	4556 022	11				EWO			PLUG, Core, 1.625 Diameter
7	J317 8449	2				EWO			PLUG, Cylinder Block Oil Hole
8	J010 3877	2				EWO			PLUG, Square Head, 1/8-27NPTx.32
9									PLUG, (NOT SERVICED) (Not Serviced)
10									DOWEL, [.187x.500], (NOT SERVICED) (Not Serviced)
11	5304 0018	2				EWO			DOWEL, Clutch Housing
12	4798 276AC	1				EMO, EWO			HEATER PACKAGE, Engine Block
13	6501 445	AR							O RING, Engine Block Heater, 1- 11/ 32 Diameter 11/64 Width
14	5602 7117	AR							CORD, Engine Block Heater

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DGO = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 8.0L (EWA)
Figure 8.0L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[EWO]= All 8.0L Gas Engines,[DBB]= Manual Transmissions,
[DGO]= All Automatic Transmissions

1	53006 216AC	1				EWO	DBB		FLYWHEEL
2	4428 037	1				EWO	DBB		GEAR, Ring
3	53005 843AC	1				EWO			RETAINER, Crankshaft Rear Oil Seal
4									Seal
	4856 120AD	5				EWO			PISTON PIN AND ROD
	4856 121AD	5				EWO			2,4,6,8,10
5	4741 750	1				EWO			1,3,5,7,9
6	52107 562AB	1				EWO	DBB		RING, Piston
7	5302 0776	1				EWO			BEARING, Pilot
8	5300 5840	1				EWO			DAMPER, Crankshaft
9	6036 297AA	10				EWO			CRANKSHAFT
10	6033 441	10				EWO			NUT, Hex, .375-24
11	5211 8506	1				EWO	DGO		BOLT, Connecting Rod
12	5300 5837	1				EWO			CONVERTER, Torque
13	5302 1075	1				EWO			GASKET, Rear Crankshaft Oil Seal
14	6035 811	8				EWO	DBB		GASKET, Rear Crankshaft Oil Seal
-15	6035 462	8				EWO	DGO		BOLT, Hex Head, .437-20x1.50
16	2421 305	5				EWO			BOLT, Flexplate
-17	2421 306	AR				EWO			BEARING, Connecting Rod, STD.
18	6034 749	1				EWO			BEARING, Connecting Rod, .001" U/S
19									KEY, Crankshaft Sprocket
									ROD, Connecting, Serviced in
									Piston, (NOT SERVICED) (Not Serviced)
20	5211 8473	1				EWO	DGO		PLATE, Torque Converter Drive
21	4741 492	2				EWO			BEARING, Crankshaft, STD., #1,6
-22	4741 495	AR				EWO			BEARING, Crankshaft, .001" U/S, #1,6
-23	4741 493	3				EWO			BEARING, Crankshaft, STD., #2,4,5
-24	4741 496	AR				EWO			BEARING, Crankshaft, .001" U/S, #2,4,5
-25	4798 449	1				EWO			BEARING, Crankshaft, STD.
-26	4798 450	AR				EWO			BEARING, Crankshaft, .001" U/S
27	6036 207AA	1				EWO			BOLT, Hex Head
28	6033 439	1				EWO	DGO		BOLT, Hex Head, .37-24x.55
29	6035 462	8				EWO	DGO		BOLT, Flexplate
30	6022 235	8				EWO			BOLT AND WASHER, Hex Head, .312-18x1.00


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DGO = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 8.0L (EWA)
Figure 8.0L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: [EWO]= All 8.0L Gas Engines									
1	53005 845AB	1				EWO			PLATE, Camshaft Thrust
2	53021 692AA	20				EWO			PIVOT, Rocker Arm
3	5245 335	20				EWO			ROCKER ARM, Valve
4	5304 1123	20				EWO			PUSH ROD, Valve
5	5300 5866	1				EWO			RETAINER, Tappet Yoke Aligning
6	4848 550	10				EWO			RETAINER, Rocker Arm Pedestal
7	5302 0842	1				EWO			CAMSHAFT, Engine
8	0141 195	1				EWO			DOWEL, .25x.62
9	6036 403AA	20				EWO			SCREW, Hex Flange Head
10	5300 5824	1				EWO			PLUG, Camshaft
11	5300 9887	10				EWO			SEAL, Valve Guide, Exhaust
12	5300 9886	10				EWO			SEAL, Valve Guide, Intake
13	5300 5863	10				EWO			VALVE, Intake, Standard
14	5300 5864	10				EWO			VALVE, Exhaust, Standard
15									INSERT, Exhaust Valve, Serviced in Cylinder Head, (NOT SERVICED) (Not Serviced)
16	4713 439	20				EWO			TAPPET PACKAGE, Valve
17	5302 1056	20				EWO			SPRING, Valve
18	3300 4626	20				EWO			RETAINER, Valve Spring
19	3300 3521	40				EWO			LOCK, Valve Spring Retainer
20	1947 953	4				EWO			SCREW AND WASHER, Hex Head
21	5245 169	10				EWO			YOKE, Tappet Aligning
22	4741 475	1				EWO			BEARING, Camshaft, #1
-23	4741 476	1				EWO			BEARING, Camshaft, #2
-24	4741 477	1				EWO			BEARING, Camshaft, #3
-25	4741 478	1				EWO			BEARING, Camshaft, #4
-26	4741 479	1				EWO			BEARING, Camshaft, #5
-27	4741 480	1				EWO			BEARING, Camshaft, #6
28	6034 757	3				EWO			SCREW

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 8.0L (EWA)
Figure 8.0L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[EWO]= All 8.0L Gas Engines									
1	53020 971AE	1				EWO			COVER, Timing Case
2	4798 467	1				EWO			CHAIN PACKAGE, Timing
3	5302 1103	1				EWO			SEAL, Timing Case Cover
4	5302 0956	1				EWO			GASKET, Chain Case Cover
5	6034 749	1				EWO			KEY, Crankshaft Sprocket
6	6024 035	1				EWO			BOLT, Hex Head, .375-14x1.75
7	6033 958	7				EWO			SCREW, Hex Flange Head, .375-16x2.00

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Engine Oiling, 8.0L (EWA)
Figure 8.0L-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[EWO]= All 8.0L Gas Engines									
1	53006 833AB	1				EWO			COVER, Engine Oil Pump
2	53020 922AB	1				EWO			PAN, Engine Oil
3	5302 0930	1				EWO			TUBE, Oil Gauge
4	5300 6834	1				EWO			PICKUP, Engine Oil
5	5302 0929	1				EWO			INDICATOR, Engine Oil Level
6	4746 610	1				EWO			ROTOR PACKAGE, Oil Pump
7	6036 384AA	7				EWO			SCREW, Hex Head Coned, .25-20x. 875
8	53005 884AB	1				EWO			GASKET, Oil Pan
9	5302 0075	1				EWO			GASKET, Oil Pump Relief Valve
10	5304 0062	1				EWO			GASKET, Oil Pickup Tube
11	6035 417	1				EWO			PLUG, Oil Drain, With Gasket
12	2843 208	1				EWO			PLUNGER, Oil Pressure Relief Valve
13	6034 549	18				EWO			SCREW, Hex Head, .312-18x.94
14	6034 594	4				EWO			STUD, .312-18/.250-20x2.355
15	5302 0068	1				EWO			PLUG, Cylinder Block Oil Hole
16	2402 473	1				EWO			SPRING, Oil Pressure Relief Valve
17	5281 090	1				EWO			FILTER, Engine Oil
18	5300 7563	1				EWO			CONNECTOR, Oil Filter
19									SEAL, (NOT SERVICED) (Not Serviced)
20	6034 549	2				EWO			SCREW, Hex Head, .312-18x.94
21	6034 475	5				EWO			SCREW, Torx Head, .25-20x.75

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Manifold, Intake, 8.0L (EWA)
Figure 8.0L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[EWO]= All 8.0L Gas Engines									
1	6034 349	5				EWO			SCREW, Hex Head Pilot Point, .312-18 UNC 2A
2	6034 506	5				EWO			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
3	6034 507	1				EWO			SCREW, Hex Head Coned, .375-16x2.25
4	6034 508	1				EWO			SCREW, Hex Head Coned, .375-16x3.00
5	6034 509	12				EWO			SCREW, Hex Head Coned, .375-16x1.75
6	5303 1583	1				EWO			MANIFOLD, Intake, Lower
7	5303 1580	1				EWO			MANIFOLD, Intake, Upper
8									CONNECTOR, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
9	5304 0055	1				EWO			CONNECTOR, Manifold Vacuum, .375 90 Degree
10	5300 6046	1				EWO			NIPPLE, By-Pass
11	5301 0047	1				EWO			SEAL, Thermostat
12	4741 732AC	1				EWO			GASKET PACKAGE, Intake Manifold
13	5301 0044	4				EWO			PLUG, Core, 1.50 Diameter
14	5300 6836	1				EWO			GASKET, Intake Manifold

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Manifold, Exhaust, 8.0L (EWA)
Figure 8.0L-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; EWO= All 8.0L Gas Engines									
1	5303 1401	1				EWO			MANIFOLD, Exhaust, Right
2	5300 6733	1				EWO			MANIFOLD, Exhaust, Left
3	5303 1550	1				EWO			SHIELD, Heat, Right
4	5303 1551	1				EWO			SHIELD, Heat, Left
5	6034 808	10				EWO			STUD, .312-18/.312-24x4.00
6	6034 806	10				EWO			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5300 6920	2				EWO			GASKET, Exhaust Manifold

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Crankcase Ventilation, 8.0L (EWA)
Figure 8.0L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; EWO= All 8.0L Gas Engines									
1	5300 6342	1				EWO			HOSE, Crankcase Vent
2	5303 0497	1				EWO			FITTING, Crankcase Vent Tube
3	2946 079	2				EWO			GROMMET, Crankcase Vent
4	5304 1044	1				EWO			TUBE, PCV Valve
5	5303 0495	1				EWO			TUBE, Crankcase Vent To Air Cleaner
6	2946 079	2				EWO			GROMMET, Crankcase Vent


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Group – 5.9LD

Engine 5.9L Six Cylinder (Diesel)

3	1	2	3	4	5	6
Model Year	Production	Production	Production	Production	Production	Production
1998	1999	2000	2001	2002	2003	2004
1998	1999	2000	2001	2002	2003	2004

5.9LD-100




GROUP 5.9LD - Engine 5.9L Six Cylinder (Diesel)

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-210
Cylinder Block Cylinder Block, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-310
Crankshaft, Piston and Torque Converter Crankshaft and Piston, 5.9L Diesel (ETC,ETH) Flywheel and Torque Converter, 5.9L Diesel (ETC,ETH) Torque Converter Cooler, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-410 Fig. 5.9LD-415 Fig. 5.9LD-420
Camshafts & Valves Camshaft and Valves, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-510
Timing Belt and Cover Timing Gear and Cover, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-610
Engine Oiling Engine Oiling, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-710
Manifolds Manifold, Intake and Exhaust, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-810
Oil Cooler Engine Oil Cooler, 5.9L Diesel (ETC,ETH) Oil Lines, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-1110 Fig. 5.9LD-1115

5.9LD-200 Cylinder Head	5.9LD-300 Cylinder Block	5.9LD-400 Crankshaft, Piston and Torque Converter	5.9LD-500 Camshafts & Valves
5.9LD-600 Timing Belt and Cover	5.9LD-700 Engine Oiling	5.9LD-800 Manifolds	5.9LD-1100 Oil Cooler

Cylinder Head, 5.9L Diesel (ETC,ETH) Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = Manual Transmission									
[DGO] = All Automatic Transmissions									
1	5011 403AA	26				ETC			SCREW
		26				ETH	DBB		
2	5011 876AA	1				ETC			GASKET, Cylinder Head
		1				ETH	DBB		
3	5080 559AA	1				ETC	DBB		HEAD, Cylinder
	5080 681AA	1				ETH	DBB		
4	5016 559AA	7				ETC			PLUG, Expansion
		7				ETH	DBB		
5	4429 735	4				ETC			PLUG, Expansion
		4				ETH	DBB		
6	5003 605AA	1				ETC			PLUG, Expansion
		1				ETH	DBB		
7	5016 558AA	2				ETC			PLUG, Expansion
		2				ETH	DBB		
8	5016 559AA	7				ETC			PLUG, Expansion
		7				ETH	DBB		
9	5015 718AB	1				ETC			COVER, Cylinder Head
		1				ETH	DBB		
10	5014 704AB	1				ETC			CAP, Oil Filler
		1				ETH	DBB		
11	5016 356AB	1				ETC			GASKET, Valve Cover
		1				ETH	DBB		
12	5015 724AA	1				ETC	DBB		SCREW
		1				ETH	DBB		
13									SCREW, Water Inlet, M10x1.5x25


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Head, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 460	3				ETC			
		3				ETH	DBB		
14	5011 841AA	1				ETC			BRACKET, Engine Lift
		1				ETH	DBB		
15	4638 666	2				ETC			SCREW, Hex Flange Head
		2				ETH	DBB		
16	5011 841AA	1				ETC			BRACKET, Engine Lift
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Cylinder Block, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes [ETC] = 5.9L Cummins 24 Valve Diesel [ETH] = 5.9L HO Cummins Turbo Diesel [DBB] = Manual Transmissions [DGO] = All Automatic Transmissions GASKET PACKAGE, Engine Upper -05016652AA BLOCK KIT, Hardware - 05011780AA GASKET PACKAGE, Engine Lower-05016649AA									
1	5014 594AB	1				ETC			BLOCK, Cylinder
2	5003 617AA	1				ETH	DBB		BUSHING, Camshaft
		1				ETH	DBB		
3	5003 615AA	14				ETC			BOLT, Hex Head
		14				ETH	DBB		
4									CAP, (NOT SERVICED) (Not Serviced)
5	4797 725	5				ETC			PLUG, Cylinder Block Oil Hole
		5				ETH	DBB		
6	4429 955	3				ETC			PLUG, Expansion
		3				ETH	DBB		
7	4429 956	1				ETC	DBB		PLUG, Expansion
		1				ETH	DBB		
8	4429 068	1				ETC	DBB		DOWEL, Block To Clutch Housing
		1				ETH	DBB		
9	4429 343	2				ETC			DOWEL, Ring
		2				ETH	DBB		
10	5003 606AB	6				ETC			JET, Piston Oil Cooler
		6				ETH	DBB		
11	4429 687	1				ETH	DBB		PLUG, Expansion
		1				ETC	DBB		
12	4429 257	2				ETC			DOWEL, Front Cover

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Cylinder Block, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				ETH	DBB		
13	4429 568	1				ETC			PLUG, Pipe
		1				ETH	DBB		
14	5003 614AA	4				ETC			PLUG, Expansion
		4				ETH	DBB		
15	5003 605AA	1				ETH	DBB		PLUG, Expansion
		1				ETC			
16	4429 068	1				ETC	DBB		DOWEL, Block To Clutch Housing
		1				ETH	DBB		
17	4429 955	3				ETH	DBB		PLUG, Expansion
		2				ETC			
18	4429 958	1				ETC			PLUG, Expansion
		1				ETH	DBB		
19	5011 781AA	1				ETC	DBB		PLUG, Cylinder Block
		1				ETH	DBB		
20	4882 037	1				ETC			O RING
		1				ETH	DBB		
21	4429 386	1				ETH	DBB		PLUG, Pipe
	4429 568	1				ETC			
22	4429 629	1				ETC			SCREW, Hex Head, M8x1.25x16
		1				ETH	DBB		
23	4429 166	AR				ETC			SLEEVE, Cylinder Block
		AR				ETH	DBB		
24	5011 792AA	3				ETH	DBB		SCREW, Hex Head
		1				ETC	DBB		
25									NUT, Tappet Cover, (NOT REQUIRED)
26									WASHER, Plain, (NOT REQUIRED)
-27									CLAMP, Serviced in Hose, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28									SEAL, Grommet O-Ring
	5003 620AA	6				ETH	DBB		
		1				ETC	DBB		
29									GASKET, Camshaft Cover
	4798 940AB	1				ETC	DBB		
		1				ETH	DBB		
30									SPACER
	5003 621AB	3				ETH	DBB		
		1				ETC	DBB		
31									COVER, Camshaft
	5080 786AA	1				ETC			
		1				ETH	DBB		
32									COVER, Camshaft, (NOT
33									REQUIRED)
34									BRACKET, (NOT REQUIRED)
	4798 889	1				ETH	DBB		CORD, Engine Block Heater
		1				ETC	DBB		
35									HEATER, Engine Block
	5003 619AA	1				ETH	DBB		
		1				ETC	DBB		
36	5011 913AA	1				ETC	DG0		PLUG
37									O RING, Oil Cooler
	5003 647AA	1				ETC	DBB		
		1				ETH	DBB		
-38									PLUG
	5013 690AA-	1				ETH	DBB		Crank Senor Hole Plate
		1				ETC	DBB		Crank Senor Hole Plate
-39									SCREW
	5011 856AA-	1				ETH	DBB		Crank Sensor Hole Plate
		1				ETC	DBB		Crank Sensor Hole Plate
-40									GASKET PACKAGE, Engine Upper
	5016 652AA-	1				ETC	DBB		
		1				ETH	DBB		
-41									GASKET KIT, Lower Engine Set
	5016 649AA-	1				ETC			
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft and Piston, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ETC] = 5.9L Cummins 24 Valve Diesel

[ETH] = 5.9L HO Cummins Turbo Diesel

[DBB] = Manual Transmissions

[DGO] = All Automatic Transmissions

1	4429 632	1				ETC			CRANKSHAFT
		1				ETH	DBB		
2	4882 036	1				ETC			GEAR, Crankshaft
		1				ETH	DBB		
3	4429 483	1				ETC			PIN, Crankshaft Gear
		1				ETH	DBB		
4	5011 783AA	1				ETC	DBB		TONE RING, Sensor
5	5011 784AA	5				ETC			SCREW
		5				ETH	DBB		
6	4429 070	1				ETC			BEARING KIT, Crankshaft, Standard
		1				ETH	DBB		
-7									BEARING KIT, Crankshaft, .25mm
	4429 271	1				ETC			Oversize
		1				ETH	DBB		
-8									BEARING KIT, Crankshaft, .50mm
	4429 272	1				ETC			Oversize
		1				ETH	DBB		
-9									BEARING KIT, Crankshaft, .75mm
	4429 273	1				ETC			Oversize
		1				ETH	DBB		
-10									BEARING KIT, Crankshaft, 1.00mm
	4429 274	1				ETC			Oversize
		1				ETH	DBB		
11									BEARING, Crankshaft Thrust, .50
	5012 552AA	1				ETC			mm U/S
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500


BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Crankshaft and Piston, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12									BEARING, Crankshaft Thrust, 1.00 mm U/S
	5012 551AA-	1				ETC			
		1				ETH	DBB		
13									SLEEVE, Wear
	5011 935AA	1				ETC			
		1				ETH	DBB		
14									SLEEVE KIT, Wear
	4897 876AA	1				ETC			
		1				ETH	DBB		
15									BEARING, Connecting Rod, STD.
	4429 175	12				ETC			
		12				ETH	DBB		
-16									BEARING, Connecting Rod, .25 mm U/S
	4429 171	AR				ETC			
		AR				ETH	DBB		
-17									BEARING, Connecting Rod, .50 mm U/S
	4429 172	AR				ETC			
		AR				ETH	DBB		
-18									BEARING, Connecting Rod, .75 mm U/S
	4429 173	AR				ETC			
		AR				ETH	DBB		
-19									BEARING, Connecting Rod, 1.00 mm U/S
	4429 174	AR				ETC			
		AR				ETH	DBB		
20									ROD, Connecting
	5003 649AA	6				ETC			
		6				ETH	DBB		
21									SCREW, Connecting Rod, 24x.44
	4429 919	12				ETC			
		12				ETH	DBB		
22									BUSHING, Serviced in Rod, (NOT SERVICED) (Not Serviced)
23									PISTON AND RINGS, Diesel Engine, A Grade
	5015 810AA	1				ETC			
	5018 093AA	6				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Crankshaft and Piston, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-24									PISTON AND RINGS, Diesel Engine, B Grade
	5015 811AA-	1				ETC	DBB		
	5019 614AA-	6				ETH	DBB		
-25									PISTON AND RINGS, Diesel Engine, C Grade
	5015 812AA-	1				ETC	DBB		
	5019 615AA-	6				ETH	DBB		
-26									PISTON AND RINGS, Diesel Engine, .50MM Oversize
	5015 813AA-	1				ETC	DBB		
	5019 612AA-	6				ETH	DBB		
-27									PISTON AND RINGS, Diesel Engine, 1.00MM Oversize
	5015 814AA-	1				ETC	DBB		
	5019 613AA-	6				ETH	DBB		
28									RING KIT, Piston, Standard
	5011 858AA	6				ETC			
		6				ETH	DBB		
-29									RING KIT, Piston, .50MM Oversize
	5011 942AA-	6				ETC			
		6				ETH	DBB		
-30									RING KIT, Piston, 1.00MM Oversize
	5011 870AA-	6				ETC			
		1				ETH	DBB		
31									RING, Piston Pin
	5003 650AA	12				ETC			
		12				ETH	DBB		
32									PIN, Piston
	5015 706AA	6				ETC			
		6				ETH	DBB		


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Flywheel and Torque Converter, 5.9L Diesel (ETC,ETH) Figure 5.9LD-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[ETO] = All 5.9L Diesel Engines									
[DBB] = Manual Transmissions									
[DGO] = All Automatic Transmissions									
1	4429 630	2				ETH	DBB		BOLT, Hex Head
		4				ETC			
2	4429 248	1				ETH	DBB		PLUG, Adaptor Plate
		1				ETC	DBB		
3	4429 260	1				ETH	DBB		O RING, Transmission Adapter Plug
		1				ETC	DBB		
4	5017 182AB	1				ETH	DBB		HOUSING, Rear Main Seal
	5080 536AA	1				ETC			
5	5015 705AA	1				ETH	DBB		SEAL
		1				ETC	DBB		
6	4429 678	2				ETC			PIN, Dowel
		2				ETH	DBB		
7	4429 638	6				ETC			BOLT, Hex Head
		6				ETH	DBB		
8	4761 248	8				ETC			BOLT, Flywheel Housing
		8				ETH	DBB		
9	4874 537	1				ETH	DBB		ADAPTER, Transmission
		1				ETC	DBB		
10	4761 247	1				ETC	DBB		COVER, Flywheel Housing
		1				ETH	DBB		
11	4856 021AB	1				ETH	DBB		GASKET, Rear Cover
		1				ETC	DBB		
12	6501 681	8				ETH	DBB		WASHER, Flat

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ETO = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DGO = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Flywheel and Torque Converter, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						ETC	DBB		
13	6501 680	1	8			ETC	DBB		
		1				ETH	DBB		
14								FLYWHEEL	
15	5015 624AA	1				ETC	DBB		
	5080 538AA	1				ETH	DBB		
	4429 903	1				ETC	DBB	GEAR, Ring	
16	52107 562AB	1				ETH	DBB		
		1				ETC	DBB		
		1				ETH	DBB	BEARING, Pilot	
17	4429 522	8				ETC	DG0	SCREW, Cap	
18	4798 968	1				ETC	DG0	PLATE, Drive Plate Backing	
19	5015 709AA	1				ETC	DG0	PLATE, Torque Converter Drive	
-20	6033 439	6				ET0	DG0	BOLT, Hex Head, .37-24x.55	
21	5211 8868	1				ET0	DG0	CONVERTER, Torque	

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Torque Converter Cooler, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DG0] = All Automatic Transmissions
[ETC] = 5.9L Cummins 24 Valve Diesel Engines
[ETH] = 5.9L High Output Cummins Turbo Diesel


1	4429 369	1				ETC	DG0		PLUG, Pipe
		1				ETC	DBB		
		1				ETH	DBB		
2	5011 913AA	1				ETC	DG0		PLUG
		1				ETC	DBB		
		1				ETH	DBB		
3	5011 914AA	1				ETC	DG0		O RING, Oil Cooler
		1				ETC	DBB		
		1				ETH	DBB		
4	4429 630	4				ETC			BOLT, Hex Head
5	4883 885AA	1				ETC	DG0		COUPLING, Hose
6	5011 405AA	2				ETC	DG0		HOSE, Oil Cooler
7	5011 409AA	2				ETC	DG0		HOSE, Oil Cooler
8	4429 089	2				ETC	DG0		CLAMP, Tube Retaining
9	4429 089	2				ETC	DG0		CLAMP, Tube Retaining
10	5011 900AA	2				ETC	DG0		CLAMP, Heater
11	5014 171AA	1				ETC	DG0		TUBE, Oil Cooler
12	5011 918AA	1				ETC	DG0		TUBE, Oil Cooler
13	5014 861AA	1				ETC	DG0		COOLER, Torque Converter
14	4429 369	1				ETC	DG0		PLUG, Pipe
15	4429 114	3				ETC			SCREW, Hex Flange Head
16	4429 689	1				ETC	DG0		NUT, Hex Flange

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ETC] = 5.9L Cummins 24 Valve Diesel

[ETH] = 5.9L HO Cummins Turbo Diesel

[DBB] = Manual Transmissions

[DGO] = All Automatic Transmissions

1	5011 477AA	12				ETH	DBB		VALVE, Crosshead
		1				ETC	DBB		
2	5011 892AA	12				ETC			PUSH ROD, Valve
		12				ETH	DBB		
3	5011 893AA	1				ETC	DBB		SCREW, Hex Head
		1				ETH	DBB		
4	5016 647AA	12				ETC			SHAFT, Rocker Arm
		12				ETH	DBB		
5	5011 898AA	6				ETC			SUPPORT, Rocker Arm
		6				ETH	DBB		
6									SOCKET, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
7									CLIP, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
8									NUT, Hex
	4882 108	12				ETC			
		12				ETH	DBB		
9	5011 899AA	12				ETC			SCREW, Rocker Lever Adjusting
		12				ETH	DBB		
10	5080 584AA	6				ETC			ROCKER ARM, Intake
		6				ETH	DBB		
11	5080 583AA	6				ETC			ROCKER ARM, Exhaust
		6				ETH	DBB		
12	5011 790AA	12				ETC			TAPPET, Valve
		12				ETH	DBB		
13	5019 345AA	1				ETC			CAMSHAFT KIT, Engine


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
14	4429 332	1				ETC			KEY, Woodruff
		1				ETH	DBB		
15	4429 227	2				ETC			SCREW, Cap, .437-20x1.812
		2				ETH	DBB		
16	4798 890	1				ETC			SUPPORT, Camshaft Thrust
		1				ETH	DBB		
17	5011 878AA	12				ETC			LOCK, Valve Spring Retainer
		12				ETH	DBB		
18	5011 877AA	12				ETC			VALVE, Exhaust, Standard
		12				ETH	DBB		
19	5011 879AA	12				ETC			VALVE, Intake, Standard
		12				ETH	DBB		
20	5011 455AA	24				ETC			RETAINER, Valve Spring
		24				ETH	DBB		
21	5011 441AA	24				ETC			SPRING, Valve
		24				ETH	DBB		
22	5011 881AA	12				ETC			SEAL, Valve Guide
		12				ETH	DBB		
23	5011 881AA	12				ETC			SEAL, Valve Guide
		12				ETH	DBB		
24									INSERT, Intake Valve, (NOT SERVICED) (Not Serviced)
25									INSERT, Exhaust Valve, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = Manual Transmissions									
[DGO]= All Automatic Transmissions									
1	4429 633	2				ETC			SCREW, Hex Head, M8x1.25x50
		2				ETH	DBB		
2	4882 109	3				ETC			SCREW, Hex Head
		3				ETH	DBB		
3	5014 190AA	1				ETC			COVER, Timing Belt
		1				ETH	DBB		
4	5012 290AA	1				ETC			SEAL, Front Main Crankshaft
		1				ETH	DBB		
5	5017 752AA	1				ETC			CASE, Front
		1				ETH	DBB		
6	4429 633	2				ETC			SCREW, Hex Head, M8x1.25x50
		2				ETH	DBB		
7	5017 753AA	5				ETC			SCREW, Cap
		5				ETH	DBB		
8	5003 941AB	1				ETC			GASKET, Gear Housing
		1				ETH	DBB		
9	5011 800AA	1				ETC			DAMPER, Crankshaft
		1				ETH	DBB		
10	4429 857	4				ETC			SCREW, Hex Head Push Rod Point,
		4				ETH	DBB		24x.44
11	4429 475	1				ETC			GASKET, Oil Filler Connector
		1				ETH	DBB		
12	5014 222AA	1				ETC			SCREW, Hex Head

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
13	4761 242	1				ETC			SCREW, Hex Head, M8x1.25x45
		1				ETH	DBB		
14									P CLIP, (NOT REQUIRED)
15	4429 958	1				ETC			PLUG, Expansion
		1				ETH	DBB		
16	4429 316	3				ETC			NUT
		3				ETH	DBB		
17	5014 195AB	1				ETC			CLAMP
		1				ETH	DBB		
18	5018 192AA	1				ETC			HOSE, Engine Vent Line
		1				ETH	DBB		
19	5014 196AA	1				ETC			BREATHER, Crankcase
		1				ETH	DBB		
20	5018 188AA	1				ETC			COVER, Engine
		1				ETH	DBB		
21	5018 185AA	1				ETC			CLAMP
		1				ETH	DBB		
22	5018 186AA	1				ETC			STRAP, Canister
		1				ETH	DBB		
23	5018 187AA	1				ETC			HOUSING, Oil Fill
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = Manual Transmissions									
[DGO] = All Automatic Transmissions									
1	4429 630	4				ETH	DBB		BOLT, Hex Head
		1				ETC	DBB		
2	5010 479AB	1				ETC			GASKET, Oil Suction Pipe
		1				ETH	DBB		
3	5003 694AB	1				ETH	DBB		GASKET, Oil Pan
		1				ETC	DBB		
4	5080 625AA	33				ETC			SCREW, Hex Flange Head
		33				ETH	DBB		
5									WASHER, Oil Pan Drain Plug, (NOT REQUIRED)
6	4883 965AA	2				ETC			SCREW, Hex Flange Head
		2				ETH	DBB		
7	5080 632AA	1				ETC			PAN, Engine Oil
		1				ETH	DBB		
8	5080 631AA	1				ETC			PLUG, Oil Drain
		1				ETH	DBB		
9									PICKUP, Engine Oil
	4883 926AA	1				ETC			
		1				ETH	DBB		
10									SCREW, Hex Head Header Point, 24x.44
	4429 677	4				ETC			
		4				ETH	DBB		
11	5010 965AB	1				ETC			PUMP, Engine Oil
		1				ETH	DBB		
12									CLAMP, Hose, Spring Type, (NOT REQUIRED)
13	5080 582AA	1				ETC			INDICATOR, Engine Oil Level
14									SCREW, Hex Head, M8x1.25x16

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 110	1				ETC			
		1				ETH	DBB		
15	5080 581AA	1				ETC			TUBE, Engine Oil Indicator
16	5080 581AA	1				ETH	DBB		TUBE, Engine Oil Indicator
17	5017 782AA	1				ETH	DBB		NUT, Clip-On
18									CLIP
	5011 846AA	1				ETC			
		1				ETH	DBB		
19	5080 582AA	1				ETH	DBB		INDICATOR, Engine Oil Level
20									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ETC			
		1				ETH	DBB		
21									NUT, Clip-On
	5017 782AA	1				ETC			
		1				ETH	DBB		
22									BOLT, Hex Head
	4429 638	6				ETC			
		6				ETH	DBB		
23									TUBE, Engine Oil Indicator
	5080 581AA	1				ETC			
		1				ETH	DBB		
24									SEAL, O-Ring
	5017 783AA	1				ETC			
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Manifold, Intake and Exhaust, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = Manual Transmissions									
[DGO]= All Automatic Transmissions									
1	5015 717AA	1				ETC	DBB		SPACER, Exhaust Manifold
		1				ETH	DBB		
2	5012 557AA	1				ETC	DBB		SCREW, Cap
		1				ETH	DBB		
3	4638 695	1				ETC	DBB		SCREW, Fuel Tube Cap
		1				ETH	DBB		
4	5010 167AB	1				ETC	DBB		GASKET, Intake Manifold Cover
		1				ETH	DBB		
5	5011 908AA	1				ETC	DBB		COVER, Intake Manifold
		1				ETH	DBB		
6	5014 170AB	1				ETH	DBB		MANIFOLD, Exhaust
		1				ETC	DBB		
7	5015 719AA	1				ETC	DBB		GASKET, Exhaust Manifold
		1				ETH	DBB		
8	5014 169AA	1				ETC	DBB		SCREW
		1				ETH	DBB		
9	4638 761	1				ETC	DBB		BOLT, Hex Head, M8x1.25x80
		1				ETH	DBB		
10	5011 840AB	1				ETC	DBB		CONNECTOR, Air Intake
		1				ETH	DBB		
11									PLATE, (NOT SERVICED) (Not Serviced)
12	4762 012AB	1				ETC	DBB		HEATER, Engine
		1				ETH	DBB		
13									GASKET, Air Intake Connector

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5010 480AB	1				ETC	DBB		SCREW
		1				ETH	DBB		
	5011 465AA	1				ETC	DBB		
		1				ETH	DBB		
-15	5072 387AA-	1				ETC	DBB		LOCK, Exhaust Manifold
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

Engine Oil Cooler, 5.9L Diesel (ETC,ETH) Figure 5.9LD-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ETC] = 5.9L Cummins 24 Valve Diesel

[ETH] = 5.9L HO Cummins Turbo Diesel

[DBB] = Manual Transmissions

[DGO] = All Automatic Transmissions

1									SCREW, Hex Head Header Point, 24x.44
	4429 634	12				ETC			
		12				ETH	DBB		
2									PLUG, Pipe
	4429 619	1				ETC			
		1				ETH	DBB		
3									PLUG, Pipe
	4429 386	1				ETC			
		1				ETH	DBB		
4									PLUNGER, Oil Pressure Regulator
	4638 712	1				ETC			
		1				ETH	DBB		
5									HEAD, Oil Filter
	5014 193AA	1				ETC			
		1				ETH	DBB		
6									ADAPTER, Oil Filter
	4429 355	1				ETC			
		1				ETH	DBB		
7									SCREW, Hex Flange Head
	4883 965AA	2				ETC			
		2				ETH	DBB		
8									SPRING, Oil Pressure Relief Valve
	4761 985	1				ETC	DBB		
		1				ETH	DBB		
9									VALVE, Oil Pressure Relief
	4797 726AB	1				ETC			
		1				ETH	DBB		
10									O RING, Oil Cooler
	5003 647AA	1				ETC			
		1				ETH	DBB		
11									COOLER, Engine Oil
	4713 985	1				ETC			
		1				ETH	DBB		
12									GASKET, Oil Cooler
	5003 481AA	1				ETC			

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500


BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Engine Oil Cooler, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
13	5011 438AA	1				ETC			GASKET, Oil Cooler
		1				ETH	DBB		
14	5016 547AC	1				ETC			FILTER, Engine Oil
		1				ETH	DBB		



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Oil Lines, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-1115




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = Manual Transmissions									
[DGO] = All Automatic Transmissions									
1	5011 920AA	2				ETC			CLAMP
		2				ETH	DBB		
2	4429 630	2				ETC			BOLT, Hex Head
		2				ETH	DBB		Up to 7/5/00
3	4429 860	2				ETC			Up to 7/5/00
		2				ETH	DBB		SCREW, Cap
									After 7-7-00
4	5003 605AA	1				ETC			After 7-7-00
		1				ETH	DBB		PLUG, Expansion
5	5016 648AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
6	5011 922AB	2				ETC			FITTING, Oil Feed Line
		2				ETH	DBB		
7	5011 921AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
8	5015 575AA	1				ETC			HOSE, Turbocharger Feed
		1				ETH	DBB		
9	5011 921AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
10	4429 183	1				ETC			HOSE, Turbo Oil Drain
		1				ETH	DBB		
11	5016 650AA	1				ETC			TUBE, Turbo Oil Drain
		1				ETH	DBB		
12	5003 332AC	1				ETC			GASKET, Oil Drain Plug
		1				ETH	DBB		
13									TUBE, Turbo Oil Drain

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Oil Lines, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 412AA	1				ETC			
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)

RAM TRUCK SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 011

Exhaust

GROUP 11 - Exhaust

Illustration Title


Group-Fig. No.



Exhaust System

Exhaust System, 5.9L (EML)	Fig. 011-110
Exhaust System, 5.9L (EMM), 8.0L (EWA)	Fig. 011-120
Exhaust System, 5.9L (ETC,ETH) Diesel Engine	Fig. 011-130


Heat Shields

Heat Shields, 5.2L (ELF), 5.9L (EML), 5.9L HD (EMM) 8.0L (EWA),	Fig. 011-210
---	--------------



011-100 Exhaust System	011-200 Heat Shields		
			

Exhaust System, 5.9L (EML)
Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2L Gas Engines, [EML]= 5.9L Light Duty ,
[EWO]= All 8.0L Gas Engines, [DGO]= All Automatic Transmissions
DDO= All Manual Transmissions


1	6035 375	4				EM0			BOLT, Hex Head, .375-16x2.50
2	4004 001	4				EM0,			RETAINER, Exhaust Pipe to
						EWO			Manifold
3	0154 732	1				EM0,			NUT, Hex, .375-16
						EWO			
		1				EM0			
4	52103 345AC	1				EML	DD0		CONVERTER, Catalytic
	52103 631AA	1	2, 7			EML	DG0		California
5	4774 520	1				EML			PIPE, Exhaust, Mexico
6	5201 8855	1			34	EML			HANGER, Exhaust
-7	5201 9513	1	2, 7		33	EML			BRACKET, Converter Hanger
8	3420 1888	3							SCREW, Hex Head
9	4004 445	1				EML			CLAMP, Exhaust
10	5201 7607	2							INSULATOR, Exhaust
11	5210 3159	1				EML			MUFFLER, Exhaust
12	5210 3094	1				EML			TAILPIPE, Exhaust
13	52018 890AB	1							BRACKET, Muffler
14	3420 1888	2							SCREW, Hex Head
15	5210 3053	1				EML,			HANGER, Tailpipe
						EWO			
16	3420 1888	1							SCREW, Hex Head
17	4616 750	2							ISOLATOR, Exhaust Support

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L (EMM), 8.0L (EWA) Figure 011-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; ELO= All 5.2L Gas Engines, EMO= All 5.9L Gas Engines, EMM= 5.9L HD Gas Engine, EWO= All 8.0L Gas Engines, ETC= 5.9L Cummins 24 Valve Diesel Engine									
1	6035 375	4				EMO			BOLT, Hex Head, .375-16x2.50
2	4004 001	4				EMO, EWO			RETAINER, Exhaust Pipe to Manifold
3	0154 732	1				EMO, EWO			NUT, Hex, .375-16
4									CONVERTER, Catalytic
	52103 078AJ	2				EMM, EWO			Federal or Export
	52103 345AC	1				EML	DD0		Federal or Export
		1				EML			California
	52103 631AA	1	2, 7			EML	DG0		California
-5	52103 000AB-	2				EMM			RESONATOR, Exhaust, Leaded Fuel
6	5201 9397	2				EWO			CLAMP, Exhaust
		2	3, 8		34	EMM			
7									PIPE, Exhaust
	5201 8550	2	2, 7		33	EWO			Federal or Export
	5201 9355	1			34	ET0			
		1			34	EWO			California
	52019 170AB	1				EWO			
-8	5210 3115	1	2, 7		33	EWO			PIPE, Exhaust Extension, California
9									HANGER, Exhaust
	5201 8498	1				EMM			
		1				EWO			Federal
	52018 668AB	1				ET0			
		1				EWO			California
10	5201 7607	2							INSULATOR, Exhaust
11	5201 7629	1			34	EMM			HANGER, Exhaust
-12	5210 3013	1	2, 7		33	EWO			HANGER, Muffler
-13									BRACKET, Catalytic Converter
	5201 8666	1			34	ET0			
		1			34	EWO			
14	3420 1888	1							SCREW, Hex Head
15	5201 9323	1				EMM			MUFFLER, Exhaust
16									CLAMP, Exhaust
	5201 8623	1				ET0			
		1				EWO			
17	52018 890AB	1							BRACKET, Muffler


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L (EMM), 8.0L (EWA)
Figure 011-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	5210 3024	1	2, 7		33	EW0			HANGER, Muffler, California
19	3420 1888	3							SCREW, Hex Head
20	52103 096AB	1				EMM, EW0			TAILPIPE, Exhaust
21									HANGER, Tailpipe
	5210 3053	1				EML, EW0			
		1				EMM, ET0			
22	3420 1888	3							SCREW, Hex Head
23	4616 750	2							ISOLATOR, Exhaust Support
24									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
25									BRACKET, Engine Mount
	5201 8654	1				EMM			
		1				EW0			
26									BRACKET, Exhaust Pipe to T/Case
	5210 3101	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
27	6502 337	2							NUT, M10x1.5
28									PIPE, Exhaust
	52006 532AD	1				EMM			Right
	52006 488AC	1				EW0			Right
	52019 170AB	1				EW0			Extension
	52103 085AC	1				EW0			Left
	52103 109AD	1				EMM			Left
-29	52103 109AD-	1				EMM			PIPE, Exhaust
30									CLAMP, Exhaust
	5201 8623	1				EW0			
		1				ET0			
	5201 9397	2				EW0			
		2	3, 8		34	EMM			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L (ETC,ETH) Diesel Engine Figure 011-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: [EMM]= 5.9L HD Gas Engines [ETO]= All 5.9L Diesel Engines									
1	6100 940	2				ETO			BOLT, Hex Flange Head, M10x1.5x50
2									RESONATOR, Exhaust
3	52103 000AB	2				EMM			PIPE, Exhaust
	52103 042AB	1				ETO			
-4	5201 9355	1			34	ETO			PIPE, Exhaust Extension
		1			34	EW0			
5	5210 3115	1	2, 7		33	ETO			BRACKET, Catalytic Converter
		1	2, 7		33	EW0			
6	5201 8666	1			34	ETO			HANGER, Exhaust
		1			34	EW0			
7	52018 668AB	1				ETO			California INSULATOR, Exhaust
		1				EW0			
8	5201 7607	2							SCREW, Hex Head
9	3420 1888	1							MUFFLER, Exhaust
10	5201 9323	1				EW0			Federal or Export
		1				EMM			
11	52019 324AD	1				ETO			California
	52019 346AB	1				EW0			
12	5210 3159	1				EML			CLAMP, Exhaust
		1							
13	5201 8623	1				EW0			California
		1				ETO			
14	5201 9397	2				EW0			Federal or Export
		2	3, 8		34	EMM			
15	52018 890AB	1							BRACKET, Muffler, Federal
16	5210 3024	1	2, 7		33	ETO			HANGER, Muffler, California
17	3420 1888	3							SCREW, Hex Head
18									TAILPIPE, Exhaust
19	52103 095AB	1				ETO			HANGER, Tailpipe
	52103 096AB	1				EMM, EW0			
20	5210 3053	1				EMM, ETO			SCREW, Hex Head


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ETO = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L (ETC,ETH) Diesel Engine
Figure 011-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17									PIPE, Exhaust
	5201 9355	1			34	ET0			
		1			34	EW0			
18	52006 534AC	1				ET0			PIPE, Exhaust
19									PIPE, Exhaust
	5136 024AA	1				ETH	DBB		Turbo Elbow to Exhaust
		1				ETC	DG0		Turbo Elbow to Exhaust

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Heat Shields, 5.2L (ELF), 5.9L (EML), 5.9L HD (EMM) 8.0L (EWA),
Figure 011-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,
[EMM]= 5.9L HD Gas Engines, [EWO]= All 8.0L Gas Engines

1	5527 4650	1				EM0, EWO			SHIELD, Heat, Upper Right
2	55275 738AB	1				EM0, EWO			SHIELD, Heat, Upper Left
3	5527 4656	1				EWO			SHIELD, Heat, Right
4									NUT, [.250-20], (NOT SERVICED) (Not Serviced)
5	55274 655AB	1				EMM, EWO			SHIELD, Heat, Left
6									CLIP, Heat Shield, (NOT SERVICED) (Not Serviced)
7	5205 8190	1				EMM, EWO			BRACKET, Heat Shield

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title

Group-Fig. No.

Frames

Frame

Fig. 013-140

Front Bumper and Fascia

Bumper, Front

Fig. 013-230

Bumper, Front, Sport

Fig. 013-235

Rear Bumper and Fascia

Rear Bumper and Licence Plate Attaching

Fig. 013-310

Body Hold Down


Body Hold Down And Front End Mounting






Fig. 013-520

Trailer Tow


Rear Hitch

Fig. 013-610



<div>013-100</div> <div>Frames</div> <div></div>	<div>013-200</div> <div>Front Bumper and Fascia</div> <div></div>	<div>013-300</div> <div>Rear Bumper and Fascia</div> <div></div>	<div>013-500</div> <div>Body Hold Down</div> <div></div>
<div>013-600</div> <div>Trailer Tow</div> <div></div>			

Frame
Figure 013-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FRAME ASSEMBLY, Chassis
	52020 331AH	1	2		33				
	52020 237AH	1	7		33				
	52020 333AH	1	2, 3		34				
	52020 338AH	1	7, 8		34				
2									RIVET
	0104 114	12	2		33				
		12	7		33				
		12	2, 3		34				
		12	7, 8		34				
3									NUT AND WASHER, Hex Nut-Coned Washer, .375-16
	6025 011	8	2		33				
		8	7		33				
		8	2, 3		34				
		8	7, 8		34				
4									BRACKET, Parking Brake
	52020 439AC	1	2		33				
		1	7		33				
		1	2, 3		34				
		1	7, 8		34				
5									CROSSMEMBER, Fuel Tank
	52057 524AB	1	2		33				
		1	7		33				
		1	2, 3		34				
		1	7, 8		34				
6									CROSSMEMBER, Rear Spring Front
	52057 525AB	1	2		33				
		1	7		33				
		1	2, 3		34				
		1	7, 8		34				
7									CROSSMEMBER, Transmission
	5003 051AC	1	2		33				
		1	7		33				
		1	2, 3		34				
		1	7, 8		34				
8									BRACKET, Frame
	5016 868AA	2	2		33				
		2	7		33				
		2	2, 3		34				
		2	7, 8		34				

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9									BRACKET ASSEMBLY, Cab Mounting
	5016 874AA	1	2		33				
		1	7		33				
		1	2, 3		34				
		1	7, 8		34				
10									RAIL, Rear Right
	52057 860AD	1	2, 3		34				
		1	7, 8		34				
11									RAIL, Rear Left
	52057 861AD	1	2, 3		34				
		1	7, 8		34				
12									BRACKET ASSEMBLY, Cab Mounting
	5016 876AA	2	2		33				
		2	7		33				
		1	2, 3		34				
		1	7, 8		34				
-13	5203 8233	4							BRACKET, Jounce Bumper
14									BRACKET, Shackle
	5205 8658	2	2		33				
		2	7		33				
		2	2, 3		34				
		2	7, 8		34				
15									BRACKET, Spring Pivot
	5017 109AA	2	2		33				
		2	7		33				
		2	2, 3		34				
		2	7, 8		34				
16									BRACKET, Idler Arm
	5205 8603	1	2		33				
		1	2, 3		34				
17									BRACKET, Upper Control Arm
	52058 604AD	2	2		33				
		2	2, 3		34				
18									CUP, Jounce Bumper
	5205 8224	2	7		33				
		2	7, 8		34				
19	5203 8233	4							BRACKET, Jounce Bumper
20									ADAPTER, Frame To Body, (NOT REQUIRED)


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



**Frame
Figure 013-140**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21									BRACKET, Frame, (NOT REQUIRED)
22									CROSSMEMBER, Center Bearing Mount
	5201 9613	1	2		33				
		1	7		33				
23									CROSSMEMBER, Radiator
	5015 412AB	1	2		33				
		1	7		33				
		1	2, 3		34				
		1	7, 8		34				
24									CROSSMEMBER, K Type
	4773 168AB	1	7		33				
		1	2		33				
		1	2, 3		34				
		1	7, 8		34				
25	5205 8071	1	2		33				BRACKET, Shock Mounting

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bumper, Front
Figure 013-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Front Bumper
	5523 4724	1							Right
	5523 4725	1							Left
2									BOLT, Bumper to Bracket, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4									NUT, (NOT SERVICED) (Not Serviced)
5									NUT, (NOT SERVICED) (Not Serviced)
6	55235 115AB	1							SEAL, Radiator
7	6101 712	2							NUT, U, M6x1
8	55076 599AE	1							BUMPER, Front
-9	55295 455AC-	1							BRACKET, License Plate
10									SHIELD, Bumper
	5507 6600	1							w/o Sports Package w/o Fog Lamps, Right
	5507 6601	1							w/o Sports Package w/o Fog Lamps, Left
	55076 786AB	1							w/o Sports Package w/Fog Lamps, Right
	55076 787AB	1							w/o Sports Package w/Fog Lamps, Left
11	6503 938	4							RIVET, Blind, .25xM4/M7
12	55076 610AB	1							FASCIA, Front, Valance to (For Square Holes Bumper, Upper
-13	6033 018	2							FASTENER, Hood Silencer
-14	6503 698	5							SCREW AND WASHER, Truss Head, M6-1.00x30.00
15	55076 614AC	1							FASCIA, Front
16	5527 4811	1							AIR DAM
-17	3420 1631	18							RIVET, M6.25x28 Black
18	6503 698	8							SCREW AND WASHER, Truss Head, M6-1.00x30.00
19									BRACKET, Front Bumper
	55076 778AB	1							Right
	55076 779AB	1							Left


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bumper, Front, Sport
Figure 013-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5013 818AE	1							FASCIA, Front, Primed
2	55077 011AB	1							BEAM, Front Bumper
3	55077 012AB	1							STRIP, Front Fascia, Black
4	6101 402	8							SCREW, Pan Head, M5x.80x125
5									NUT, Hex, .42-14, (NOT SERVICED)
-6	56021 863AB-	1							(Not Serviced)
7	6503 698	5							WIRING, Fog Lamp Jumper
									SCREW AND WASHER, Truss Head, M6-1.00x30.00
8	6503 221	2							PIN
9	6504 394	4							BOLT AND RETAINER, M12X1. 75X35.00
10	6504 118	5							U-NUT, M6 x 1.00, M6x1.00
11	6504 790	4							BOLT, Square Neck, M12x1.75x30.5
12									NUT, U, M6x1, (NOT SERVICED)
									(Not Serviced)
13									BRACKET, Front Bumper
	55077 022AB	1							Right
	55077 023AB	1							Left
14	6503 938	4							RIVET, Blind, .25xM4/M7
15									SCREW, Pan Head, M8x1.25x35, (NOT SERVICED) (Not Serviced)
16	55077 019AC	1							SUPPORT, Front Fascia
17	6502 697	2							NUT, Hex Flange Lock, M12x1.75
18									BRACKET, Front Bumper
	55077 014AB	1							Right
	55077 015AB	1							Left
19									BOLT AND RETAINER, M12X1. 75X32.50, (NOT SERVICED) (Not Serviced)
20	55076 970AD	1							PANEL, Front Facsia
21									BRACKET, Front Bumper
	55076 972AD	1							Right
	55076 973AD	1							Left
-22									FOAM, Front Bumper Fascia
	55077 150AB-	1							Right
	55077 151AB-	2							Left
-23	55077 064AC-	1							BRACKET, License Plate

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Bumper and Licence Plate Attaching
Figure 013-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Rear
	55076 634AE	1							Chrome
	5FG80 WSBAE	1							[SB]
	5FG80 DX8AE	1							[X8]
	5FG80 GW7AE	1							[W7]
	5FG80 PR4AE	1							[R4]
	5FG80 ZBJAE	1							[BJ]
	5FG80 ZDRAE	1							[DR]
	5073 624AA	1							Primed
2	5527 4863	2							BRACKET, Rear Bumper
3	6504 394	4							BOLT AND RETAINER, M12X1. 75X35.00
4	6505 099AA	6							NUT, Hex Flange Lock, M12x1.75
5									BRACKET, Rear Bumper Side
	5527 4868	1							Right
	5527 4869	1							Left
6	6504 122	2							BOLT, m12x1.75x35.00
7	6100 055	6							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75
8	6504 395	2							BOLT AND RETAINER, M12X1. 75X35.00
9									BRACKET, License Plate, (NOT SERVICED) (Not Serviced)
10	6027 958	2							NUT, Snap In, .25
11									SCREW, (NOT SERVICED) (Not Serviced)
12									STEP PAD, Rear Bumper
	5503 4460	1							Right
	5503 4461	1							Left
-13	5507 6850	1							PANEL, License Plate


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Body Hold Down And Front End Mounting
 Figure 013-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4855	6							CUSHION, Body Hold Down
2	5527 4857	2							CUSHION, Body Hold Down
3	5527 4828	6							CUSHION, Body Hold Down
4	5527 4831	8							INSULATOR, Body Hold Down
5	6501 557	8							BOLT, Hex Flange Head, M12x1. 75x95.50




DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Hitch Figure 013-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7492	1		L					RECEIVER KIT, Trailer Tow
2	6503 252	8							BOLT, Hex Flange Head, M12x1.75x45
3	6031 635	6							NUT, Push
4	6100 055	6							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75



DODGE RAM QUAD CAB/CLUB CAB (BE)

**BODGE RAM QUAD
SERIES**
L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Group – 014









Fuel



Group – 014

Fuel

014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	
			

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			

GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank, 5.2L (ELF), 5.9L (EML), 5.9L HD (EMM), 5.9L Diesel (ETC, ETH), 8.0L (EWA)	Fig. 014-110
Fuel Tank Filler Tube	
Fuel Filler Tube, 5.2L (ELF), 5.9L (EML), 5.9L HD (EMM), 5.9L Diesel (ETC,ETH), 8.0L (EWA)	Fig. 014-210
Fuel Lines	
Fuel Lines, Front, 5.2L (ELF), 5.9 Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)	Fig. 014-310
Fuel Lines, Rear, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel	Fig. 014-315
Fuel Lines, 5.9L (ETC,ETH) Diesel Engine	Fig. 014-320
Fuel Injector, 5.9L (ETC,ETH) Diesel Engine	Fig. 014-330
Air Fuel Control and Fuel Filter, 5.9L (ETC,ETH) Diesel Engine	Fig. 014-335
Fuel Rail	
Fuel Rail, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)	Fig. 014-410
Fuel Pump and Sending Unit	
Fuel Module, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel (ETC,	Fig. 014-510
Fuel Injection Pump, 5.9L Diesel (ETC,ETH)	Fig. 014-520
Fuel Accessories, 5.9L Diesel (ETC,ETH)	Fig. 014-530
Fuel Pump Transfer Conversion	Fig. 014-535
Throttle Body	
Throttle Body, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)	Fig. 014-610
Turbocharger, 5.9L Diesel (ETC,ETH)	Fig. 014-620
Throttle Controls	
Throttle Controls, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)	Fig. 014-710
Throttle Controls, 5.9L Diesel (ETC,ETH)	Fig. 014-720
Air Cleaner	
Air Cleaner, 5.2L (ELF), 5.9L Light Duty (EML)	Fig. 014-810
Air Cleaner, 5.9L Heavy Duty (EMM)	Fig. 014-820
Air Cleaner, 8.0L (EWA)	Fig. 014-830
Air Cleaner, 5.9L Diesel (ETC,ETH)	Fig. 014-840
Air Intake System	
Air Intake System, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM)	Fig. 014-910
Air Intake System, 8.0L (EWA)	Fig. 014-920
Air Intake System, 5.9L Diesel (ETC,ETH)	Fig. 014-930
Charge Air Cooler System, 5.9L Diesel (ETC,ETH)	Fig. 014-935
Speed Control	




GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Speed Control (Continued)	
Speed Control, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel (ET)	Fig. 014-1010
Accelerator Pedal	
Accelerator Pedal, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel	Fig. 014-1110



Fuel Tank, 5.2L (ELF), 5.9L (EML), 5.9L HD (EMM), 5.9L Diesel (ETC, ETH), 8.0L (EWA)
Figure 014-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; [ELO]= All 5.2L Gas Engines, [EMO]= All 5.9L Gas Engines, [EML]= 5.9L Light Duty Gas Engine, [EMM]= Heavy Duty Gas Engine, EWO= All 8.0L Gas Engines, ETO= All 5.9L Diesel Engines									
1	52102 076AE	1				EM0,			TANK, Fuel 35 Gallon
	52102 080AD	1				EW0			
	52102 238AG	1				ET0			35 Gallon
	52102 241AD	1				ET0			34 Gallon
						EM0,			34 Gallon
						EW0			
2	52102 058AC	1							STRAP, Fuel Tank Front
	5210 2059	1							Rear
3	6502 337	2							NUT, M10x1.5
4	J400 0235	4				EMM, EWO			NUT, Push, .375
5									SHIELD, Fuel Tank 34 Gallon
	5210 2321	1				EM0, EW0			
	5210 2316	1				EM0, EW0			
6	5210 2422	1			34	EMM, EWO			SHIELD, Heat
-7									SKID PLATE, Fuel Tank, (NOT REQUIRED)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Fuel Filler Tube, 5.2L (ELF), 5.9L (EML), 5.9L HD (EMM), 5.9L Diesel (ETC,ETH), 8.0L (EWA)
Figure 014-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[ELF]= 5.2L Magnum V-8

[ELO]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[ET0]= All 5.9L Turbo Diesels

[EW0]= All 8.0L Gas Engines

1									SCREW, [.190-16x1.00], (NOT SERVICED) (Not Serviced)
2	5278 632AA	1							CAP, Fuel Filler
3									HOUSING, Fuel Filler
	52102 142AB	1	2, 7			ET0			
		1	3, 8		34	ET0			
4									TUBE, Fuel Filler
	52102 492AA	1	2, 7			ET0			
	52102 491AA	1	2, 7			EM0,			
						EW0			
	52102 492AA	1	2, 7			EM0,			Leaded Fuel
						EW0			
	52102 493AA	1	3, 8		34	EM0,			
		1	3, 8		34	EW0			
	52102 494AA	1	3, 8		34	ET0			
						EM0,			California
						EW0			
5	6505 321AA	2							CLAMP, Fuel Filler Pipe
6	52102 376AA	1							HOSE, Fuel Filler Vent
7	6504 998AA	2							CLAMP, Fuel Filler Pipe
8	52102 375AA	1							HOSE, Fuel Filler
9	4428 652	1				ET0			LABEL, Fuel
10	4206 059	1				EM0,			LABEL, Unleaded Fuel Only
						EW0			
11									GASKET, Filler Tube Housing
	5210 2306	1	2, 7			ET0			
		1	3, 8		34	ET0			


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, Front, 5.2L (ELF), 5.9 Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)
Figure 014-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2 Eng.
[EMO]= All 5.9 Eng.
EWO= All 8.0 Eng.

1									BUNDLE, Fuel Line
	52127 819AE	1				EM0			
	52127 820AF	1				EW0			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Fuel Lines, Rear, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel
Figure 014-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; [ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,
[EML]= 5.9L Light Duty Gas Engine,[EMM]= 5.9L Heavy Duty Gas Engine,
[EWO]= All 8.0L Gas Engines,[ETO]= All 5.9L Diesel Engines.


1	5210 2314	1			34	ET0			TUBE, Fuel
	5210 2322	1	2, 7		33	ET0			
-2	52102 300AC-	1	2, 7		33	EM0, EW0			BUNDLE, Fuel Line
	52102 302AC-	1			34	EM0, EW0			
3	52102 315AB	1			34	ET0			TUBE, Fuel
	52102 323AB	1	2, 7		33	ET0			
-4	52102 474AA-	1			34	EMM, EW0			TUBE, Fuel Vapor, California
5									CLIP, Fuel
	5210 2003	3			34	EM0, EW0			
		4			34	ET0			
6	52102 371AB	3				EM0, EW0			CLIP, Fuel Line
7									SCREW, (NOT SERVICED) (Not Serviced)
8									SHIELD, Fuel Line
	5202 1002	1			34	EM0, ET0, EW0			
		2	2, 7		33	EM0, EW0			
9									TUBE, Fuel, Serviced in Fuel Tank, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L (ETC,ETH) Diesel Engine Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ETC]= 5.9L Cummins 24 Vavle Diesel,[ETH]= 5.9L HO Cummins Turbo [DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions									
1	5011 885AB	6				ETC			O RING, Fuel Injector
		6				ETH	DBB		
2	5011 824AA	1				ETC			CHECK VALVE, Fuel
		1				ETH	DBB		
3	4638 695	3				ETC			SCREW, Fuel Tube Cap
		3				ETH	DBB		
4	5011 826AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
5	5016 556AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
6	5013 856AA	6				ETC			CONNECTOR, Injector
		6				ETH	DBB		
7	5011 439AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
8	4429 519	2				ETC			BRACE, Fuel Tube
		1				ETC	DBB		
9	4762 019	2				ETC			BRACE, Fuel Tube
		2				ETH	DBB		
10	4740 354	1				ETC			BRACE, Fuel Tube
		1				ETC	DBB		
11	4762 021	3				ETC			BRACE, Fuel Tube
		1				ETC	DBB		
12	4762 022	6				ETC			ISOLATOR, Fuel Filter Vibration
		4				ETH	DBB		
13	4638 687	6				ETC			ISOLATOR, Tube
		4				ETH	DBB		
14									BRACE, Fuel Tube

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L (ETC,ETH) Diesel Engine Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 205AA	1				ETC			
		1				ETH	DBB		
15	5011 887AA	1				ETC			BRACE, Fuel Tube
		1				ETH	DBB		
16	5011 888AA	2				ETC			ISOLATOR, Tube
		2				ETH	DBB		
17									SCREW, Fuel Tube Bracket
	4761 708	11				ETC			
		7				ETH	DBB		
18	5011 889AA	1				ETC			BRACE, Fuel Tube
		1				ETH	DBB		
19	5011 457AA	1				ETC			TUBE, Fuel Injector Supply CYLINDER #1
		1				ETH	DBB		CYLINDER #1
20	5011 458AA	1				ETC			TUBE, Fuel Injector Supply CYLINDER #2
		1				ETH	DBB		CYLINDER #2
21									TUBE, Fuel Injector Supply CYLINDER #4
	5011 460AA	1				ETC			CYLINDER #4
		1				ETH	DBB		CYLINDER #4
22	5011 890AA	1				ETC			BRACE, Fuel Tube
		1				ETH	DBB		
23									BRACE, Fuel Tube
	5017 788AA	1				ETC	DBB		
		1				ETH	DBB		
24	5011 459AA	1				ETC			TUBE, Fuel Injector Supply CYLINDER #3
		1				ETH	DBB		CYLINDER #3
25									TUBE, Fuel Injector Supply CYLINDER #5
	5011 461AA	1				ETC			CYLINDER #5
		1				ETH	DBB		CYLINDER #5
26	5011 462AA	1				ETC	DBB		TUBE, Fuel Injector Supply CYLINDER #6
		1				ETH	DBB		CYLINDER #6
27	5011 818AA	1				ETC			SCREW, Hex Head, M8x1.25x12
		1				ETH	DBB		
28									BOLT, Banjo

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

Fuel Lines, 5.9L (ETC,ETH) Diesel Engine
Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	4429 135	2				ETC			TEE
		2				ETH	DBB		
	5011 820AA	1				ETC			
		1				ETH	DBB		
30									WASHER, Fuel Pump
	5015 576AB	2				ETC			
31		2				ETH	DBB		WASHER, Fuel Line Banjo
32	5016 555AA	8				ETC			GROMMET
		8				ETH	DBB		
	4429 451	3				ETC			
		3				ETH	DBB		

Fuel Injector, 5.9L (ETC,ETH) Diesel Engine
Figure 014-330




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ETC]= 5.9L Cummins 24 Valve Diesel, [ETH]= 5.9L HO Cummins Turbo, [DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions									
1	5013 847AA	6				ETC			INJECTOR, Fuel
		1				ETC	DBB		
	5018 177AA	6				ETH	DBB		CLAMP, Injector
2	5011 886AA	6				ETC			
		6				ETH	DBB		
3	4761 269	6				ETC			SCREW, Hex Flange Head
		6				ETH	DBB		
4	5011 417AA	6				ETC			SCREW
		6				ETH	DBB		
5	5012 558AA	6				ETC			O RING, Fuel Injector
		6				ETH	DBB		
6	4798 375	6				ETC			SEAL, Fuel Injector
		6				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Air Fuel Control and Fuel Filter, 5.9L (ETC,ETH) Diesel Engine
Figure 014-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ETC]= 5.9L Cummins 24 Valve Diesel,[ETH]= 5.9L HO Cummins Turbo,
[DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions

1	5014 261AA	4				ETC			CLAMP, Hose
		4				ETH	DBB		
2	5016 554AA	2				ETC			CONNECTOR, Fuel Filter
		2				ETH	DBB		
3	5015 711AA	1				ETC			HOSE, Fuel
		1				ETH	DBB		
4	4429 135	2				ETC			BOLT, Banjo
		2				ETH	DBB		
5	5016 555AA	8				ETC			WASHER, Fuel Line Banjo
		8				ETH	DBB		
6	5015 712AA	2				ETC			BOLT, Banjo
		2				ETH	DBB		
7	5015 714AA	1				ETC			TUBE, Fuel Supply
		1				ETH	DBB		
8	5015 714AA	1				ETC			TUBE, Fuel Supply
		1				ETH	DBB		
9	5015 716AA	1				ETC			HOSE, Fuel
		1				ETH	DBB		
10									SCREW, Hex Head Header Point, 24x.44
	4429 634	12				ETC			
		12				ETH	DBB		
11	5083 368AA	1				ETC			HOSE, Fuel Drain
		1				ETH	DBB		
12	5015 578AC	1				ETC			HEAD, Fuel Filter
		1				ETH	DBB		
13	5011 854AA	1				ETC			O RING


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Fuel Control and Fuel Filter, 5.9L (ETC,ETH) Diesel Engine Figure 014-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
14	5015 581AB	1				ETC			FILTER, Fuel
		1				ETH	DBB		
15									HEATER
	5015 585AB	1				ETC			
		1				ETH	DBB		
16									HOUSING, Fuel Filler
	5015 579AC	1				ETC			
		1				ETH	DBB		
17									THERMOSTAT
	5015 586AA	1				ETC			
		1				ETH	DBB		
18									DRAIN, Fuel Filter Bowl
	5080 552AA	1				ETC			
		1				ETH	DBB		
19									SENSOR, Fuel/Water
	5015 582AB	1				ETC			
		1				ETH	DBB		
20									SEAL
	5080 553AA	1				ETC			
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

2, 7 = 2500

$$3, 8 = 3500$$

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cummm Diesel

ETH = 5.9LCumm HO Turbo D

EML,EM0 = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Man

DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Rail, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)
Figure 014-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; [ELF]= 5.2L Magnum V-8,[ELO]= All 5.2L Gas Engines,
[EMO]= All 5.9L Gas Engines, [EWO]= All 8.0L Gas Engines


1									RAIL, Fuel
	53030 598AB	1				EM0			
	5304 1029	1				EWO			
2									CLIP, Fuel Line
	5212 7788	2				EM0			
		2				EWO			
3									INJECTOR, Fuel
	53031 740AA	8				EM0			
	5303 1571	10				EWO			
4	4418 257AB	8				EM0			CLIP, Fuel Injector
5	6034 380	4				EWO			STUD, .312-18/.250-20x4.00
6	6033 560	4				EWO			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
7	6034 549	1				EWO			SCREW, Hex Head, .312-18x.94
-8	5018 781AA-	1				EM0			CAP
-9									O RING KIT, Fuel Injector
	5083 745AA-	8				EM0			
		10				EWO			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummi Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummi HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EWO = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Module, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel (ETC,
Figure 014-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2L Gas Engines,[EML]= 5.9L Magnum V-8 Engine,
[EMO]= All 5.9L Gas Engines, [EWO]= All 8.0L Gas Engines,
ETO= All 5.9L Diesel Engines

1	4897 666AF	1				EM0,			MODULE KIT, Fuel Pump/Level Unit 34 Gallon
	4897 667AF	1				EW0			35 Gallon
	4897 668AF	1				ET0			35 Gallon
		1				ET0			34 Gallon
2	5200 5389	1				EM0,			NUT, Fuel Pump Module
						EW0			
3	4798 825	1				EM0,			FILTER, Fuel Pressure Regulator
						EW0			
4									VALVE, Fuel Vapor, Service in Item #1, (NOT SERVICED) (Not Serviced)
-5	5212 7666	1				ET0			VALVE, Fuel Tank Rollover Safety
6	4616 244	1				EM0,			GROMMET, Rollover Valve
						EW0			
7									LEVEL UNIT KIT, Fuel
	4897 669AB	1				EM0,			
		1				EW0			
						ET0			
8									FILTER, Fuel, Serviced in Module, (NOT SERVICED) (Not Serviced)
9	5201 8808	1				EM0,			SEAL, Fuel Pump and Level Unit
						EW0			

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Injection Pump, 5.9L Diesel (ETC,ETH)
Figure 014-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; [ETC] = 5.9L Cummins 24 Valve Diesel

[ETH]= 5.9L HO Cummins Turbo,

[DBB]= Manual Transmissions

[DGO]= All Automatic Transmissions


1									BOLT, Hex Head
	5016 188AA	2				ETC			
		2				ETH	DBB		
2	4429 862	1				ETC			NUT, Hex Flange, M10x1.5
		1				ETH	DBB		
3	5080 537AA	4				ETC			STUD, Fuel Pump
		4				ETH	DBB		
4	5014 189AA	1				ETC			O RING, Fuel Injection Pump, Diesel
		1				ETH	DBB		
5	5015 179AA	1				ETC			GEAR, Injection Pump
		1				ETH	DBB		
6	5016 186AA	1				ETC			BRACE, Fuel Pump
		1				ETH	DBB		
7	5015 362AA	1				ETC			BRACE, Fuel Pump
		1				ETH	DBB		
8	5011 423AA	2				ETC			SCREW
		2				ETH	DBB		
9	5011 813AA	1				ETC			DOWEL
		1				ETH	DBB		
10	5019 658AD	1				ETC			PUMP, Fuel Injection
	5019 657AD	1				ETH	DBB		
11	5013 000AA	1				ETC			KEY, Fuel Injection Pump
		1				ETH	DBB		0.00
	5013 026AA	1				ETC			0.26+
		1				ETH	DBB		0.26+
	5013 052AA	1				ETC			0.52+
		1				ETH	DBB		0.52+

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Fuel Injection Pump, 5.9L Diesel (ETC,ETH)
Figure 014-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5013 078AA	1				ETC			0.78+
		1				ETH	DBB		0.78+
	5013 104AA	1				ETC			1.04+
		1				ETH	DBB		1.04+
	5013 130AA	1				ETC			1.30+
		1				ETH	DBB		1.30+
	5013 156AA	1				ETC			1.56+
		1				ETH	DBB		1.56+
	5013 182AA	1				ETC			1.82+
		1				ETH	DBB		1.82+
	5013 208AA	1				ETC			2.08+
		1				ETH	DBB		2.08+
	5013 234AA	1				ETC			2.34+
		1				ETH	DBB		2.34+
	5013 260AA	1				ETC			2.60+
		1				ETH	DBB		2.60+
	5014 026AA	1				ETC			0.26-
	5014 052AA	1				ETC			0.52-
		1				ETH	DBB		0.52-
	5014 078AA	1				ETC			0.78-
		1				ETH	DBB		0.78-
	5014 104AA	1				ETC			1.04-
		1				ETH	DBB		1.04-
	5014 130AA	1				ETC			1.30-
		1				ETH	DBB		1.30-
	5014 156AA	1				ETC			1.56-
		1				ETH	DBB		1.56-
	5014 182AA	1				ETC			1.82-
		1				ETH	DBB		1.82-
	5014 208AA	1				ETC			2.08-
		1				ETH	DBB		2.08-
	5014 234AA	1				ETC			2.34-
		1				ETH	DBB		2.34-
	5014 260AA	1				ETC			2.60-
		1				ETH	DBB		2.60-

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; [ETC]= 5.9L Cummins 24 Valve Diesel,[ETH]= 5.9L HO Cummins Turbo, [DBB]= Manual Transmissions,[DEE]= 6 Speed HD Manual Transmission									
1	5011 815AA	3				ETC			NUT, Hex
		3				ETH	DBB		
2	4429 630	2				ETC			BOLT, Hex Head
		2				ETH	DBB		
3	4429 135	2				ETC			BOLT, Banjo
		2				ETH	DBB		
4	5016 555AA	8				ETC			WASHER, Fuel Line Banjo
		8				ETH	DBB		
5	4429 629	1				ETC			SCREW, Hex Head, M8x1.25x16
		1				ETH	DBB		
6	5015 720AA	1				ETC			BRACKET, Pump
		1				ETH	DBB		
7	5011 437AB	1				ETC			GASKET, Engine Block Cover
		1				ETH	DBB		
8	5011 463AA	1				ETC			TUBE, Fuel Injector Supply
		1				ETH	DBB		
9	5080 885AA	1				ETC	DBB		PUMP, Fuel
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DBB		California
10	5300 8550	2				EW0			CLIP
		1				EM0, EW0	DG0		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

September 16, 2005

Fuel Pump Transfer Conversion

Figure 014-535

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Body, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)
Figure 014-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,
[EWO]= All 8.0L Gas Engines.

1									THROTTLE BODY
	5303 1808	1				EW0			
	53032 691AA	1				EM0			
2									GASKET, Throttle Body To Intake
	5303 0541	1				EM0			
	5304 1120	1				EW0			
3	6034 380	4				EW0			STUD, .312-18/.250-20x4.00
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
5									MOTOR, Air Idle Speed
	53030 657AC	1				EM0			
	53032 067AA	1				EW0			
6	5003 467AA	2				EM0			SCREW, A.I.S. Motor
7	5300 9672	1				EM0			CONNECTOR, Emission Hose
8									SENSOR KIT, Throttle Position
	5017 479AA	1				EM0			
		1				EW0			
-9	6036 338AA-	4				EM0			SCREW AND WASHER, Hex Head, .312-18x2.38


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Turbocharger, 5.9L Diesel (ETC,ETH) Figure 014-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ETC]= 5.9L Cummins 24 Valve Diesel,[ETH]= 5.9L HO Cummins Turbo, [DBB]= Manual Transmissions,[DGO]= All Automatic Transmissions									
1	5017 509AA	1				ETC	DBB		TURBOCHARGER
		1				ETH	DBB		
	5017 787AC	1				ETC	DGO		
2	5018 525AA	1				ETC	DGO		GASKET, Turbocharger
3	4429 823	4				ETC	DBB		STUD
		4				ETH	DBB		
4	4429 825	4				ETC	DGO		NUT, Turbo Mounting
		4				ETH	DBB		
5	4761 275	1				ETC			O RING, Air Intake Line
		1				ETH	DBB		
6	4882 114	1				ETC			NUT, Lock
		1				ETH	DBB		
7	4882 048	1				ETC			CLAMP, Air Intake Connection, V
		1				ETH	DBB		Clamp
8	4746 644	1				ETC			ELBOW, Air Intake
		1				ETH	DBB		
9	4886 033AA	1				ETC	DBB		GASKET, Turbo Oil Drain Pipe
		1				ETH	DBB		
-10	5136 024AA-	1				ETC	DBB		PIPE, Exhaust
-11	4874 541	1				ETC	DBB		GASKET, Turbocharger, Located
									between the turbo& elbow
-12	5161 580AA-	5				ETC	DBB		SCREW

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DGO = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Throttle Controls, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)
Figure 014-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELF]= 5.2L Magnum V-8, [ELO]= All 5.2L Gas Engines, [EMO]= All 5.9L Gas Engines,[EWO]= All 8.0L Gas Engines, DBB= Manual Transmissions, DGO= All Automatic Transmissions, DGT= 4 Speed Automatic 46RE Transmission, DGP= 4 Speed Automatic 47RE Transmission									
1	5207 8102	1				EM0,	DBB		SPRING, Throttle Return
2	5207 7860	1				EW0			LINK, Accelerator Linkage
3	52104 030AD	1				EM0,	DGO		CABLE, Throttle Valve
						EW0			
4	5303 1501	1				EW0			CABLE, Accelerator
5									CLIP, Serviced in Cable, (NOT SERVICED) (Not Serviced)
6	5303 1525	1				EW0			BELLCRANK, Accelerator and Cruise
7	5207 8481	1				EM0			CLIP, Accelerator Cable
8	5207 9101	1					DGO		BRACKET, Cable
9	6029 799	1					DGO		BOLT, Hex Head, .375-16x1.00
10									BRACKET, Torque Shaft
	52107 806AB	1				EM0	DGT		
	52107 807AC	1					DGP		
11	5207 8718	1					DGO		BRACKET, Throttle Valve Spring
12	6028 114	1					DGO		NUT, Hex, .437-14
13	5207 9065	1					DGO		LEVER, Throttle Valve
14	5300 9055	1					DGO		SPRING, Throttle Valve Return

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DGO = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls, 5.9L Diesel (ETC,ETH) Figure 014-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ETO]= All 5.9L Diesel Engines,[ETC]= 539L Cummins 24 Valve Diesel, [ETH]= 5.9L HO Cummins Turbo,[DBB]= Manual Transmissions, DGO= All Automatic Transmissions									
1	4429 631	6				ETC			SCREW, Hex Head
2	4429 779	3				ETH	DBB		BOLT, Hex Head
3	53031 576AC	1				ETC	DBB		BELLCRANK, Accelerator and Cruise
	53031 575AF	1				ETH	DBB		
		1				ETC	DGO		
4	5011 838AA	1				ETC			SUPPORT, Bellcrank
		1				ETH	DBB		
5	5303 1577	1				ETO			SHROUD, Bellcrank
6	6502 871	1							RETAINER
7	52107 742AC	1				ETC	DGO		CABLE, Throttle Valve
8	53031 626AC	1				ETO			CABLE, Accelerator


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ETO = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Air Cleaner, 5.2L (ELF), 5.9L Light Duty (EML)
Figure 014-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines, [EML]= 5.9L Light Duty Engine									
1	53008 675AD	1				EM0			TUBE, PCV Valve
2	4897 529AA	1				EML			BODY, Air Cleaner
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5303 0406	1				EM0			FASTENER, Mounting Post
5	53030 353AB	1				EM0			BRACKET, Air Cleaner
6	5277 576	3				EML			LATCH, Air Cleaner
7									COVER, Air Cleaner
	5018 219AC	1				EML			
		1				EMM			
8	4268 295	1				EML			GROMMET, Air Cleaner Bracket
9									FILTER, Air
	5300 4383	1				EML			
		1				EMM			
10	53032 451AA	1				EM0			GASKET, Air Cleaner To T/Body
11									CLAMP, Air Cleaner to T/Body
	53032 106AA	1				EML			
		1				EMM			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Air Cleaner, 5.9L Heavy Duty (EMM)
Figure 014-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; [ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,
[EMM]= 5.9L Heavy Duty Magnum Engine

1	53030 817AE	1				EMO			HOSE, Crankcase Vent
2									COVER, Air Cleaner
	5018 218AC	1				EMM			
	5018 219AC	1				EML			
3	5303 0432	1				EMM			HOSE, Air Cleaner
4	5303 0406	1				EMO			FASTENER, Mounting Post
5									SCREW, (NOT SERVICED) (Not
									Serviced)
6	53030 353AB	1				EMO			BRACKET, Air Cleaner
7	4897 529AA	1				EMM			BODY, Air Cleaner
8	5277 576	3				EMM			LATCH, Air Cleaner
9	53032 106AA	1				EMM			CLAMP, Air Cleaner to T/Body
10	5300 4383	1				EMM			FILTER, Air
11	4268 295	1				EMM			GROMMET, Air Cleaner Bracket


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Air Cleaner, 8.0L (EWA)
Figure 014-830

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[EWO]= All 8.0L Gas Engines									
1	5303 0867	1				EWO			GASKET, Air Cleaner To T/Body
2	53040 044AB	1				EWO			AIR CLEANER
3	53032 068AA	1				EWO			FILTER, Air
4	6033 560	4				EWO			NUT AND WASHER, Hex Nut-Coned Washer, .25-20



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummi Diesel ETH = 5.9LCummi HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Air Cleaner, 5.9L Diesel (ETC,ETH)
Figure 014-840



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; [ETO]= All 5.9L Diesel Engines.									
1	4864 443AA	1				ETO			GAUGE, Air Restriction Indicator
2	4897 530AA	1				ETO			COVER, Air Cleaner
3	5303 0294	1				ETO			DUCT, Ambient Air
4	4864 442	1				ETO			ELEMENT, Air Cleaner
5	4728 407	1				ETO			HOUSING, Air Cleaner
6	5303 0406	3				ETO			FASTENER, Mounting Post
7	5277 576	4				ETO			LATCH, Air Cleaner
8									CLAMP, Air Cleaner Duct
	53032 105AA	1				ETO			Air Cleaner End
	53032 134AA	1				ETO			Turbocharger End
9	4428 963	1				ETO			LABEL, Diesel Starting
10	4268 295	4				ETO			GROMMET, Air Cleaner Bracket, Air
									Cleaner Mounting
11	4728 405	1				ETO			FITTING, Indicator Gauge
12	6503 955	3				ETO			STUD, M6x1.00x18

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ETO = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

Air Intake System, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM)
Figure 014-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; [ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines

1	5303 0304	1				EMO			DUCT, Ambient Air
---	-----------	---	--	--	--	-----	--	--	-------------------




DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Air Intake System, 8.0L (EWA) Figure 014-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;[EWO]= All 8.0L Gas Engines

1	5303 0165	1	EW0	HOSE, Air Cleaner to T/Body
2	5300 6584	2	EW0	CLAMP, Hose to Air Cleaner
3	5304 1043	1	EW0	DUCT, Ambient Air
4	0154 910AA	1	EW0	SCREW
5	5304 1042	1	EW0	DUCT, Ambient Air
6	6502 064	2	EW0	SCREW, Tapping, M6x1x20




DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Intake System, 5.9L Diesel (ETC,ETH)
Figure 014-930



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ETO]= All 5.9L Diesel Engines


1	5303 1610	1				ETO			DUCT, Ambient Air
---	-----------	---	--	--	--	-----	--	--	-------------------

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Charge Air Cooler System, 5.9L Diesel (ETC,ETH)
Figure 014-935



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ETO]= All 5.9L Diesel Engines

1	52028 724AD	1				ET0			COOLER, Charge Air
2	5202 7827	1				ET0			ISOLATOR, Radiator
3	5202 7502	2				ET0			ISOLATOR, Radiator
4									BRACKET, Intercooler
	5202 7724	1				ET0			Right
	5202 7725	1				ET0			Left
5									SCREW, M8x1.25x20.00, (NOT SERVICED) (Not Serviced)
6									SCREW, M6x1.00x55.00, (NOT SERVICED) (Not Serviced)
7	6503 245	2				ET0			NUT/RIVET, Cooler To Closure Panel
8	5202 8489	1				ET0			DUCT, Charge Air Cooler
9	52027 815AB	1				ET0			HOSE, Charge Air Cooler
10	52027 990AB	1				ET0			HOSE, Intercooler Intake
11	5202 7813	1				ET0			CLAMP, Hose
12	52028 492AB	1				ET0			DUCT, Charge Air Cooler
13	52027 516AB	1				ET0			HOSE, Outlet Duct To Cooler
14									CLAMP, Hose
	52028 980AA	2				ET0			Duct to engine
	52028 979AA	1				ET0			Charge air cooler to duct


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel (ET
Figure 014-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines, [EWO]= All 8.0L Gas Engines, [ETO]= All 5.9L Diesel Engines.									
1	4669 977	1				EM0			SERVO, Speed Control
		1				ET0	DG0		
		1				EW0			
2	5300 7958	1				EM0			BRACKET, Speed Control Servo
		1				ET0	DG0		
		1				EW0			
3	5207 8598	1				EM0			CABLE, Speed Control
	5207 9311	1				EW0			
	5303 1574	1				ET0	DG0		
4	6100 775	2				EM0, EWO			NUT, Hex Flange, M5x.8
5	5503 5614	1				EM0, EWO			RESERVOIR, Vacuum
6	6032 988	3				EM0, EWO			SCREW
7									NUT, Hex Flange Serration, M6x1
	6502 493	2				EM0			
		2				ET0	DG0		
		2				EW0			
8	6025 867	1				EM0			CLIP, Cable to Servo Attach
		1				ET0	DG0		
		1				EW0			
9									HARNESS, Vacuum Speed Control
	5207 8320	1				EM0			
	5207 8323	1				ET0	DG0		
		1				EW0			
10									CLIP, Vacuum Harness
	6016 203	1	7, 8			ET0, EW0	DDX		
	5207 8479	1				EM0			
11	6503 441	1				EM0			CLIP, Cruise Control
12	55055 705AB	1				EM0, EWO			HARNESS ASSEMBLY, vacuum

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Accelerator Pedal, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA), 5.9L Diesel
Figure 014-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5303 1526	1							LEVER, Accelerator Linkage
2	5207 8653	2							BUSHING, Accelerator Pedal



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints


Illustration Title

Group-Fig. No.


Propeller Shaft

Shaft,Propeller,Front,BE 7,8	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 33,BE 2,7	Fig. 016-120
Shaft,Propeller,Rear,2 Piece,Body 33,BE 2	Fig. 016-130
Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8	Fig. 016-140



016-100 Propeller Shaft			
			

Shaft,Propeller,Front,BE 7,8
Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DDP]=Transmission - 5-Speed Manual									
[DDX]=Transmission - 5-Speed HD Manual									
[DEE]=Transmission - 6-Speed HD Manual									
[DGP]=Transmission - 4-Speed Automatic									
[DGT]=Transmission - 4-Speed Automatic									
[DHH]=Transmission - Shift-On-The-Fly, 24									
[DHG]=Transmission - Shift-On-The-Fly, 24									
1									SHAFT, Drive, Front
	52105 840AB	1	7, 8				DDP		
	52105 871AB	1	7, 8				DDX,		
							DGT		
	52105 866AB	1	7, 8				DEE		
	52105 862AB	1	7, 8				DGP		[DHG]
	52105 860AB	1	7, 8				DGP		[DHH]
2									U JOINT
	5014 733AA	3	7, 8				DDP		
		3	7, 8				DDX,		
							DGT		
		3	7, 8				DEE		
		3	7, 8				DGP		[DHG]
		3	7, 8				DGP		[DHH]
3	6033 358	4	7, 8						SCREW AND WASHER, Hex Head Locking, .437-14x1.25, Drive Shaft to Transfer Case Yoke
4	J324 0553	2	7, 8						STRAP, Prop Shaft
5	J400 6928	4	7, 8						BOLT
6									BOOT, Driveshaft
	5012 793AA	1	7, 8				DDP		
		1	7, 8				DDX,		
							DGT		
		1	7, 8				DEE		
		1	7, 8				DGP		[DHG]
		1	7, 8				DGP		[DHH]
7									YOKE, Drive Shaft
	5014 056AA	1	7, 8				DDP		
		1	7, 8				DDX,		
							DGT		
		1	7, 8				DEE		
		1	7, 8				DGP		[DHG]
		1	7, 8				DGP		[DHH]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Shaft,Propeller,Rear,1 Piece,Body 33,BE 2,7
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DDP]=Transmission - 5-Speed Manual

[DDX]=Transmission - 5-Speed Heavy Duty Manual

[DEE]=Transmission - 6-Speed Heavy Duty Manual

[DGP]= Transmission - 4 - Speed Automatic,47RE

[DGT]= Transmission - 4 - Speed Automatic,46RE

[DHG]=Transfer Case-Shift-On-The-Fly

[DHH]= Transfer Case Shift-On-The-Fly

[EML]=Engine - 'MAGNUM' 5.9L SMPI V8

[ET0]=Engines - All 5.9L Turbo Diesel

[EW0]=Engines - All 8.0L Gas

1									SHAFT, Drive
	52105 693AB	1	2		33	EML	DGT		
	52105 275AB	1	2		33		DGP		
	5209 9255	1	7		33		DDP		[DHH]
	5210 5122	1	7		33	ET0, EW0	DDX		[DHG]
	5210 5129	1	7		33		DDP		[DHG]
	5210 5130	1	7		33		DGT		[DHG]
	5209 9195	1	7		33		DGT		[DHH]
	52105 283AB	1	7		33		DEE		[DHG]
	52105 284AB	1	7		33	ET0, EW0	DDX		[DHH]
	52105 285AB	1	7		33		DEE		[DHH]
	5210 5290	1	7		33	ET0, EW0	DGP		[DHG]
	5209 9183	1	7		33	ET0, EW0	DGP		[DHH]
2									YOKE, Drive Shaft
	5011 238AA	1	2		33	EML	DGT		with Shaft 52105693AB
		1	2		33		DGP		With Shaft 52105275AB
	4773 021	1	7		33		DDP		with Shaft 52099255
	4882 185	1	7		33	ET0, EW0	DDX		with Shaft 52105122
		1	7		33		DDP		with Shaft 52105129
		1	7		33		DGT		with Shaft 52105130
	4773 021	1	7		33		DGT		with Shaft 52099195
	4882 185	1	7		33		DEE		with Shaft 52105283AB
	4773 017	1	7		33	ET0, EW0	DDX		with Shaft 52105284AB
		1	7		33		DEE		with Shaft 52105285AB

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 33,BE 2,7
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 180	1	7		33	ET0, EW0	DGP		With Shaft 52105290
	4773 021	1	7		33	ET0, EW0	DGP		with Shaft 52099183
3	6034 965	4							BOLT, Hex Head
4	4428 723	2							CLAMP, U-Joint
5	5003 146AA	1	2		33	EML	DGT		U JOINT with Shaft 52105693AB
		1	2		33		DGP		With Shaft 52105275AB
		1	7		33		DDP		with Shaft 52099255
		1	7		33	ET0, EW0	DDX		with Shaft 52105122
		1	7		33		DDP		with Shaft 52105129
		1	7		33		DGT		with Shaft 52105130
		1	7		33		DGT		with Shaft 52099195
		1	7		33		DEE		with Shaft 52105283AB
		1	7		33	ET0, EW0	DDX		with Shaft 52105284AB
		1	7		33		DEE		with Shaft 52105285AB
		1	7		33	ET0, EW0	DGP		With Shaft 52105290
		1	7		33	ET0, EW0	DGP		with Shaft 52099183
6	5010 937AA	1	2		33	EML	DGT		RETAINER, U Joint with Shaft 52105693AB
		1	2		33		DGP		With Shaft 52105275AB
		1	7		33		DDP		with Shaft 52099255
		1	7		33	ET0, EW0	DDX		with Shaft 52105122
		1	7		33		DDP		with Shaft 52105129
		1	7		33		DGT		with Shaft 52105130
		1	7		33		DGT		with Shaft 52099195
		1	7		33		DEE		with Shaft 52105283AB
		1	7		33	ET0, EW0	DDX		with Shaft 52105284AB
		1	7		33		DEE		with Shaft 52105285AB
		1	7		33	ET0, EW0	DGP		With Shaft 52105290
		1	7		33	ET0, EW0	DGP		with Shaft 52099183

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 33,BE 2
Figure 016-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DBB]=Transmissions - All Manual

[DDP]=Transmission - 5-Speed Manual

[DDX]=Transmission - 5-Speed Heavy Duty Manual

[DEE]=Transmission - 6-Speed Heavy Duty Manual

[EML]=Engine - 'MAGNUM' 5.9L SMPI V8

[ET0]=Engines - All 5.9L Turbo Diesel

[EW0]=Engines - All 8.0L Gas

1									SHAFT, Drive, 2 Piece
	52105 276AE	1	2		33	ET0, EW0	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
2	52105 709AE	1	2		33	EML	DDP		SHAFT, Drive, Rear 2-Piece, With Shaft 52105709AE
3									YOKE, Drive Shaft
	4882 170	1	2		33	ET0, EW0	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
	4773 015	1	2		33	EML	DDP		With Shaft 52105709AE
4									BEARING, Drive Shaft
	5014 586AA	1	2		33	ET0, EW0	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
		1	2		33	EML	DDP		With Shaft 52105709AE
5									CLAMP, Boot
	5212 720	1	2		33	ET0, EW0	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
		1	2		33	EML	DDP		With Shaft 52105709AE
6									BOOT, Driveshaft
	4428 807	1	2		33	ET0, EW0	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
		1	2		33	EML	DDP		With Shaft 52105709AE
7									CLAMP, Boot
	4428 808	1	2		33	ET0, EW0	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
		1	2		33	EML	DDP		With Shaft 52105709AE
8									YOKE, Drive Shaft

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

2, 7 = 2500

3, 8 = 3500

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo Disl

EML,EM0 = Magnum 5.9L V8

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual




DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 33,BE 2
 Figure 016-130






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4428 804	1	2		33	ET0, EWO	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
		1	2		33	EML	DDP		With Shaft 52105709AE
9	6101 060	6	2				DBB		SCREW AND WASHER, Hex Head, M10x1.5x30
10	52105 337AC	1	2		33		DBB		BRACKET, Drive Shaft Bearing
11	6101 060	6	2				DBB		SCREW AND WASHER, Hex Head, M10x1.5x30
12	6101 696	6	2		33		DBB		NUT
13	52105 387AA	1	2		33		DBB		SHIELD, Center Bearing
14	6101 060	6	2				DBB		SCREW AND WASHER, Hex Head, M10x1.5x30
15	6034 965	4							BOLT, Hex Head
16	4428 723	2							CLAMP, U-Joint
17									U JOINT
	5003 146AA	1	2		33	ET0, EWO	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
		1	2		33	EML	DDP		With Shaft 52105709AE
18									RETAINER, U Joint
	5010 937AA	1	2		33	ET0, EWO	DDX		With Shaft 52105276AE
		1	2		33	ET0	DEE		With Shaft 52105276AE
		1	2		33	EML	DDP		With Shaft 52105709AE

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DBB]=Transmissions - All Manual

[DDP]=Transmission - 5-Speed Manual

[DDX]=Transmission - 5-Speed HD Manual

[DEE]=Transmission - 6-Speed HD Manual

[DGP]=Transmission - 4-Speed Automatic

[DGT]=Transmission - 4-Speed Automatic

[DG0]=Transmissions - All Automatic

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[ET0]=Engines - All 5.9L Turbo Diesels

[EW0]=Engines - All 8.0L Gas

1									SHAFT, Drive, 2 Piece
	52105 517AB	1	2		34		DDP		
	5210 5521	1	2		34		DGP		
	5210 5516	1	2		34		DGT		
	52105 520AE	1	2, 3		34	ET0, EW0	DDX		
		1	2, 3		34	ET0	DEE		
		1	3		34		DDP		
	5210 5523	1	3		34		DGP		
	5210 5518	1	3		34		DGT		
	5210 5526	1	7		34		DDP		[DHH]
	5210 5536	1	7		34		DDP		[DHG]
	52105 535AC	1	7		34	ET0, EW0	DDX		[DHH]
	52105 277AB	1	7		34		DEE		[DHH]
	5210 5529	1	7		34		DGP		[DHH]
	5210 5571	1	7		34		DGP		[DHG]
	5210 5527	1	7		34		DGT		[DHH]
	5210 5537	1	7		34		DGT		[DHG]
	52105 552AD	1	7, 8		34	ET0, EW0	DDX		[DHG]
	52105 278AB	1	7, 8		34		DEE		[DHG]
	52105 552AD	1	8		34		DDP		
	5210 5538	1	8		34	EM0	DGT		
	5210 5553	1	8		34		DGP		[DHG]
2									YOKE, Drive Shaft
	4773 015	1	2		34		DGP		with Shaft 52105521
	4882 170	1	2		34		DDP		With Shaft 52105517AB
	4773 015	1	2		34		DGT		with Shaft 52105516

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)




ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 170	1	2, 3		34	ET0, EW0	DDX		With Shaft 52105520AE
		1	2, 3		34	ET0	DEE		With Shaft 52105520AE
		1	3		34		DDP		With Shaft 52105520AE
4773 015		1	3		34		DGT		with Shaft 52105518
		1	3		34		DGP		with Shaft 52105523
4773 017		1	7		34		DEE		with Shaft 52105277AB
4882 170		1	7		34		DGP		with Shaft 52105571
4773 017		1	7		34		DDP		with Shaft 52105526
		1	7		34		DGT		with Shaft 52105527
		1	7		34		DGP		with Shaft 52105529
		1	7		34	ET0, EW0	DDX		with Shaft 52105535AC
4882 170		1	7		34		DDP		with Shaft 52105536
		1	7		34		DGT		with Shaft 52105537
		1	7, 8		34		DEE		with Shaft 52105278AB
		1	7, 8		34	ET0, EW0	DDX		With Shaft 52105552AD
		1	8		34		DDP		With Shaft 52105552AD
		1	8		34		DGP		with Shaft 52105553
4428 804		1	8		34	EM0	DGT		With Shaft 52105538
3									BEARING, Drive Shaft
4773 014		1	2		34		DGP		
		1	2		34		DDP		
		1	2		34		DGT		
		1	2, 3		34	ET0, EW0	DDX		
		1	2, 3		34	ET0	DEE		
		1	3		34		DDP		
		1	3		34		DGT		
		1	3		34		DGP		
		1	7		34		DEE		
		1	7		34		DGP		[DHG]
		1	7		34		DDP		[DHH]
		1	7		34		DGT		[DHH]
		1	7		34		DGP		[DHH]
		1	7		34	ET0, EW0	DDX		
		1	7		34		DDP		[DHG]
		1	7		34		DGT		[DHG]
		1	7, 8		34		DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)




LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8		34	ET0, EW0	DDX		
		1	8		34		DDP		
		1	8		34		DGP		
		1	8		34	EM0	DGT		
4	5212 720	1	2		34		DGP		CLAMP, Boot
		1	2		34		DDP		
		1	2		34		DGT		
		1	2, 3		34	ET0	DEE		
		1	2, 3		34	ET0, EW0	DDX		
		1	3		34		DGT		
		1	3		34		DGP		
		1	3		34		DDP		
		1	7		34		DEE		
		1	7		34		DGP		[DHG]
		1	7		34		DDP		[DHH]
		1	7		34		DGT		[DHH]
		1	7		34		DGP		[DHH]
		1	7		34	ET0, EW0	DDX		
		1	7		34		DDP		[DHG]
		1	7		34		DGT		[DHG]
		1	7, 8		34		DEE		
		1	7, 8		34	ET0, EW0	DDX		
		1	8		34		DDP		
		1	8		34		DGP		
		1	8		34	EM0	DGT		
5	4428 807	1	2		34		DGP		BOOT, Driveshaft
		1	2		34		DDP		
		1	2		34		DGT		
		1	2, 3		34	ET0	DEE		
		1	2, 3		34	ET0, EW0	DDX		
		1	3		34		DGT		
		1	3		34		DGP		
		1	3		34		DDP		
		1	7		34		DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)




LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		34		DGP		[DHG]
		1	7		34		DDP		[DHH]
		1	7		34		DGT		[DHH]
		1	7		34		DGP		[DHH]
		1	7		34	ET0, EW0	DDX		
		1	7		34		DDP		[DHG]
		1	7		34		DGT		[DHG]
		1	7, 8		34		DEE		
		1	7, 8		34	ET0, EW0	DDX		
		1	8		34		DDP		
		1	8		34		DGP		
		1	8		34	EM0	DGT		
6									CLAMP, Boot
	4428 808	1	2		34		DGP		
		1	2		34		DDP		
		1	2		34		DGT		
		1	2, 3		34	ET0	DEE		
		1	2, 3		34	ET0, EW0	DDX		
		1	3		34		DGT		
		1	3		34		DGP		
		1	3		34		DDP		
		1	7		34		DEE		
		1	7		34		DGP		[DHG]
		1	7		34		DDP		[DHH]
		1	7		34		DGT		[DHH]
		1	7		34		DGP		[DHH]
		1	7		34	ET0, EW0	DDX		
		1	7		34		DDP		[DHG]
		1	7		34		DGT		[DHG]
		1	7, 8		34		DEE		
		1	7, 8		34	ET0, EW0	DDX		
		1	8		34		DDP		
		1	8		34		DGP		
		1	8		34	EM0	DGT		
7									YOKE, Drive Shaft
	4428 804	1	2		34		DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)




LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2		34		DDP		
		1	2		34		DGT		
		1	2, 3		34	ET0	DEE		
		1	2, 3		34	ET0, EW0	DDX		
		1	3		34		DDP		
		1	3		34		DGT		
		1	3		34		DGP		
		1	7		34		DEE		
		1	7		34		DGP		[DHG]
		1	7		34		DDP		[DHH]
		1	7		34		DGT		[DHH]
		1	7		34		DGP		[DHH]
		1	7		34	ET0, EW0	DDX		
		1	7		34		DDP		[DHG]
		1	7		34		DGT		[DHG]
		1	7, 8		34		DEE		
		1	7, 8		34	ET0, EW0	DDX		
		1	8		34		DDP		
		1	8		34		DGP		
8		1	8		34	EM0	DGT		SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	6	2		34		DG0		
		6	2				DBB		
		6	3, 7, 8		34				
9									BRACKET, Drive Shaft Bearing
	5210 5293	1	2, 3		34				
	5210 5268	1	7, 8		34				
10									SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	6	2		34		DG0		
		6	2				DBB		
		6	3, 7, 8		34				
11	6101 696	4			34				NUT
12	5209 7944	1			34	EMM, EW0			SHIELD, Center Bearing, Heat
13	3420 1888	2							SCREW, Hex Head, Heat Shield, Mounting
14	6034 965	4							BOLT, Hex Head

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)




LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4428 723	2							CLAMP, U-Joint
16	5003 146AA	1	2		34		DGP		U JOINT
		1	2		34		DDP		
		1	2		34		DGT		
		1	2, 3		34	ET0, EW0	DDX		
		1	2, 3		34	ET0	DEE		
		1	3		34		DGT		
		1	3		34		DGP		
		1	3		34		DDP		
		1	7		34		DEE		
		1	7		34		DGP		[DHG]
		1	7		34		DDP		[DHH]
		1	7		34		DGT		[DHH]
		1	7		34		DGP		[DHH]
		1	7		34	ET0, EW0	DDX		
		1	7		34		DDP		[DHG]
		1	7		34		DGT		[DHG]
		1	7, 8		34		DEE		
		1	7, 8		34	ET0, EW0	DDX		
		1	8		34		DDP		
		1	8		34		DGP		
17	5010 937AA	1	8		34	EM0	DGT		RETAINER, U Joint
		1	2		34		DGP		
		1	2		34		DDP		
		1	2		34		DGT		
		1	2, 3		34	ET0, EW0	DDX		
		1	2, 3		34	ET0	DEE		
		1	3		34		DGT		
		1	3		34		DGP		
		1	3		34		DDP		
		1	7		34		DEE		
		1	7		34		DGP		[DHG]
		1	7		34		DDP		[DHH]
		1	7		34		DGT		[DHH]
		1	7		34		DGP		[DHH]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)




LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Shaft,Propeller,Rear,2 Piece,Body 34,BE 2,3,7,8
 Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		34	ET0, EW0	DDX		
		1	7		34		DDP		[DHG]
		1	7		34		DGT		[DHG]
		1	7, 8		34		DEE		
		1	7, 8		34	ET0, EW0	DDX		
		1	8		34		DDP		
		1	8		34		DGP		
		1	8		34	EM0	DGT		


DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					



Group – 017

Rear Suspension


GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Suspension, Rear,Leaf With Shock Absorber	Fig. 017-110
Rear Stabilizer	
Stabilizer, Rear	Fig. 017-210



017-100 Rear Suspension	017-200 Rear Stabilizer		
			

Suspension, Rear,Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes; [AHJ] = Camper Special Group [DRD]=Axle - Rear,Dana M60 HD/248MM [DRE]=Axle - Rear,Dana M70/267MM [DRL]=Axle - Rear,Dana M80 [ZAS] Through [ZWR]=Spring sales codes will be found on Vehicle Identification Number [VIN] Sales Code Listing. [Z2B] Through [Z8B]=Shock sales codes and various sping parts will be found on Vehicle Identification Number [VIN] Sales Code Listing.									
1									SEAT, Spring
	52038 310AB	2	2, 7						[Z2B,Z7B,DRD,DRE]
	52038 311AB	2	2, 7						[Z2B,Z7B,DRL]
		2	3, 8				34		[Z3A,Z8B,DRL]
2									CLIP, Spring
	5203 8221	4	2						[Z2B,Z3A,DRL,AHJ]
	52106 313AA	4	2						[Z2B,DRD,DRE,AHJ]
	5203 7933	4	2, 3						[Z2B,Z3A,DRD,DRE]
	52106 412AA	4	2, 3						[Z2B,Z3A,DRL]
	5203 8221	4	3				34		[Z2B,Z3A,DRL,AHJ]
	52113 025AA	4	7						[Z7B,Z8B,DRL,AHJ]
	5203 8486	4	7						[Z7B,DRD,DRE]
	52113 025AA	4	7						[Z7B,DRD,DRE,AHJ]
	5203 8650	4	7, 8						[Z7B,Z8B,DRL]
	52113 025AA	4	8				34		[Z7B,Z8B,DRL,AHJ]
3									BUMPER, Jounce
	5203 8718	2	2, 3						
		2	7, 8						
4	6502 817	2							LOCK NUT, M14-2.00, Shock Mounting, Upper
5	6101 223	12							SCREW, Hex Head, [AHJ]
6	52106 435AA	4							BRACKET, Bumper, [AHJ]
7	6502 396	6							NUT, Hex Flange Lock
8	6504 782	6							SCREW, Pilot Point
9	5203 8359	4							NUT, Hex Flange Lock, M10x1.5, [AHJ]
10	6502 818	4							BOLT, Hex Flange Head, M14x2.00x80, Shock Mounting, Upper And Lower
11	52038 664AB	2							SHACKLE, Spring
12									SHOCK ABSORBER, Suspension, Rear
	52106 385AE	2	2			EM0			[Z2B]


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Rear, Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52106 382AE	2	2		33	ET0			[Z2B]
	52106 383AE	2	2		33	EW0			[Z2B]
	52106 385AE	2	2		34	ET0, EW0			[Z2B]
	52106 381AE	2	3		34				[Z3A]
	52039 488AE	2	7			EM0			[Z7B]
	52106 265AE	2	7		33	ET0, EW0			[Z7B]
	52039 490AE	2	7		34	ET0			[Z7B]
	52039 488AE	2	7		34	EW0			[Z7B]
	52039 492AE	2	8		34				[Z8B]
13	6502 698	2							NUT, Hex Flange Lock, Shock Mounting, Lower
14									PLATE, Rear Spring Clip
	5203 8458	2	2, 7						[Z2B,Z7B,DRD,DRE]
	5203 8459	2	2, 7						[Z2B,Z7B,DRL]
		2	3, 8		34				
15									NUT, Hex Flange Lock
	6502 698	8	2, 3						
		8	7						
		8	8		34				
16									SPACER, Spring
	52106 299AB	2	2, 3						
	52106 925AA	2	7, 8						
17									BUSHING, Spring
	52039 480AA	2							[ZAS,ZNS]
		2							[ZBS,ZPS]
		2							[ZFR,ZUR]
18									SPRING, Rear Leaf
	52106 019AF	1							[ZAS,ZNS]
	52106 030AF	1							[ZBS,ZPS]
	52106 018AG	1							[ZCR,ZRR]
	52106 015AG	1							[ZDR,ZSR]
	52106 292AH	1							[ZFR,ZUR]
	52106 016AG	1							[ZGR,ZVR]
	52106 017AG	1							[ZHR,ZWR]
-19									ISOLATOR
	52113 142AA-	4							[ZAS,ZNS]
		4							[ZBS,ZPS]
		4							[ZCR,ZRR]
		4							[ZDR,ZSR]
		4							[ZFR,ZUR]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Rear,Leaf With Shock Absorber
Figure 017-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20		4							[ZGR,ZVR]
		4							[ZHR,ZWR]
									LINER, SPRING TIP
	52113 136AA-	6							[ZAS,ZNS]
		6							[ZBS,ZPS]
	52113 137AA-	6							[ZCR,ZRR]
		4							[ZDR,ZSR]
	52113 136AA-	8							[ZFR,ZUR]
	52113 137AA-	4							[ZGR,ZVR]
		6							[ZHR,ZWR]
21	52038 327AB	2							SPACER, Spring
22									SPRING, Rear Auxilliary
	52039 181AF	2	2, 3						
	52106 402AF	2	7, 8						
23	6503 183	4							SCREW, Hex Head, M10x1.5x30

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Stabilizer, Rear Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BAR, Rear Sway
	5203 8907	1	2, 3						
	5203 9120	1	7, 8						
2	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
3	J400 0235	4							NUT, Push, .375, Stabilizer Bar Stud Plate Retaining
4	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
5	5203 8700	2							BRACKET, Stabilizer Bar
6	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
7	6101 223	12							SCREW, Hex Head
8	5203 8713	2							PLATE, Sway Bar, Stud Plate to Frame or Axle
9	1150 5098	2							BOLT, Hex Flange Head, M12x1. 75x60, Stabilizer Bar Link
10	5203 8700	2							BRACKET, Stabilizer Bar
11	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Stabilizer Bar Link to Frame
12	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer
13									LINK, Sway Eliminator
	52106 057AA	2	2, 3						
	52106 058AA	2	7, 8						
14	6502 748	2							NUT, Hex, M12x1.75, Stabilizer to Link Mounting
15	6100 017	2							PIN, Cotter, M2.5x28.00, Stabilizer Bar Link
16	5208 7865	2							RETAINER, Sway Bar, Bushing
17									BUSHING, Sway Bar
	5203 7548	2	7, 8						
	5203 8843	2	2, 3						
18	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Stabilizer Bar Retainer


DODGE RAM QUAD CAB/CLUB CAB (BE)







SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 019
Steering




<div>019-100</div> <div>Steering Wheel</div> <div></div>	<div>019-200</div> <div>Steering Column</div> <div></div>	<div>019-300</div> <div>Steering Gear</div> <div></div>	<div>019-400</div> <div>Steering Linkage</div> <div></div>
<div>019-500</div> <div>Power Steering Pump</div> <div></div>	<div>019-700</div> <div>Power Steering Hoses</div> <div></div>		

GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering,Upper And Lower	Fig. 019-210
Steering Gear	
Power Steering Gear	Fig. 019-310
Steering Linkage	
Linkage, Steering, BE 2,3	Fig. 019-410
Linkage, Steering, BE 7,8	Fig. 019-420
Power Steering Pump	
Pump,Power Steering and Mounting,5.9L [EM0] Gas Engine	Fig. 019-510
Pump,Power Steering and Mounting,8.0L [EW0] Gas Engine	Fig. 019-520
Pump,Power Steering and Mounting,5.9L [ET0] Diesel Engine	Fig. 019-530
Power Steering Hoses	
Hoses,Power Steering,5.9L [EM0] Gas Engine	Fig. 019-710
Hoses,Power Steering,8.0L [EW0] Gas Engine	Fig. 019-720
Hoses,Power Steering,with Hydroboost System with 5.9L Gas [EM0],5.9L Diesel [ET0],8.0L Gas [EW0] Eng	Fig. 019-730

Wheel, Steering
Figure 019-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:If Horn Switch is defective, you must replace the AIR BAG COVER WITH SWITCH and not the AIR BAG MODULE ASSEMBLY itself.									
Note:Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
[NHM]=Speed Control									
[RDZ]=Audio Controls-Steering Wheel Mounted									
[SCB] = Steering Wheel-2 Spoke									
[SCV] = Steering Wheel-Leather Wrapped									
1	5EH10 DX9AC	1							WHEEL, Steering
	5FM14 DX9AC	1							Black [SCB]
	5FL42 1X9AD	1							Black [SCB,NHM]
	5GC42 1X9AG	1							Black [SCV,NHM,RDZ]
2	6505 248AA	1					DBB		NUT, Hex Flange Lock
		1					DG0		Steering Wheel, Mounting
									Steering Wheel, Mounting
3	56021 332AB	1							SWITCH, Speed Control
	56021 333AB	1							Right
	6036 149AA	4							Left
4									SCREW, Pan Head, Speed Control
	5	5GK53 DX9AD	1						Switch, Mounting
6	UP99 DX9AA	1							AIR BAG, Driver
									COVER, Air Bag Module, Includes
									Horn Switch
-7	5066 184AA-	1							SWITCH, Horn
8	6506 091AA	2							SCREW, M6x1x25, Air Bag to
									Steering Wheel, Mounting
9									CLOCKSPRING
	56045 454AG	1							[NHM]
	56045 455AG	1							[NHM,RDZ]
	56045 456AG	1							
-10									SWITCH, Remote Radio
	4685 619AB-	1							Right
	4685 632AB-	1							Left
-11	56045 164AC-	1							WIRING, Steering Wheel, Jumper

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Column, Steering,Upper And Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
[SUA]=Steering Column - Tilt									
1									SHROUD, Steering Column
	5CN6 7PX8	1					DBB		Fixed, Upper Front
	5CE58 JX8AB	1					DG0		Fixed, Upper Front
2	55351 014AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
3	6507 188AA	2							STUD, M6x1.00mmx48.80mm
4	4897 479AC	1					DBB		COLUMN, Steering, Tilt
	4897 478AC	1					DG0		
5									COLUMN, steering, non tilt
	4897 481AC	1					DBB		
	4897 480AC	1					DG0		
6									NUT AND WASHER, Hex Lock Nut-Coned Lock Washer, M8 x 1.25, (NOT SERVICED) (Not Serviced)
7									PIN, Pivot, Part of Column Assembly, (NOT SERVICED) (Not Serviced)
8	4690 522AB	1					DG0		LEVER, Gearshift, Includes Items 9,10
9	5602 1048	1					DG0		SWITCH, Overdrive Lockout
10	4470 108AB	1					DG0		GAP HIDER, Steering Column
11	6503 014	2							Shroud
12	6504 926AA	2							NUT AND WASHER, Hex, M6x1
									SCREW, Hex Flange Head, M10x1.5x40, Intermediate Shaft to Gear and Column, Mounting
13	55351 114AE	1	2, 3						SHAFT, Intermediate
	55351 113AE	1	7, 8						
14	6035 142	1							SCREW, .164-32x1.00
		1							Lower Fixed Shroud to Steering Column, Mounting
		1							Lower Lock Housing to Steering Column, Mounting
15	KJ95 JX8AB	1							SHROUD, Steering Column, Lower Rear
16									SCREW, Filister Head, #8-16x.25


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Column, Steering,Upper And Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4470 105	1							Upper to Lower Fixed Shroud, Mounting
		2							Upper to Lower Lock Housing, Mounting
17									SHROUD, Steering Column
	5CU51 JX8AB	1					DBB		Fixed, Lower Front
	5CT42 JX8AD	1					DG0		Fixed, Lower Front
18	4470 103	1							LEVER, Tilt Column Release
19									SHROUD, Lock Housing
	DH72 JX8AB	1							Without [SUA], Upper Rear
	DH69 JX8AC	1							With [SUA], Upper Rear
-20									BEARING, Steering Column Shaft
	4147 362	1					DBB		With or without [SUA]
		1					DG0		With or without [SUA]
-21									SPRING, Steering Lock Plate
	4326 811	1					DBB		With or without [SUA]
		1					DG0		With or without [SUA]
-22									SNAP RING, Steering Column, .687
	6032 364	1					DBB		With or without [SUA], Bearing
		1					DG0		With or without [SUA], Bearing
-23	4690 780AA-	1					DG0		GATE, Gearshift Lever, With or without [SUA]
-24	4333 108	1					DG0		SEAL, Steering Column Shaft, With or without [SUA]
-25									SPRING, Tilt Assist
	4326 926AB-	1					DBB		With [SUA]
		1					DG0		With [SUA]
-26									SEAL, Steering Column Shaft
	52079 094AC-	1					DBB		With Bearing-With or without [SUA], Lower
		1					DG0		With Bearing-With or without [SUA], Lower
-27	5207 8233	1					DG0		ARM, Gearshift Selector, With or without [SUA]
-28									SILENCER, Steering Column Shaft
	4470 696	1					DBB		With or without [SUA]
		1					DG0		With or without [SUA]
-29	4470 605	1							KNOB, TILT LEVER RELEASE, With [SUA]
-30									SWITCH, Ignition
	56045 879AA-	1					DBB		With Tilt Column


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Column, Steering,Upper And Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1					DBB		Without Tilt Column
		1					DG0		With Tilt Column
-31		1					DG0		Without Tilt Column
	6503 845	5					DBB		SCREW, Ignition Switch With Tilt Column
		5					DBB		Without Tilt Column
		5					DG0		With Titl Column
-32		5					DG0		Without Tilt Column
									SCREW, 6 Lobed
	6506 514AA-	5					DBB		
		5					DG0		

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GEAR, Power Steering
	52113 611AG	1	2, 3						
	52113 500AF	1	7, 8						
2	3491 338	1	2, 3						NUT, Steering Gear Shaft
3									COVER, Steering Gear Housing
	3893 554	1	2, 3						
		1	7, 8						
4									SEAL, Steering Gear Cover
	3893 558	1	2, 3						
		1	7, 8						
5									VALVE, Power Steering Gear
	4210 545	1	2, 3						
		1	7, 8						
6	J325 1183	1	2, 3						O RING, Power Steering Pump
7									REPAIR KIT, Thrust Bearing, Steering Gear
	4897 000AA	1	2, 3						
		1	7, 8						
8									SEAL, Steering Gear Valve
	3491 350	1	2, 3						
		1	7, 8						
9									SEAL KIT, Steering gear adjuster plug
	4886 349AA	1	2, 3						
		1	7, 8						
10									NUT, Steering Gear Arm
	J320 0501	1	2, 3						
		1	7, 8						
11									SEAL KIT, Steering gear pitman shaft
	4470 365	1	2, 3						
		1	7, 8						
12	J448 7154	1	2, 3						BEARING, Steering Gear
13									SEAL, Steering Gear
	3893 559	1	2, 3						
		1	7, 8						
14									SEAL KIT, Steering gear end plug
	3893 557	1	2, 3						
		1	7, 8						
15	J812 7965	1	2, 3						PLUG, Steering Gear Housing
16									BALL, Steering Gear

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Steering Gear
Figure 019-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3822 799	1	2, 3						
		1	7, 8						
17	3491 331	1	2, 3						SCREW AND WASHER, Steering Gear
18	3491 343	1	7, 8						SHAFT, Pitman
19	6504 742	3							SCREW AND WASHER, Hex Head, M14 x 2 x 115.0
-20	3822 792	1	2, 3						BOLT, Hex Head
-21	4886 352AA-	1	2, 3						SEAL, Steering gear thrust bearing
-22	S010 3336	1	2, 3						WASHER, Lock, .875x1.469
-23	J812 8427	1	2, 3						NUT, Hex Lock


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Linkage, Steering, BE 2,3
Figure 019-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52106 054AB	1	2, 3						ARM, Pitman
2	6505 623AA	2	2, 3						NUT, Hex Locking, M14x1.5, As required
3	5017 670AA	1	2, 3						SOCKET PACKAGE, Tie Rod End, Outer
4	5200 4472	1	2, 3						SLEEVE, Steering Linkage, Adjusting
5	5017 671AA	1	2, 3						SOCKET PACKAGE, Tie Rod End, Inner
6	6505 682AA	1	2, 3						NUT, Hex Flange Lock, M16x1.5
7	52039 496AA	1	2, 3						LINK, Steering Center
8	6506 660AA	2	2, 3						SCREW AND WASHER, Idler Arm to Frame, Mounting
9	52106 049AB	1	2, 3						ARM, Idler
10	J320 0501	1	2, 3						NUT, Steering Gear Arm, Mounting




DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Linkage, Steering, BE 7,8
Figure 019-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NUT, Hex Locking, M14x1.5
	6505 623AA	1	7, 8						Outer Drag Link to Right Knuckle, Mounting
		2	7, 8						Inner Tie Rod to Drag Link and Left Knuckle, Mounting
2	52106 954AA	1	7, 8						SOCKET, Drag Link, Outer
3	5203 7600	1	7, 8						TUBE, Tie Rod, Right or Left
4	52106 463AA	1	7, 8						SOCKET, Drag Link, Inner
5	52106 473AA	1	7, 8						ARM, Pitman
6	52106 984AA	1	7, 8						SOCKET, Tie Rod, Inner
7	52106 975AA	1	7, 8						SOCKET, Tie Rod, Outer
8	6506 276AA	1	7, 8						NUT, Hex Flange Lock, M12x1.75, Damper to Inner Tie Rod, Mounting
9	52106 909AC	1	7, 8						DAMPER, Steering
10	6502 473	1	7, 8						BOLT, Hex Flange Head, M12x1. 75x65, Damper to Axle Bracket, Mounting
11	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Damper to Axle Bracket, Mounting




DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,5.9L [EM0] Gas Engine
Figure 019-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1	4694 766	1	2, 7			EM0			CAP, Power Steering Pump Reservior
		1	3, 8			EM0			Reservior
2	52039 145AB	1	2, 7			EM0			PUMP, Power Steering
	52039 042AB	1	3, 8			EM0			
3	5300 5613	1	2, 7			EM0			BRACKET, Power Steering Pump Mounting
		1	3, 8			EM0			Mounting
4									SCREW AND WASHER, Hex Head, M10-1.50x30, (NOT SERVICED) (Not Serviced)
5	6502 501	3	2, 7			EM0			BOLT, Hex Head, M10x1.50x28 Power Steering Bracket to Pump, Mounting
		3	3, 8			EM0			Power Steering Bracket to Pump, Mounting
6	5300 5614	1	2, 7			EM0			PULLEY, Power Steering Pump
		1	3, 8			EM0			
7	6034 247	1				EM0			BOLT, Hex Head, .375-16x.25, Power Steering Bracket to Cylinder Head, Mounting
8	6034 249	1				EM0			SCREW AND WASHER, Power Steering Bracket to Cylinder Head, Mounting
9	6034 985	1				EM0, EW0			STUD, .375-16x3.04, Power Steering Bracket to Cylinder Head, Mounting

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,8.0L [EW0] Gas Engine
Figure 019-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1	4694 766	1	2, 7			EW0			CAP, Power Steering Pump Reservior
		1	3, 8			EW0			Reservior
2	6034 549	2	2, 7			EW0			SCREW, Hex Head, .312-18x.94 Rear Bracket to Front Bracket, Mounting
		2	3, 8			EW0			Rear Bracket to Front Bracket, Mounting
3	6502 135	2	2, 7			EW0			NUT, Hex Flange, M10x1.5 Pump Stud to Rear Bracket, Mounting
		2	3, 8			EW0			Pump Stud to Rear Bracket, Mounting
4	5301 0011	1	2, 7			EW0			BRACKET, Power Steering Pump Rear
		1	3, 8			EW0			Rear
5	52039 145AB	1	2, 7			EW0			PUMP, Power Steering
	52039 042AB	1	3, 8			EW0			
6	6502 501	1	2, 7			EW0			BOLT, Hex Head, M10x1.50x28 Front Bracket to Pump, Mounting
		1	3, 8			EW0			Front Bracket to Pump, Mounting
7	6101 864	2	2, 7			EW0			SCREW, M10x1.5x35 Front Bracket to Pump, Mounting
		2	3, 8			EW0			Front Bracket to Pump, Mounting
8	5300 5614	1	2, 7			EW0			PULLEY, Power Steering Pump
		1	3, 8			EW0			
9	5301 0002	1	2, 7			EW0			BRACKET, Power Steering Pump Front
		1	3, 8			EW0			Front
-10	6034 985	1				EM0, EW0			STUD, .375-16x3.04, Power Steering Bracket to Cylinder Head, Mounting
-11	6034 247	2				EM0, EW0			BOLT, Hex Head, .375-16x.25, Power Steering Bracket to Cylinder Head, Mounting
-12	6034 242	1				EW0			SCREW AND WASHER, Power Steering Bracket to Cylinder Head, Mounting

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,5.9L [ET0] Diesel Engine Figure 019-530

[illegible]

SERIES LINE
L = Ram Truck (All) 2, 7 = 2500

$$3, 8 = 3500$$

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo Disl

EML,EM0 = Magnum 5.9L V8

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual


DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,5.9L [ET0] Diesel Engine
Figure 019-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 421AA	1				ETC			
		1				ETH	DBB		
14	4728 162	1				ETC			HUB, Hydraulic Brake Pump
		1				ETH	DBB		
15	4761 972	4				ETC			STUD
		4				ETH	DBB		
16									SEAL KIT, Vacuum Pump
	5140 342AA	1				ETC	DBB		THIS KIT CONTAINS LIP SEAL , SMALL O-RING~~ & LARGE O- RING AND I SHEET.
		1				ETH	DBB		THIS KIT CONTAINS LIP SEAL , SMALL O-RING~~ & LARGE O- RING AND I SHEET.

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering,5.9L [EM0] Gas Engine
Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Notes:Sales Codes;									
[AHC]=Trailer Tow Prep Group									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1	52038 432AC	1				EM0			HOSE, Power Steering Return, Without [AHC]
2	2448 761	4							CLAMP, Hose, As Required
3	52038 434AB	1	2, 7			EM0,			HOSE, Power Steering Pressure
	52039 358AC	1	3, 8			EW0,			
						EM0,			
						EW0			
4	5205 254	1				EM0			O RING, Power Steering Hose, As Required
5	52106 395AB	1				EM0			HOSE AND COOLER, Power Steering, [AHC]
6	6502 064	1				EM0			SCREW, Tapping, M6x1x20, Cooler, Mounting
7	52038 567AC	1				EM0			HOSE, Power Steering Return, With [AHC]

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering,8.0L [EW0] Gas Engine
Figure 019-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Notes:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1	5205 254	1				EW0			O RING, Power Steering Hose, As Required
2	52038 434AB	1	2, 7			EM0, EW0			HOSE, Power Steering Pressure
	52039 358AC	1	3, 8			EM0, EW0			
3	6504 217	1				EW0			CLAMP, Hose, M18.5, As Required
4	52110 311AA	1				EW0			HOSE AND COOLER, Power Steering
5	6502 064	1				EW0			SCREW, Tapping, M6x1x20, Cooler, Mounting
6	52110 300AA	1				EW0			HOSE, Power Steering Return
7	4641 780	1				EW0			STRAP, Tie

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering,with Hydroboost System with 5.9L Gas [EM0],5.9L Diesel [ET0],8.0L Gas [EW0] Eng
Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:Sales Codes;									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1									HYDRO-BOOSTER, Power Brake
	5018 222AA	1	3, 8						
		1	2, 7			ET0			
2									CLIP, Power Steering Hose
	4695 734	2	3, 8			EM0,			
						EW0			
		2				ET0			
3									HOSE, Power Steering Pressure
	52039 358AC	1	3, 8			EM0,			Gear to Hydroboost
						EW0			
		1				ET0			
4									Gear to Hydroboost
									HOSE, Power Steering Return
									Hydroboost
	52106 996AD	1	3, 8			EM0,			Pump to Hydroboost
						EW0			
	52106 085AD	1				ET0			
5									Pump to Hydroboost
	5205 254	2	3, 8			EM0,			O RING, Power Steering Hose
						EW0			as Required
		2				ET0			
6									as Required
									HOSE, Power Steering Return
	52038 432AC	1				EM0			Gear to Pump
	52110 300AA	1				EW0			Gear to Pump
	52006 724AB	1				ET0			Gear to Pump
7	2448 761	4							CLAMP, Hose, as Required
8									HOSE, Power Steering Pressure
	52106 302AA	1	3, 8			EM0,			Pump to Hydroboost
						EW0			
		1				ET0			Pump to Hydroboost

DODGE RAM QUAD CAB/CLUB CAB (BE)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 46RE

Automatic Transmission 4 Speed




GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly -46RE [DGT]	Fig. 46RE-110
Case and Extension	
Case and Related Parts - 46RE [DGT]	Fig. 46RE-210
Extension - 46RE [DGT]	Fig. 46RE-220
Oil Pump	
Pump, Oil with Reaction Shaft - 46RE [DGT]	Fig. 46RE-310
Gear Train	
Clutch, Front and Rear with Gear Train - 46RE [DGT]	Fig. 46RE-410
Gear Train and Intermediate Shaft - 46RE [DGT]	Fig. 46RE-420
Output Shaft - 46RE [DGT]	Fig. 46RE-430
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown - 46RE [DGT]	Fig. 46RE-510
Valve Body	
Valve Body - 46RE [DGT]	Fig. 46RE-710
Servos, Accumulotor Piston and Spring - 46RE [DGT]	Fig. 46RE-720
Parking Sprag [DGT]	Fig. 46RE-730
Overdrive Gear Train	
Clutch, Overdrive with Gear Train - 46RE [DGT]	Fig. 46RE-1010
Gearshift Controls	
Controls, Gearshift Lower - 46RE [DGT]	Fig. 46RE-1210

46RE-100 Transmission Assembly	46RE-200 Case and Extension	46RE-300 Oil Pump	46RE-400 Gear Train
46RE-500 Bands, Reverse and Kickdown	46RE-700 Valve Body	46RE-1000 Overdrive Gear Train	46RE-1200 Gearshift Controls

Transmission Assembly -46RE [DGT]
Figure 46RE-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Code
[DGT] = 46RE 4 Speed Automatic Transmission
[EM0] = All 5.9L 8 Cylinde Gas Engines

1	5014 771AB	1	2, 3			EM0	DGT		TRANSMISSION PACKAGE 52119845AB (Package Contains 52119845AB Transmission, K4736591 Torque Converter, K1949765 Bolts)
	5014 772AB	1	7, 8			EM0	DGT		52119846AB (Package Contains 52119845AB Transmission, K4736591 Torque Converter, K1949765 Bolts)
-2	5211 8784	1	2, 3			EM0	DGT		OVERDRIVE
	5211 8156	1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

Case and Related Parts - 46RE [DGT] Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 46RE 4 Speed Automatic Transmission									
[DG0] = All Automatic Transmissions									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884AI-	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	52118 629AB	1					DG0		SEAL, Oil Filler Tube
3	6029 799	1					DG0		BOLT, Hex Head, .375-16x1.00
4	52118 620AD	1					DGT		TUBE, Transmission Oil Filler
5	52107 769AB	1					DG0		INDICATOR, Transmission Fluid Level
6	6036 385AA	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
7	6023 092	3					DGT		SCREW AND WASHER, Hex Head, .25-20x.50
8	6035 212	6				EM0, EW0			SCREW, Hex Flange Head, .375-16x1.125
9									SCREW AND WASHER, Hex Head, .437-14x.25, (NOT SERVICED)
10	5211 7772	1					DGT		(Not Serviced)
11	52117 501AB	1					DGT		STRUT, Transmission to Block
12	5211 7709	1				EM0			COVER, Transmission Dust
13									GROMMET, Timing Probe
	5211 8181	2	2, 3			EM0	DGT		CLIP
		2	7, 8			EM0	DGT		
14	6022 266	4				EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
15									CASE, Transmission
	5211 8757	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
16									PLUG, Pressure Check
	6028 095	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
17									SWITCH, Neutral, Safety, Back Up
	56028 181AB	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
18									WASHER, Switch
	2408 143	1	2, 3			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Case and Related Parts - 46RE [DGT] Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		
19									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
20									PAN, Transmission Oil
	52118 780AC	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
21									MAGNET, Transmission
	3681 601	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
22									GASKET, Oil Pan
	2464 324AC	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
23									SCREW
	6036 115AA	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
24	52117 771AB	1					DGT		STRUT, Transmission to Block
25									SCREW, (NOT SERVICED) (Not Serviced)
26									NUT, Inverted Flare, .62-18
	6033 879	2	2, 3			EM0	DGT		
		2	7, 8			EM0	DGT		
27									O RING, Trans Speed Sensor
	6501 701	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
28									SENSOR, Transmission Output Speed
	4800 879	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Extension - 46RE [DGT]
Figure 46RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGT] = 46RE 4 Speed Automatic Transmission


[EM0] = All 5.9L 8 Cylinder Gas Engines

1	5003 231AA	1	2, 3			EM0	DGT		CASE, Transmission Rear
2	4531 216AB	1	2, 3			EM0	DGT		SEAL, Extension Yoke
3									SCREW, (NOT SERVICED) (Not Serviced)
4									COVER, Transmission Converter
	2466 957	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
5									GASKET, Transmission
	2801 398	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
6									GASKET, Overdrive Piston Retainer
	4471 565	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	2, 3			EM0	DGT		
		7	7, 8			EM0	DGT		
8	4798 535	1	7, 8			EM0	DGT		ADAPTER, Transfer Case
9	4269 956AB	1	7, 8			EM0	DGT		SEAL, Adapter

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

**Pump, Oil with Reaction Shaft - 46RE [DGT]
Figure 46RE-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 46RE 4 Speed Automatic Transmission									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109AB-	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	4531 225	1	2, 3			EM0	DGT		SEAL, Impeller Hub, 57.25mm OD
		1	7, 8			EM0	DGT		
3	1942 021	1	2, 3			EM0	DGT		SEAL, Front Pump Housing
		1	7, 8			EM0	DGT		
4	4796 467AB	1	2, 3			EM0	DGT		PUMP PACKAGE, Transmission
		1	7, 8			EM0	DGT		
5									HOUSING, Pump, (NOT SERVICED)
6									ROTOR, Oil Pump, (NOT SERVICED)
7									ROTOR, Oil Pump, (NOT SERVICED)
8									SHAFT, Oil Pump, (NOT SERVICED)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11									SCREW, Hex Head, .312-18x.687
	0179 815	6	2, 3			EM0	DGT		
		6	7, 8			EM0	DGT		
12	3420 087	1	2, 3			EM0	DGT		BAFFLE PACKAGE, Pump
		1	7, 8			EM0	DGT		
13	4028 377	1	2, 3			EM0	DGT		GASKET, Transmission Oil Pump
		1	7, 8			EM0	DGT		
14	4617 161	1	2, 3			EM0	DGT		THRUST WASHER, Front Clutch
		1	7, 8			EM0	DGT		
-15									THRUST WASHER, Front Clutch, Pink .085


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil with Reaction Shaft - 46RE [DGT]
Figure 46RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16	4617 162	1	2, 3			EM0	DGT		THRUST WASHER, Front Clutch, Yellow .103
		1	7, 8			EM0	DGT		
-17	4617 163	1	2, 3			EM0	DGT		THRUST WASHER, Front Clutch, Orange .121
		1	7, 8			EM0	DGT		
-18	4617 164	1	2, 3			EM0	DGT		THRUST WASHER, Front Clutch, Blue .139"
		1	7, 8			EM0	DGT		
-19	4617 165	1	2, 3			EM0	DGT		THRUST WASHER, Front Clutch, Black .157
		1	7, 8			EM0	DGT		
20	4617 166	1	2, 3			EM0	DGT		SEAL, Reaction Shaft
	3743 689	2	2, 3			EM0	DGT		
21		2	7, 8			EM0	DGT		SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7	2, 3			EM0	DGT		
		7	7, 8			EM0	DGT		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front and Rear with Gear Train - 46RE [DGT] Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 46RE 4 Speed Automatic Transmission									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
-1									SEAL PACKAGE, Transmission Clutch
2	4637 078AB-	1	2, 3			EM0	DGT		RETAINER, Clutch
		1	7, 8			EM0	DGT		
3	4058 648AB	1	2, 3			EM0	DGT		BUSHING, Front Clutch
		1	7, 8			EM0	DGT		
4	4058 647	1	2, 3			EM0	DGT		SEAL, Front Clutch Piston
		1	7, 8			EM0	DGT		
5	52852 922AA	1	2, 3			EM0	DGT		SEAL, Front Piston Clutch
		1	7, 8			EM0	DGT		
6	52852 924AA	1	2, 3			EM0	DGT		PISTON, Clutch
		1	7, 8			EM0	DGT		
-7	2464 651AB	1	2, 3			EM0	DGT		CHECK BALL, Dia-.187
		1	7, 8			EM0	DGT		
8	0147 483	1	2, 3			EM0	DGT		SPRING, Front Clutch
		1	7, 8			EM0	DGT		
9	4617 205	9	2, 3			EM0	DGT		RETAINER, Transmission
		9	7, 8			EM0	DGT		
-10	2801 949	1	2, 3			EM0	DGT		CHECK BALL, Dia-.187
		1	7, 8			EM0	DGT		
11	0147 483	1	2, 3			EM0	DGT		SNAP RING
		1	7, 8			EM0	DGT		
12	2124 872	1	2, 3			EM0	DGT		PLATE, Clutch Separator
		1	7, 8			EM0	DGT		
13	2124 826AB	3	2, 3			EM0	DGT		SNAP RING
		3	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 46RE-410



REAR CLUTCH

DODGE RAM QUAD CAB/CLUB CAB (BE)

LINE

2, 7 = 2500

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo I

EML,EM0 = Magnum 5.9L

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MP

TRANSMISSION

TRANSMISSION
DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual


DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front and Rear with Gear Train - 46RE [DGT] Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	2124 872	1	2, 3			EM0	DGT		RETAINER, Rear Clutch
		1	7, 8			EM0	DGT		
	3743 622	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
28	2801 992AC	4	2, 3			EM0	DGT		DISC, Clutch
		4	7, 8			EM0	DGT		
29	3743 621AB	1	2, 3			EM0	DGT		SPRING, Rear Clutch Piston
		1	7, 8			EM0	DGT		
30	3515 077	1	2, 3			EM0	DGT		SPACER, Rear Clutch Piston
		1	7, 8			EM0	DGT		
31	2466 806	1	2, 3			EM0	DGT		SPRING, Rear Clutch
		1	7, 8			EM0	DGT		
32	2466 803	1	2, 3			EM0	DGT		PLATE, Clutch Pressure
		1	7, 8			EM0	DGT		
33	52118 812AA	3	2, 3			EM0	DGT		PLATE, Clutch Separator
		3	7, 8			EM0	DGT		
34	4617 567	1	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	7, 8			EM0	DGT		
35	1942 063	1	2, 3			EM0	DGT		SNAP RING [.060]" Thick
		1	7, 8			EM0	DGT		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
	2466 811	1	2, 3			EM0	DGT		[1.06]" Thick
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train and Intermediate Shaft - 46RE [DGT] **Figure 46RE-420**



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 46RE 4 Speed Automatic Transmission									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1	6024 312	1	2, 3			EM0	DGT		SNAP RING, 1.108 Free Diameter
		1	7, 8			EM0	DGT		
2	5211 8693	1	2, 3			EM0	DGT		CARRIER, Planetary Pinion
		1	7, 8			EM0	DGT		
3	2801 060	1	2, 3			EM0	DGT		THRUST WASHER, Planetary Carrier
		1	7, 8			EM0	DGT		4 Tabs
4	2892 656	1	2, 3			EM0	DGT		GEAR, Front Annulus
		1	7, 8			EM0	DGT		Wlth Support 2.5' Diameter Center Hole
		1	7, 8			EM0	DGT		Wlth Support 2.5' Diameter Center Hole
5	4618 000	1	2, 3			EM0	DGT		WASHER
		1	7, 8			EM0	DGT		
6	1736 521	1	2, 3			EM0	DGT		SNAP RING, Sun Gear
		1	7, 8			EM0	DGT		Driving Shell Lock
7	2801 311	1	2, 3			EM0	DGT		GEAR, Sun
		1	7, 8			EM0	DGT		With Bushing
8	4617 978	1	2, 3			EM0	DGT		SHELL, Sun Gear
		1	7, 8			EM0	DGT		Driving
9	4617 611	1	2, 3			EM0	DGT		INTERMEDIATE SHAFT, Transmission
		1	7, 8			EM0	DGT		With Plug
10	4505 188	1	2, 3			EM0	DGT		PLATE, Transmission Module
		1	7, 8			EM0	DGT		[.060]" Thick
		1	7, 8			EM0	DGT		[.060]" Thick
11	1942 080	1	2, 3			EM0	DGT		PLATE, Sun Gear Driving Shell
		1	7, 8			EM0	DGT		4 Inside Thongsd
12									SNAP RING, Sun Gear

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

Gear Train and Intermediate Shaft - 46RE [DGT]
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	1736 521	1	2, 3			EM0	DGT		THRUST WASHER, Planetary Carrier
		1	7, 8			EM0	DGT		
14	2801 060	1	2, 3			EM0	DGT		Rear with 4 Tabs, [3 13/32]" O.D. CARRIER, Planetary Pinion
	2801 061	1	7, 8			EM0	DGT		
15	2400 580	1	2, 3			EM0	DGT		PLATE, Annulus Gear Thrust With 31 Inside Teeth, [3 23/64]" O.D. With 31 Inside Teeth, [3 23/64]" O.D. GEAR, Rear Annulus
		1	7, 8			EM0	DGT		
16	4810 002AB	1	2, 3			EM0	DGT		SNAP RING Reverse Drum Reverse Drum DOWEL, .108x1.00
		1	7, 8			EM0	DGT		
17	6033 591	1	2, 3			EM0	DGT		SHAFT, Planetary
		1	7, 8			EM0	DGT		
18	6024 666	5	2, 3			EM0	DGT		THRUST WASHER, Planetary Carrier
		5	7, 8			EM0	DGT		
19	4428 223	4	2, 3			EM0	DGT		THRUST WASHER, Planet Pinion
		4	7, 8			EM0	DGT		
20	2801 315	10	2, 3			EM0	DGT		PINION, Transmission Planetary
		10	7, 8			EM0	DGT		
21	2204 649	10	2, 3			EM0	DGT		FRONT
		10	7, 8			EM0	DGT		
22	2400 667	5	2, 3			EM0	DGT		REAR
		5	7, 8			EM0	DGT		
23		4	2, 3			EM0	DGT		ROLLER, Front and Rear Pinion
		4	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year September 16, 2005




FRONT & REAR PLANET PINION CARRIER GEARS

Gear Train and Intermediate Shaft - 46RE [DGT]
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3743 664	115	2, 3			EM0	DGT		Front
		115	7, 8			EM0	DGT		Front
		92	2, 3			EM0	DGT		Rear
		92	7, 8			EM0	DGT		Rear
24									DRUM, Automatic Transmission
	5211 8057	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
25									CAM, Overrunning Clutch
	4471 473	1	2, 3			EM0	DGT		14 Cam Lobes
		1	7, 8			EM0	DGT		14 Cam Lobes
26									CLUTCH, Overrunning
	4617 199	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
27	6023 092	3					DGT		SCREW AND WASHER, Hex Head, .25-20x.50
28									THRUST WASHER, Reverse Drum
	5211 8059	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
29									PLATE, Annulus Gear Thrust
	2400 580	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Output Shaft - 46RE [DGT]
Figure 46RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGT] = 46RE 4 Speed Automatic Transmission
[EM0] = All 5.9L 8 Cylinder Gas Engines


1									SHAFT, Output
	5003 232AA	1	2, 3			EM0	DGT		
	4798 536	1	7, 8			EM0	DGT		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4									BEARING, Output Shaft
	4461 008	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
5	2466 224	1	2, 3			EM0	DGT		BEARING, Output Shaft
6									SNAP RING
	4461 057	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
7									SNAP RING
	4461 057	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
8	4461 069	1	2, 3			EM0	DGT		SNAP RING

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse and Kickdown - 46RE [DGT]
Figure 46RE-510



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGT] = 46RE 4 Speed Automatic Transmission


[EM0] = All 5.9L 8 Cylinder Gas Engines

1	4617 044	1	2, 3			EM0	DGT		LINK, Transmission Reverse Band
		1	7, 8			EM0	DGT		
2	6030 910	2	2, 3			EM0	DGT		SEAL, Reverse Band
		2	7, 8			EM0	DGT		
3	2124 857	1	2, 3			EM0	DGT		SHAFT, Band Lever
		1	7, 8			EM0	DGT		
4	0271 506	1	2, 3			EM0	DGT		NUT, Hex, .42-20
		1	7, 8			EM0	DGT		
5									SCREW, Trans Reverse Band Adjusting, .437-20x1.5
	1942 141	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
6	4617 028AB	1	2, 3			EM0	DGT		LEVER, Reverse Band
		1	7, 8			EM0	DGT		
7	4617 014AB	1	2, 3			EM0	DGT		LEVER, Reverse Band
		1	7, 8			EM0	DGT		
8	4471 497AB	1	2, 3			EM0	DGT		STRUT, Reverse Band
		1	7, 8			EM0	DGT		
9	4471 476AB	1	2, 3			EM0	DGT		BAND, Reverse
		1	7, 8			EM0	DGT		
10	5211 8264	1	2, 3			EM0	DGT		LEVER, Kickdown
		1	7, 8			EM0	DGT		
11	4531 181	1	2, 3			EM0	DGT		SHAFT, Band Lever
		1	7, 8			EM0	DGT		
12	2124 848	1	2, 3			EM0	DGT		STRUT, Kickdown Band
		1	7, 8			EM0	DGT		
13									BAND, Kickdown


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Bands, Reverse and Kickdown - 46RE [DGT]
Figure 46RE-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4329 853	1	2, 3			EM0	DGT		ANCHOR, Kickdown Band
		1	7, 8			EM0	DGT		
	3743 338	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
15	6036 115AA	1	2, 3			EM0	DGT		SCREW
		1	7, 8			EM0	DGT		
16	0124 934	1	2, 3			EM0	DGT		NUT, Hex Jam, .50-20
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

Valve Body - 46RE [DGT]
Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGT] = 46RE 4 Speed Automatic Transmission
[EM0] = All 5.9L 8 Cylinder Gas Engines
-1


									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AE-	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	52118 793AD	1	7, 8			EM0	DGT		VALVE BODY ASSEMBLY
		1	2, 3			EM0	DGT		
3									GASKET PACKAGE, Transmission Solenoid
	4886 333AA	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
4	52118 500AB	1	2, 3			EM0	DGT		SOLENOID, Transmission Overdrive
		1	7, 8			EM0	DGT		
5									BOLT, Valve Body, .25-20x1.75
	0181 071	3	2, 3			EM0	DGT		
		3	7, 8			EM0	DGT		
6									SCREW, Tapping, .19-24x.75
	6033 985	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
7									O RING, Solenoid Wiring, Transmission
	6034 748	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
8									SCREW, Tapping, .19-24x.75
	6033 985	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
9									FILTER, Valve Body
	5211 8789	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
10									SEAL, Manual Shift Valve, 1.25 OD
	4505 098	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
11									LEVER, Throttle Valve
	3681 227	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
12									LEVER, Manual Valve
	4617 439	1	2, 3			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 46RE [DGT] Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		
13									BALL, Manual Lever Detent, .343 Diameter
	0147 488	1	2, 3			EM0	DGT		
		4	7, 8			EM0	DGT		
14									SEAL, Valve Lever Shift
	2466 548	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
15									WASHER, Manual Valve Lever
	2538 062	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
16									SNAP RING
	6035 208	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
17									SCREW, Cap Head Lock, .312-24x1.25
	6030 609	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
18									BRACKET, Valve Body Switch
	4617 010	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
19									SPRING, Switch Valve
	4130 492	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
20									VALVE, Trans Lockup Switch
	4505 036	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
21									TUBE, Boost Valve
	4617 008	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
22									RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
23									CLIP, Transmission Governor Transducer
	4617 219	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
24									TRANSDUCER, Pressure Sensor
	56028 196AB	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Valve Body - 46RE [DGT]
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25									O RING, Pressure Switch, Serviced with Transducer, (NOT SERVICED) (Not Serviced)
26	4617 216	1	2, 3			EM0	DGT		GASKET, Transmission Solenoid
		1	7, 8			EM0	DGT		
27									RETAINER, Transmission Governor Solenoid
	52117 937AB	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
28									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
29	4617 210	1	2, 3			EM0	DGT		SOLENOID, Transmission Governor
		1	7, 8			EM0	DGT		
-30									SCREEN, Transmission Regulator Valve
	3878 313	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					


Servos, Accumulator Piston and Spring - 46RE [DGT]
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 46RE 4 Speed Automatic Transmission									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1	1942 130	1	2, 3			EM0	DGT		SNAP RING
		1	7, 8			EM0	DGT		
2	1942 123	1	2, 3			EM0	DGT		SEAL
		1	7, 8			EM0	DGT		
3	3410 441	1	2, 3			EM0	DGT		GUIDE, Kickdown Servo
		1	7, 8			EM0	DGT		
4	3410 444	1	2, 3			EM0	DGT		SPRING, Kickdown Servo Piston
		1	7, 8			EM0	DGT		
5	4617 573	1	2, 3			EM0	DGT		SPRING, Kickdown Servo Piston
		1	7, 8			EM0	DGT		
6	6031 392	1	2, 3			EM0	DGT		SNAP RING, Brake Master Cylinder
		1	7, 8			EM0	DGT		
7	3410 437	1	2, 3			EM0	DGT		RETAINER, Kick Down
		1	7, 8			EM0	DGT		
8	3410 445	1	2, 3			EM0	DGT		PISTON, Kickdown Servo
		1	7, 8			EM0	DGT		
9	6028 864	1	2, 3			EM0	DGT		O RING, Kick Down Servo
		1	7, 8			EM0	DGT		
10	1942 123	1	2, 3			EM0	DGT		SEAL
		1	7, 8			EM0	DGT		
11	3410 440	1	2, 3			EM0	DGT		PISTON, Kickdown Servo
		1	7, 8			EM0	DGT		
12	4412 444	1	2, 3			EM0	DGT		SEAL
		1	7, 8			EM0	DGT		
13	1942 130	1	2, 3			EM0	DGT		SNAP RING


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Servos, Accumulator Piston and Spring - 46RE [DGT]
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	1942 150	1	7, 8			EM0	DGT		RETAINER, Transmission Reverse Servo Piston Spring
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
15	2801 241	1	2, 3			EM0	DGT		SPRING, Reverse Servo Piston
		1	7, 8			EM0	DGT		
16	52118 740AB	1	2, 3			EM0	DGT		PLUG, Reverse Servo Piston
		1	7, 8			EM0	DGT		
17	2801 241	1	2, 3			EM0	DGT		SPRING, Reverse Servo Piston
		1	7, 8			EM0	DGT		
18	4058 741	1	2, 3			EM0	DGT		SEAL, Piston Reverse Servo, Rubber
		1	7, 8			EM0	DGT		
19	2801 281	1	2, 3			EM0	DGT		PISTON, Reverse Servo
		1	7, 8			EM0	DGT		
20	6027 153	1	2, 3			EM0	DGT		SNAP RING, .435 ID
		1	7, 8			EM0	DGT		
21	3515 079	1	2, 3			EM0	DGT		SPRING, Accumulator Piston
		1	7, 8			EM0	DGT		
22	3743 010	1	2, 3			EM0	DGT		SEAL, Piston Accumulator
		1	7, 8			EM0	DGT		
23	3743 650	1	2, 3			EM0	DGT		PISTON, Accumulator
		1	7, 8			EM0	DGT		
24	3743 010	1	2, 3			EM0	DGT		SEAL, Piston Accumulator
		1	7, 8			EM0	DGT		
25									SPRING, Accumulator Piston, (NOT REQUIRED)

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Parking Sprag [DGT]
Figure 46RE-730




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGT] = 4 Speed Automatic Transmission 46RE
[ELO] = All 5.2L 8 Cylinder Gas Engines
[EM0] = All 5.9L 8 Cylinder Gas Engines

1									SPRING, Parking Sprag
	2466 909	1	7, 8			EM0	DGT		
		1	2, 3			EM0	DGT		
2	4471 415AB	1	7, 8			EM0	DGT		SPRAG, Transmission Parking
		1	2, 3			EM0	DGT		
3	2466 892	1	7, 8			EM0	DGT		SHAFT, Parking Sprag
		1	2, 3			EM0	DGT		
4	6035 256	1	2, 3			EM0	DGT		SNAP RING, Rod
		1	7, 8			EM0	DGT		
5									PLUG, Parking Sprag
	2538 042	1	7, 8			EM0	DGT		
		1	2, 3			EM0	DGT		
6	2538 034	1	7, 8			EM0	DGT		SNAP RING, Transmission
		1	2, 3			EM0	DGT		
7	4471 478	1	2, 3			EM0	DGT		ROD, Parking Sprag
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Clutch, Overdrive with Gear Train - 46RE [DGT] Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGT] = 46RE 4 Speed Automatic Transmission									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1									PLATE PACKAGE, Transmission Module
2	4740 774	1	2, 3			EM0	DGT		BEARING, (NOT SERVICED) (Not Serviced)
		1	7, 8			EM0	DGT		
3	5015 107AA	1	2, 3			EM0	DGT		GEAR, Overdrive Sun
		1	7, 8			EM0	DGT		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5	4798 520	1	2, 3			EM0	DGT		CARRIER, O/Drive Planet Pinion
		1	7, 8			EM0	DGT		
6	4461 124	1	2, 3			EM0	DGT		RACE, Overrunning Clutch
		1	7, 8			EM0	DGT		
7	4461 014	1	2, 3			EM0	DGT		THRUST BEARING, Ovedrive Third Position
		1	7, 8			EM0	DGT		
8	4461 015	1	2, 3			EM0	DGT		CLUTCH, Overdrive Overrunning
		1	7, 8			EM0	DGT		
9	4761 010	1	2, 3			EM0	DGT		GEAR, Overdrive Annulus
		1	7, 8			EM0	DGT		
10	4461 059	1	2, 3			EM0	DGT		SNAP RING, 5.25 OD
		1	7, 8			EM0	DGT		
11	4461 060	2	2, 3			EM0	DGT		SNAP RING, 6.00 OD
		1	7, 8			EM0	DGT		
12	4461 089	1	2, 3			EM0	DGT		DRUM, Automatic Transmission
		1	7, 8			EM0	DGT		
13	4461 063	1	2, 3			EM0	DGT		SNAP RING, 2.1875 OD
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive with Gear Train - 46RE [DGT] Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		
14	4461 027	1	2, 3			EM0	DGT		SPRING, Direct Clutch
		1	7, 8			EM0	DGT		
15	4461 072	1	2, 3			EM0	DGT		HUB, Direct Clutch
		1	7, 8			EM0	DGT		
16	4446 724	1	2, 3			EM0	DGT		THRUST BEARING, Overdrive
		1	7, 8			EM0	DGT		
17	4461 030	1	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	7, 8			EM0	DGT		
18	4461 042	8	2, 3			EM0	DGT		DISC, Direct Clutch
		1	7, 8			EM0	DGT		
19	4461 054	7	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	7, 8			EM0	DGT		
20	4461 031	1	7, 8			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	2, 3			EM0	DGT		
21	4461 032	1	2, 3			EM0	DGT		SPRING, Direct Clutch
		1	7, 8			EM0	DGT		
22	4461 064	1	2, 3			EM0	DGT		SNAP RING, 1.875" OD
		1	7, 8			EM0	DGT		
23	4412 583	1	2, 3			EM0	DGT		FILTER, Overdrive Clutch
		1	7, 8			EM0	DGT		
24	5211 7975	1	2, 3			EM0	DGT		RETAINER, Transmission O/Drive Clutch Piston
		1	7, 8			EM0	DGT		
25	5211 8599	1	2, 3			EM0	DGT		PISTON, Overdrive Clutch
		1	7, 8			EM0	DGT		
26									SCREW, .25-20

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive with Gear Train - 46RE [DGT] Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	0152 796	6	2, 3			EM0	DGT		SEAL, Overdrive Clutch Piston
		6	7, 8			EM0	DGT		
28	4431 697	1	2, 3			EM0	DGT		SEAL, Overdrive Clutch Piston
		1	7, 8			EM0	DGT		
29	4431 696	1	2, 3			EM0	DGT		PLATE, Transmission O/Drive Clutch
		1	7, 8			EM0	DGT		
30	4431 585	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, 1.58mm
		1	7, 8			EM0	DGT		
-31	4431 916	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, .175
		1	7, 8			EM0	DGT		
-32	4431 917	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, .193
		1	7, 8			EM0	DGT		
-33	4431 918	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, .211
		1	7, 8			EM0	DGT		
34	4461 065	1	2, 3			EM0	DGT		SNAP RING, 6.50 OD
		1	7, 8			EM0	DGT		
35	4461 033	2	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	7, 8			EM0	DGT		
36	4461 047	3	2, 3			EM0	DGT		DISC, Direct Clutch
		1	7, 8			EM0	DGT		
37	4461 181	4	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		4	7, 8			EM0	DGT		
38	4461 033	2	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		
39									SPRING, Overdrive Clutch
	4461 066	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Controls, Gearshift Lower - 46RE [DGT] Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 4 Speed Automatic Transmission 47RE									
[DGT] = 4 Speed Automatic Transmission 46RE									
[DG0] = All Automatic Transmissions									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
1	3575 333	AR					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DGT		WASHER, Flat
3	3467 800	AR					DG0		BUSHING, Gearshift Torque Shaft
4	6504 763	2					DGT		WASHER, Flat, M13.5
5	6034 943	1					DGT		WASHER
6	0120 123	1					DG0		PIN, Cotter
7	6028 114	1					DG0		NUT, Hex, .437-14
8	J012 0393	1					DGT		WASHER, Flat
9	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
10	52077 802AD	1					DGT		BRACKET, Gearshift
11									SCREW, (NOT SERVICED) (Not Serviced)
12	6032 475	1					DGT		RING, Transmission Torque Shaft
13	52107 699AD	1					DG0		ROD, Gear Shift Control
14	5210 7734	1					DG0		CLAMP
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod
16	3575 354AC	1					DG0		SPRING, Gearshift Control Rod
17	52107 806AB	1				EM0	DGT		BRACKET, Torque Shaft
18	52079 228AE	1					DGT		TORQUE SHAFT, Gearshift
19	52107 780AA	1					DGT		ROD, Gear Shift Control, Transmission
20	52107 825AA	1					DGP, DGT		LEVER, Manual Control
21	0180 034	1					DGP, DGT		SCREW AND WASHER, Hex Head, .25-20x1.50
22	J012 0375	1					DG0		NUT, Hex, .250-20
23	5207 9065	1					DG0		LEVER, Throttle Valve
24	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
25	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
26	0138 165	1					DG0		WASHER, Lock
27	5300 9055	1					DG0		SPRING, Throttle Valve Return
28	5207 8718	1					DG0		BRACKET, Throttle Valve Spring

DODGE RAM QUAD CAB/CLUB CAB (BE)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005









Group – 47RE

Automatic Transmission 4 Speed



GROUP 47RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly - 47RE (DGP)	Fig. 47RE-110
Case and Extension	
Case and Related parts - 47RE (DGP)	Fig. 47RE-210
Extension -47RE (DGP)	Fig. 47RE-220
Oil Pump	
Pump, Oil With Reaction Shaft -47RE (DGP)	Fig. 47RE-310
Gear Train	
Clutch, Front And Rear With Gear train -47RE (DGP)	Fig. 47RE-410
Gear Train And Intermediate Shaft -47RE (DGP)	Fig. 47RE-420
Output Shaft -47RE (DGP)	Fig. 47RE-430
Bands, Reverse and Kickdown	
Bands, Reverse And Kickdown With Linkage -47RE (DGP)	Fig. 47RE-510
Valve Body	
Valve Body - 47RE (DGP)	Fig. 47RE-710
Servos, Accumulator Piston And Spring -47RE (DGP)	Fig. 47RE-720
Parking Sprag - 4 Speed 47RE (DGP)	Fig. 47RE-730
Overdrive Gear Train	
Clutch, Overdrive With Gear Train -47RE (DGP)	Fig. 47RE-1010
Gearshift Controls	
Controls, Gearshift Lower -47RE (DGP)	Fig. 47RE-1210

47RE-100 Transmission Assembly	47RE-200 Case and Extension	47RE-300 Oil Pump	47RE-400 Gear Train
			
47RE-500 Bands, Reverse and Kickdown	47RE-700 Valve Body	47RE-1000 Overdrive Gear Train	47RE-1200 Gearshift Controls
			

Transmission Assembly - 47RE (DGP)
Figure 47RE-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 4 Speed Automatic Transmission 47RE
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines

1	TRANSMISSION PACKAGE								
	5014 774AC	1	2, 3			EW0	DGP		
	5014 773AB	1	2, 3			ET0	DGP		
	5014 775AB	1	7, 8			ET0	DGP		
	5014 776AC	1	7, 8			EW0	DGP		
-2	OVERDRIVE								
	5211 8786	1	2, 3			EW0	DGP		
	5211 8158	1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
	5211 8786	1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

Case and Related parts - 47RE (DGP)
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE 4 Speed Automatic Transmission

[DG0] = All Automatic Transmissions

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884AI-	1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
2	5211 7614	1				EW0	DGP		COVER, Transmission Case
3	5211 8621	1					DGP		TUBE, Transmission Oil Filler
4	52118 629AB	1					DG0		SEAL, Oil Filler Tube
5	52107 769AB	1					DG0		INDICATOR, Transmission Fluid Level
6									MAGNET, Transmission
	3681 601	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									GASKET, Oil Pan
	2464 324AC	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									PAN, Transmission Oil
	52118 780AC	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
9									SCREW
	6036 330AA	14	2, 3			EW0	DGP		
		14	7, 8			EW0	DGP		
		14	7, 8			ET0	DGP		
		14	2, 3			ET0	DGP		
10	4428 472	1					DGP		COVER, Transmission Dust
11	6024 487	8				ET0	DGP		SCREW AND WASHER, Hex Head, .375-16x1.75
12	6036 385AA	2					DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
13									SCREW

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related parts - 47RE (DGP)
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6036 115AA	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14									SWITCH, Neutral, Safety, Back Up
	56028 181AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15									WASHER, Switch
	2408 143	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16									PLUG, Pressure Check
	6028 095	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
17	6024 487	8				ET0	DGP		SCREW AND WASHER, Hex Head, .375-16x1.75
18									CASE, Transmission
	5211 8758	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
19									CONNECTOR, Oil Cooler Tube
	52028 764AA	2	2, 3			EW0	DGP		
		2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			ET0	DGP		
-20									O RING
	52028 765AA-	1	7, 8			ET0	DGP		Used In #19
		1	7, 8			EW0	DGP		Used In #19
		1	2, 3			EW0	DGP		Used In #19
		1	2, 3			ET0	DGP		Used In #19
-21									SENSOR, Transmission Output Speed
	4800 879	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related parts - 47RE (DGP)
Figure 47RE-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			ET0	DGP		
-22									O RING, Trans Speed Sensor
	6501 701	1	7, 8			ET0	DGP		2.70 THK
		1	7, 8			EW0	DGP		2.70 THK
	6501 658AB-	1	2, 3			ET0	DGP		3.05 THK
		1	2, 3			EW0	DGP		3.05 THK
		1	7, 8			ET0	DGP		3.05 THK
		1	7, 8			EW0	DGP		3.05 THK
	6501 701	1	2, 3			EW0	DGP		2.70 THK
		1	2, 3			ET0	DGP		2.70 THK
-23									CLIP
	5211 8181	2	7, 8			ET0	DGP		Wire Harness Attaching
		2	7, 8			EW0	DGP		Wire Harness Attaching
		2	2, 3			EW0	DGP		Wire Harness Attaching
		2	2, 3			ET0	DGP		Wire Harness Attaching



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Extension -47RE (DGP)
Figure 47RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE 4 Speed Automatic Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									CASE, Transmission Rear
	5003 231AA	1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									SEAL, Extension Yoke
	4531 216AB	1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
3									SCREW, (NOT SERVICED) (Not Serviced)
4									COVER, Transmission Converter
	2466 957	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
5									GASKET, Transmission
	2801 398	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									GASKET, Overdrive Piston Retainer
	4471 565	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	7, 8			ET0	DGP		
		7	7, 8			EW0	DGP		
		7	2, 3			EW0	DGP		
		7	2, 3			ET0	DGP		
8									ADAPTER, Transfer Case
	4798 535	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
9									SEAL, Adapter
	4269 956AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Pump, Oil With Reaction Shaft -47RE (DGP)
Figure 47RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE 4 Speed Automatic Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109AB-	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
2	4531 225	1	7, 8			ET0	DGP		SEAL, Impeller Hub, 57.25mm OD
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
3	1942 021	1	7, 8			ET0	DGP		SEAL, Front Pump Housing
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4	4796 467AB	1	7, 8			ET0	DGP		PUMP PACKAGE, Transmission
		1	2, 3			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11	0179 815	6	7, 8			ET0	DGP		SCREW, Hex Head, .312-18x.687
		6	7, 8			EW0	DGP		
		6	2, 3			EW0	DGP		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft -47RE (DGP)
Figure 47RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6	2, 3			ET0	DGP		
12	4028 377	1	7, 8			ET0	DGP		GASKET, Transmission Oil Pump
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
13	3420 087	1	2, 3			ET0	DGP		BAFFLE PACKAGE, Pump
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
14	4617 161	1	7, 8			ET0	DGP		THRUST WASHER, Front Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15	3743 689	2	7, 8			ET0	DGP		SEAL, Reaction Shaft
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
16	6023 943	7	7, 8			ET0	DGP		SCREW AND WASHER, Hex Flange Head, .312-18x1.375
		7	7, 8			EW0	DGP		
		7	2, 3			EW0	DGP		
		7	2, 3			ET0	DGP		
-17	6036 330AA-	14	7, 8			ET0	DGP		SCREW
		14	7, 8			EW0	DGP		Oil Pan to Case .312-18x.680
	6036 402AA-	14	7, 8			ET0	DGP		Oil Pan to Case .312-18x.750
		14	2, 3			ET0	DGP		Oil Pan to Case .312-18x.750
		14	2, 3			EW0	DGP		Oil Pan to Case .312-18x.750
		14	7, 8			EW0	DGP		Oil Pan to Case .312-18x.750
	6036 330AA-	14	2, 3			EW0	DGP		Oil Pan to Case .312-18x.680
		14	2, 3			ET0	DGP		Oil Pan to Case .312-18x.680
18	0104 918	1	7, 8			ET0	DGP		BALL, Valve Body Check
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear train -47RE (DGP)
Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines


[EW0] = All 8.0L Gas Engines

-1									SEAL PACKAGE, Transmission Clutch
	4637 078AB-	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
2	4058 648AB	1	2, 3			ET0	DGP		RETAINER, Clutch
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
3	4058 647	1	7, 8			ET0	DGP		BUSHING, Front Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-4									CHECK BALL, Dia-.187
	0147 483	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
5	52852 922AA	1	7, 8			ET0	DGP		SEAL, Front Clutch Piston
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6	52852 924AA	1	7, 8			ET0	DGP		SEAL, Front Piston Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7	2464 651AB	1	7, 8			ET0	DGP		PISTON, Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-8									CHECK BALL, Dia-.187

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Clutch, Front And Rear With Gear train -47RE (DGP)
Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0147 483	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
9									SPRING, Front Clutch
	2801 243	9	7, 8			ET0	DGP		
		9	7, 8			EW0	DGP		
		9	2, 3			EW0	DGP		
		9	2, 3			ET0	DGP		
10									RETAINER, Transmission
	2801 949	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-11									CHECK BALL, Dia-.187
	0147 483	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
12									SNAP RING
	2124 824	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
13									PLATE, Clutch Separator
	2124 826AB	4	7, 8			ET0	DGP		
		4	7, 8			EW0	DGP		
		4	2, 3			EW0	DGP		
		4	2, 3			ET0	DGP		
14									SNAP RING
	3410 570	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15									PLATE, Transmission Clutch Reaction
	4617 567	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
16									DISC, Direct Clutch

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Clutch, Front And Rear With Gear train -47RE (DGP) Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4617 201AB	4	7, 8			ET0	DGP		PISTON, Clutch
		4	7, 8			EW0	DGP		
		4	2, 3			EW0	DGP		
		4	2, 3			ET0	DGP		
-18	3743 624AB	1	7, 8			ET0	DGP		CHECK BALL, Dia-.187
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
19	0147 483	1	7, 8			EW0	DGP		SEAL, Rear Clutch Piston
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
20	1942 054	1	2, 3			EW0	DGP		SEAL, Rear Clutch Piston
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
21	2124 835	1	7, 8			ET0	DGP		THRUST WASHER, Output Shaft, Red .068
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
22	4505 186	1	7, 8			ET0	DGP		RETAINER, Transmission
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-23	4617 855	1	7, 8			ET0	DGP		SEAL, Rear Clutch Retainer
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
24	4058 443	1	2, 3			EW0	DGP		THRUST WASHER, Front Clutch
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear train -47RE (DGP) Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 161	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
25	4617 396	1	2, 3			EW0	DGP		INPUT SHAFT, Transmission
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
26	2124 872	1	7, 8			ET0	DGP		SNAP RING
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
27	4617 418AB	1	2, 3			EW0	DGP		SEAL, Input Shaft
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
28	3743 622	1	2, 3			EW0	DGP		RETAINER, Rear Clutch
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
29	2801 992AC	4	7, 8			ET0	DGP		DISC, Clutch
		4	2, 3			EW0	DGP		
		4	7, 8			EW0	DGP		
		4	2, 3			ET0	DGP		
30	3743 621AB	1	2, 3			EW0	DGP		SPRING, Rear Clutch Piston
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
31	3515 077	1	2, 3			EW0	DGP		SPACER, Rear Clutch Piston
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
32	2466 806	1	2, 3			EW0	DGP		SPRING, Rear Clutch

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear train -47RE (DGP) Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
33	2466 803	1	7, 8			EW0	DGP		PLATE, Clutch Pressure
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
34	52118 812AA	1	2, 3			EW0	DGP		PLATE, Clutch Separator
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
35	4617 567	1	2, 3			ET0	DGP		PLATE, Transmission Clutch Reaction
		3	7, 8			EW0	DGP		
		3	2, 3			EW0	DGP		
36	1942 063	1	2, 3			ET0	DGP		SNAP RING [.060"-.062" Thick]
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
36	1942 063AB	1	2, 3			EW0	DGP		[.060"-.062" Thick]
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
36	1942 064	1	2, 3			ET0	DGP		[.065"-.067" Thick]
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
36	1942 064AB	1	2, 3			ET0	DGP		[.065"-.067" Thick]
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
36	1942 065	1	2, 3			ET0	DGP		[.074"-.076" Thick]
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
36	1942 065AB	1	2, 3			ET0	DGP		[.074"-.076" Thick]
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear train -47RE (DGP)
Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0	DGP		[.098"- .100" Thick]
		1	7, 8			EW0	DGP		[.098"- .100" Thick]
		1	2, 3			EW0	DGP		[.098"- .100" Thick]
	2466 811	1	2, 3			ET0	DGP		[.106"- .108" Thick]
		1	7, 8			ET0	DGP		[.106"- .108" Thick]
		1	7, 8			EW0	DGP		[.106"- .108" Thick]
		1	2, 3			EW0	DGP		[.106"- .108" Thick]
	2466 811AB	1	2, 3			EW0	DGP		[.116"- .118" Thick]
		1	7, 8			EW0	DGP		[.116"- .118" Thick]
		1	7, 8			ET0	DGP		[.116"- .118" Thick]
		1	2, 3			ET0	DGP		[.116"- .118" Thick]

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9L Cumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft -47RE (DGP) **Figure 47RE-420**



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE Automatic Transmisiion									
1	6024 311	1	2, 3			ET0	DGP		SNAP RING, 1.108 Free Diameter
		1	2, 3			EW0	DGP		[.055"-.059" Thick]
		1	7, 8			EW0	DGP		[.055"-.059" Thick]
		1	7, 8			ET0	DGP		[.055"-.059" Thick]
	6024 312	1	7, 8			ET0	DGP		[.062"-.066" Thick]
		1	7, 8			EW0	DGP		[.062"-.066" Thick]
		1	2, 3			EW0	DGP		[.062"-.066" Thick]
		1	2, 3			ET0	DGP		[.062"-.066" Thick]
2	4617 998	1	7, 8			ET0	DGP		CARRIER, Planetary Pinion
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
3									THRUST WASHER, Planetary Carrier
	4539 129	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4	4617 951	1	7, 8			ET0	DGP		BUSHING, Support Case
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
5	2892 656	1	7, 8			ET0	DGP		GEAR, Front Annulus
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									WASHER
	4618 000	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7	1736 521	1	7, 8			ET0	DGP		SNAP RING, Sun Gear
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Gear Train And Intermediate Shaft -47RE (DGP) Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	2801 311	1	2, 3			ET0	DGP		GEAR, Sun
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
9	4617 978	1	2, 3			ET0	DGP		SHELL, Sun Gear
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
10	4617 611	1	2, 3			ET0	DGP		INTERMEDIATE SHAFT, Transmission
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
11	4505 188	1	2, 3			ET0	DGP		PLATE, Transmission Module
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
12	1942 080	1	2, 3			ET0	DGP		PLATE, Sun Gear Driving Shell
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
13	1736 521	1	2, 3			ET0	DGP		SNAP RING, Sun Gear
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
14	4617 888	1	2, 3			ET0	DGP		THRUST WASHER, Planetary Carrier
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
15	2801 061	1	2, 3			ET0	DGP		CARRIER, Planetary Pinion
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			EW0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft -47RE (DGP)
Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	2400 580	1	2, 3			EW0	DGP		PLATE, Annulus Gear Thrust
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
17	4810 002AB	1	2, 3			EW0	DGP		GEAR, Rear Annulus
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
18	6033 591	1	2, 3			EW0	DGP		SNAP RING
		1	2, 3			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
19	5211 8059	1	7, 8			ET0	DGP		THRUST WASHER, Reverse Drum
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
20	5211 8057	1	2, 3			ET0	DGP		DRUM, Automatic Transmission
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
21	2801 315	8	7, 8			ET0	DGP		THRUST WASHER, Planetary Carrier
		10	7, 8			ET0	DGP		
		10	7, 8			EW0	DGP		
		8	7, 8			EW0	DGP		
		10	2, 3			EW0	DGP		
		8	2, 3			EW0	DGP		
		10	2, 3			ET0	DGP		
		8	2, 3			ET0	DGP		
22	2204 649	10	7, 8			ET0	DGP		THRUST WASHER, Planet Pinion
		8	7, 8			ET0	DGP		
		10	7, 8			EW0	DGP		
		10	7, 8			EW0	DGP		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft -47RE (DGP) **Figure 47RE-420**



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	7, 8			EW0	DGP		Rear
		10	2, 3			EW0	DGP		Front
		8	2, 3			EW0	DGP		Rear
		10	2, 3			ET0	DGP		Front
		8	2, 3			ET0	DGP		Rear
23	3743 664	92	7, 8			ET0	DGP		ROLLER, Front and Rear Pinion
		115	7, 8			ET0	DGP		Rear
		115	7, 8			EW0	DGP		Front
		92	7, 8			EW0	DGP		Rear
		115	2, 3			EW0	DGP		Front
		92	2, 3			EW0	DGP		Rear
		115	2, 3			ET0	DGP		Front
24	2400 667	92	2, 3			ET0	DGP		Rear
		4	7, 8			ET0	DGP		PINION, Transmission Planetary
		5	7, 8			ET0	DGP		Front
		5	7, 8			EW0	DGP		Rear
		4	7, 8			EW0	DGP		Rear
		5	2, 3			EW0	DGP		Front
		4	2, 3			EW0	DGP		Rear
25	4428 223	5	7, 8			ET0	DGP		SHAFT, Planetary
		4	7, 8			ET0	DGP		Front
		5	7, 8			EW0	DGP		Rear
		4	7, 8			EW0	DGP		Front
		5	2, 3			EW0	DGP		Rear
		4	2, 3			EW0	DGP		Front
		5	2, 3			ET0	DGP		Rear
		4	2, 3			ET0	DGP		Front
26	6024 666	5	7, 8			ET0	DGP		DOWEL, .108x1.00
		4	7, 8			ET0	DGP		Front
		5	7, 8			EW0	DGP		Rear
		4	7, 8			EW0	DGP		Front
		5	2, 3			EW0	DGP		Rear
		4	2, 3			EW0	DGP		Front
		5	2, 3			ET0	DGP		Rear
		4	2, 3			ET0	DGP		Front
27		4	2, 3			ET0	DGP		Rear
		5	2, 3			ET0	DGP		CAM, Overrunning Clutch

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Gear Train And Intermediate Shaft -47RE (DGP)
Figure 47RE-420




FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4471 473	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
28									CLUTCH, Overrunning
	4617 199	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

Output Shaft -47RE (DGP)
Figure 47RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

1									OUTPUT SHAFT, Transmission
	4874 036	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
	5003 233AA	1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4									BEARING, Output Shaft
	4461 008	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
5									SNAP RING
	4461 068	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									SNAP RING
	4461 057	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse And Kickdown With Linkage -47RE (DGP)
Figure 47RE-510



REVERSE BAND



KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 47RE Automatic Transmission
[ET0] = All 5.9L Turbo Diesels
[EW0] = All 8.0L Gas Engines


1									O RING, Steering Gear
	6030 657	2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
2									SHAFT, Band Lever
	4531 234	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
3									NUT, Hex, .375-24
	0114 942	1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
4									LEVER, Reverse Band
	4531 226AB	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
5									BAND, Reverse
	4531 231	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
6									SCREW, Trans Reverse Band Adjusting, .375-24-1.88
	2538 472	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									LEVER, Kickdown
	2125 067	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									SHAFT, Band Lever

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

Bands, Reverse And Kickdown With Linkage -47RE (DGP)
Figure 47RE-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4531 181	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
9									STRUT, Kickdown Band
	2124 848	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
10									ANCHOR, Kickdown Band
	3743 338	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
11									SCREW
	6036 115AA	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
12									BAND, Kickdown
	4329 853	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
13									NUT, Hex Jam, .50-20
	0124 934	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Valve Body - 47RE (DGP)
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesels

[EW0] = All 8.0L Gas Engines

-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AE-	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
2	52118 796AD	1	7, 8			ET0	DGP		BODY, Transfer Plate
		1	2, 3			ET0	DGP		
	52118 796AE	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
3	4617 216	1	7, 8			ET0	DGP		GASKET, Transmission Solenoid
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4									SOLENOID, Transmission Overdrive
	5211 8500	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
	52118 500AB	1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
5	0181 071	3	7, 8			ET0	DGP		BOLT, Valve Body, .25-20x1.75
		3	7, 8			EW0	DGP		
		3	2, 3			EW0	DGP		
		3	2, 3			ET0	DGP		
6	5211 8789	1	7, 8			ET0	DGP		FILTER, Valve Body
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500
	6033 826	3	7, 8			ET0	DGP		
		3	7, 8			EW0	DGP		
		3	2, 3			EW0	DGP		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 47RE (DGP) Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6034 748	3	2, 3			ET0	DGP		O RING, Solenoid Wiring, Transmission
		2	2, 3			EW0	DGP		
		2	7, 8			EW0	DGP		
9	6033 985	1	7, 8			ET0	DGP		SCREW, Tapping, .19-24x.75
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
10	3681 227	1	7, 8			ET0	DGP		LEVER, Throttle Valve
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
11	4617 439	1	2, 3			ET0	DGP		LEVER, Manual Valve
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			EW0	DGP		
-12	0111 873	1	7, 8			ET0	DGP		RIVET, Blind, .125 Manual Lever Manual Lever Manual Lever Manual Lever
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			ET0	DGP		
13	0147 488	1	7, 8			ET0	DGP		BALL, Manual Lever Detent, .343 Diameter
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14	2466 548	1	7, 8			ET0	DGP		SEAL, Valve Lever Shift
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15	2538 062	1	7, 8			ET0	DGP		WASHER, Manual Valve Lever
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16									SNAP RING

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummm Diesel
ETH = 5.9LCummm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 47RE (DGP) Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6035 208	2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
17									SEAL, Manual Shift Valve, 1.25 OD
	4505 098	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
18									SCREW, Cap Head Lock, .312-24x1.25
	6030 609	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
19									BRACKET, Valve Body Switch
	4617 010	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
20									SPRING, Switch Valve
	4130 492	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
21									VALVE, Trans Lockup Switch
	4505 036	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
22									TUBE, Boost Valve
	4617 008	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
23									RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 47RE (DGP)
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24									CLIP, Transmission Governor Transducer
	4617 219	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
25									TRANSDUCER, Pressure Sensor
	56028 196AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
26									O RING, Pressure Switch, Serviced with Transducer, (NOT SERVICED) (Not Serviced)
27									GASKET, Transmission Solenoid
	4617 216	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
28									RETAINER, Transmission Governor Solenoid
	52117 937AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
29									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
30									SOLENOID, Transmission Governor
	4617 210	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-31									SCREEN, Transmission Regulator Valve
	3878 313	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 47RE (DGP) Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			ET0	DGP		
-32									PLATE, Transmission Valve Body
	52118 048AD-	1	7, 8			ET0	DGP		
	52118 048AB-	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
-33	52118 048AD-	1	2, 3			ET0	DGP		VALVE, Regulator
	4130 169	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
34									BALL, Check
	5211 8261	6	7, 8			ET0	DGP		
		6	7, 8			EW0	DGP		
		6	2, 3			EW0	DGP		
		6	2, 3			ET0	DGP		
-35									BOLT, .25-20
	0179 798	3	7, 8			ET0	DGP		Transfer Plate and Valve Body to Case
		3	7, 8			EW0	DGP		Transfer Plate and Valve Body to Case
		3	2, 3			EW0	DGP		Transfer Plate and Valve Body to Case
		3	2, 3			ET0	DGP		Transfer Plate and Valve Body to Case

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

2, 7 = 2500

$$3, 8 = 3500$$

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo Dis

EML,EM0 = Magnum 5.9L V8

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual


DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston And Spring -47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DGP] = 47RE 4 Speed Automatic Transmission
[ELO] = All 5.2L Gas Engines


1	4531 244	1	2, 3			EW0	DGP		SNAP RING
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
2	1942 123	1	2, 3			EW0	DGP		SEAL
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
3	3410 441	1	7, 8			ET0	DGP		GUIDE, Kickdown Servo
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4	3410 518	1	7, 8			ET0	DGP		SPRING, Kickdown Servo Piston, Outer
		1	2, 3			EW0	DGP		Outer
		1	7, 8			EW0	DGP		Outer
		1	2, 3			ET0	DGP		Outer
5	3410 444	1	2, 3			ET0	DGP		SPRING, Kickdown Servo Piston, Inner
		1	7, 8			ET0	DGP		Inner
		1	2, 3			EW0	DGP		Inner
		1	7, 8			EW0	DGP		Inner
6	6031 392	1	2, 3			ET0	DGP		SNAP RING, Brake Master Cylinder
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
7	3410 437	1	2, 3			ET0	DGP		RETAINER, Kick Down
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
8									PISTON, Kickdown Servo

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					


Servos, Accumulator Piston And Spring -47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3410 445	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
9									O RING, Kick Down Servo
	6028 864	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
10									SEAL
	1942 123	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
11									PISTON, Kickdown Servo
	3410 440	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
12									SEAL
	4412 444	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
13									SNAP RING
	4531 244	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
14									RETAINER, Transmission Reverse Servo Piston Spring
	5211 8342	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
15									SPRING, Reverse Servo Piston
	4617 773	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
16									PLUG, Reverse Servo Piston

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Servos, Accumulator Piston And Spring -47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52118 742AB	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
17	5211 8743	1	2, 3			EW0	DGP		SPRING, Reverse Servo Piston
		1	7, 8			EW0	DGP		Cushion
		1	7, 8			ET0	DGP		Cushion
		1	2, 3			ET0	DGP		Cushion
18	4531 233	1	7, 8			ET0	DGP		SEAL, Reverse Servo Piston
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
19	5211 8745	1	7, 8			ET0	DGP		PISTON, Reverse Servo
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
20	6027 153	1	7, 8			ET0	DGP		SNAP RING, .435 ID
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
21	3515 079	1	7, 8			ET0	DGP		SPRING, Accumulator Piston
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
22	3743 013	1	7, 8			ET0	DGP		SEAL, Piston Accumulator
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
23	3743 650	1	7, 8			ET0	DGP		PISTON, Accumulator
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
24	3743 010	1	7, 8			ET0	DGP		SEAL, Piston Accumulator

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions


Servos, Accumulator Piston And Spring -47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	4531 258	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		SPRING, Accumulator Piston
		1	7, 8			EW0	DGP		3-4
		1	2, 3			EW0	DGP		3-4
		1	2, 3			ET0	DGP		3-4

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummins Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummins HO Turbo Diesel	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

Parking Sprag - 4 Speed 47RE (DGP)
Figure 47RE-730




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPRING, Parking Sprag
	2466 909	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									SPRAG, Transmission Parking
	4471 415AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
3									SHAFT, Parking Sprag
	2466 892	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4									SCREW
	8350 3127	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
5									PLUG, Parking Sprag
	2538 042	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									SNAP RING, Transmission
	2538 034	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									ROD, Parking Sprag
	4471 478	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									SNAP RING, Rod
	6035 256	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train -47RE (DGP)
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE 4 Speed Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									PLATE PACKAGE, Transmission Module
	4740 774	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	5015 107AA	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4761 011	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									RACE, Overrunning Clutch
	4461 124	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
9									GEAR, Overdrive Annulus


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train -47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 010	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
10									SNAP RING, 5.25 OD
	4461 059	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
11									SNAP RING, 6.00 OD
	4461 060	2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
12									DRUM, Automatic Transmission
	4461 089	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
13									SNAP RING, 2.1875 OD
	4461 063	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14									SPRING, Direct Clutch
	4461 027	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
	4461 146	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
15									HUB, Direct Clutch
	4461 072	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16									THRUST BEARING, Overdrive
	4446 724	1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	7, 8			EW0	DGP		
17									PLATE, Transmission Clutch Reaction

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train -47RE (DGP) Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 030	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
18									DISC, Direct Clutch
	4461 042	10	7, 8			ET0	DGP		
		10	7, 8			EW0	DGP		
		10	2, 3			EW0	DGP		
		10	2, 3			ET0	DGP		
19									PLATE, Transmission Valve Body
	4864 053	9	7, 8			ET0	DGP		
		9	7, 8			EW0	DGP		
		9	2, 3			EW0	DGP		
		9	2, 3			ET0	DGP		
20									PLATE, Pressure
	4461 183	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
21									SPRING, Direct Clutch
	4461 032	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
22									SNAP RING, 1.875" OD
	4461 064	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
23									FILTER, Overdrive Clutch
	4412 583	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
24									RETAINER, Transmission O/Drive Clutch Piston
	5211 7975	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
25									PISTON, Overdrive Clutch

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train -47RE (DGP) Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8599	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
26	0152 796	6	7, 8			ET0	DGP		SCREW, .25-20
		6	7, 8			EW0	DGP		
		6	2, 3			EW0	DGP		
		6	2, 3			ET0	DGP		
27	4431 697	1	7, 8			ET0	DGP		SEAL, Overdrive Clutch Piston
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
28	4431 697	1	7, 8			ET0	DGP		SEAL, Overdrive Clutch Piston
	4617 352	1	7, 8			ET0	DGP		Inner
	4431 697	1	7, 8			EW0	DGP		Outer
		1	2, 3			EW0	DGP		Inner
		1	2, 3			ET0	DGP		Inner
	4617 352	1	7, 8			EW0	DGP		Outer
		1	2, 3			EW0	DGP		Outer
		1	2, 3			ET0	DGP		Outer
29	4431 585	1	7, 8			ET0	DGP		PLATE, Transmission O/Drive Clutch
	4431 586	1	7, 8			ET0	DGP		[.123"-.125" Thick]
	4431 587	1	7, 8			ET0	DGP		[.153"-.155" Thick]
	4431 588	1	7, 8			ET0	DGP		[.183"-.185" Thick]
	4431 590	1	7, 8			ET0	DGP		[.213"-.215" Thick]
		1	7, 8			ET0	DGP		[.243"-.245" Thick]
	4431 731	1	7, 8			ET0	DGP		[.138"-.140" Thick]
	4431 732	1	7, 8			ET0	DGP		[.168"-.170" Thick]
	4431 733	1	7, 8			ET0	DGP		[.198"-.200" Thick]
	4431 734	1	7, 8			ET0	DGP		[.228"-.230" Thick]
	4431 735	1	7, 8			ET0	DGP		[.108"-.110" Thick]
	4431 585	1	7, 8			EW0	DGP		[.123"-.125" Thick]
		1	2, 3			EW0	DGP		[.123"-.125" Thick]
		1	2, 3			ET0	DGP		[.123"-.125" Thick]
	4431 586	1	7, 8			EW0	DGP		[.153"-.155" Thick]
		1	2, 3			EW0	DGP		[.153"-.155" Thick]
		1	2, 3			ET0	DGP		[.153"-.155" Thick]
	4431 587	1	7, 8			EW0	DGP		[.183"-.185" Thick]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train -47RE (DGP) Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			EW0	DGP		[.183"-.185" Thick]
		1	2, 3			ET0	DGP		[.183"-.185" Thick]
	4431 588	1	7, 8			EW0	DGP		[.213"-.215" Thick]
		1	2, 3			EW0	DGP		[.213"-.215" Thick]
		1	2, 3			ET0	DGP		[.213"-.215" Thick]
	4431 590	1	7, 8			EW0	DGP		[.243"-.245" Thick]
		1	2, 3			EW0	DGP		[.243"-.245" Thick]
		1	2, 3			ET0	DGP		[.243"-.245" Thick]
	4431 731	1	7, 8			EW0	DGP		[.138"-.140" Thick]
		1	2, 3			EW0	DGP		[.138"-.140" Thick]
		1	2, 3			ET0	DGP		[.138"-.140" Thick]
	4431 732	1	7, 8			EW0	DGP		[.168"-.170" Thick]
		1	2, 3			EW0	DGP		[.168"-.170" Thick]
		1	2, 3			ET0	DGP		[.168"-.170" Thick]
	4431 733	1	7, 8			EW0	DGP		[.198"-.200" Thick]
		1	2, 3			EW0	DGP		[.198"-.200" Thick]
		1	2, 3			ET0	DGP		[.198"-.200" Thick]
	4431 734	1	7, 8			EW0	DGP		[.228"-.230" Thick]
		1	2, 3			EW0	DGP		[.228"-.230" Thick]
		1	2, 3			ET0	DGP		[.228"-.230" Thick]
	4431 735	1	7, 8			EW0	DGP		[.108"-.110" Thick]
		1	2, 3			EW0	DGP		[.108"-.110" Thick]
		1	2, 3			ET0	DGP		[.108"-.110" Thick]
30									SPACER, Intermediate Shaft, 1.58mm
	4431 916	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-31									SPACER, Intermediate Shaft, .175
	4431 917	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-32									SPACER, Intermediate Shaft, .193
	4431 918	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-33									SPACER, Intermediate Shaft, .211
	4431 919	1	7, 8			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Clutch, Overdrive With Gear Train -47RE (DGP)
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34	4461 082	1	7, 8			EW0	DGP		SNAP RING, Overdrive Clutch
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
35	4461 033	1	7, 8			ET0	DGP		PLATE, Transmission Clutch Reaction
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
36	4461 181	1	2, 3			ET0	DGP		DISC, Direct Clutch
		5	7, 8			ET0	DGP		
		5	7, 8			EW0	DGP		
37	4461 047	5	2, 3			EW0	DGP		PLATE, Transmission Clutch Reaction
		5	2, 3			ET0	DGP		
		5	2, 3			ET0	DGP		
38	4461 066	5	7, 8			ET0	DGP		SPRING, Overdrive Clutch
		5	7, 8			EW0	DGP		
		5	2, 3			EW0	DGP		
39	4461 065	1	2, 3			ET0	DGP		SNAP RING, 6.50 OD
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM QUAD CAB/CLUB CAB (BE)
SERIES L = Ram Truck (All)
LINE 2, 7 = 2500
3, 8 = 3500
BODY 33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)
ENGINE ETC, ET0 = 5.9L Cummm Diesel
ETH = 5.9LCummm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI
TRANSMISSION DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Controls, Gearshift Lower -47RE (DGP)
Figure 47RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[DGT] = 46RE Automatic Transmission

[DG0] = All Automatic Transmissions

1	3575 333	1					DGP		GROMMET, Control Rod Front
2	J012 0393	1					DGP		WASHER, Flat
3	3467 800	1					DGP		BUSHING, Gearshift Torque Shaft
4	6504 763	2					DGP		WASHER, Flat, M13.5
5	6034 943	1					DGP		WASHER
6	J010 3374	1					DGP		PIN, Cotter
7	6028 114	1					DG0		NUT, Hex, .437-14
8	0391 888	1					DGP		WASHER, Wave, .359x.593x.010
9	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2,
									Clamp
10	52077 802AD	1					DGP		BRACKET, Gearshift
11									SCREW, (NOT SERVICED) (Not
									Serviced)
12	6032 475	1					DGP		RING, Transmission Torque Shaft
13	52107 699AD	1					DG0		ROD, Gear Shift Control
14	5210 7734	1					DG0		CLAMP
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod
16	3575 354AC	1					DG0		SPRING, Gearshift Control Rod
17	52107 807AC	1					DGP		BRACKET, Torque Shaft
18	52079 228AE	1					DGP		TORQUE SHAFT, Gearshift
19	52077 630AB	1					DGP		ROD, Gear Shift Control,
									Transmission
20	52107 825AA	1					DGP,		LEVER, Manual Control
							DGT		
21	0180 034	1					DGP,		SCREW AND WASHER, Hex Head,
							DGT		.25-20x1.50
22	J012 0375	1					DGP,		NUT, Hex, .250-20
							DGT		
23									LEVER, Throttle Valve
	3681 227	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
24	J012 0375	1					DGP,		NUT, Hex, .250-20
							DGT		
25	0138 165	1					DG0		WASHER, Lock
26	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00

DODGE RAM QUAD CAB/CLUB CAB (BE)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift Lower -47RE (DGP)
Figure 47RE-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5300 9055	1					DG0		SPRING, Throttle Valve Return
28	5207 8718	1					DG0		BRACKET, Throttle Valve Spring



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 4500

Manual Transmission 5 Speed

GROUP 4500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission 5 Speed - 4500 (DDP)(DDX) Fig. 4500-110

Case and Extension

Case 5 Speed - 4500 (DDP)(DDX) Fig. 4500-210

Gear Train

Gear Train 5 Speed - 4500 (DDP) (DDX) Fig. 4500-410


Gear Train 5 Speed - 4500 (DDP) (DDX) Fig. 4500-420






Fork and Rails

Forks And Controls 5 Speed - 4500 (DDP) (DDX) Fig. 4500-910


Gearshift Controls

Gear Shift Controls 5 Speed - 4500 (DDP) (DDX) Fig. 4500-1210



<div>4500-100 Transmission Assembly</div> 	<div>4500-200 Case and Extension</div> 	<div>4500-400 Gear Train</div> 	<div>4500-900 Fork and Rails</div> 
<div>4500-1200 Gearshift Controls</div> 			

Transmission 5 Speed - 4500 (DDP)(DDX)
Figure 4500-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code
[DDP] = 5 Speed Manual Transmissiion
[DDX] = 5 Speed Heavy Duty Manual Transmission
[EM0] = All 5.9L 8 Cylinder Gas Engines
[ET0]= All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines

1							TRANSMISSION, 5 Speed		
	52108 128AF	1	2, 3			EM0	DDP		
	52108 129AF	1	7, 8			EM0	DDP		
	52108 130AD	1	2, 3			ET0, EW0	DDX		
	52108 131AD	1	7, 8			ET0, EW0	DDX		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

Case 5 Speed - 4500 (DDP)(DDX)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissiion									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EM0]= All 5.9L 8 Cylinder Gas Engines									
[ET0]= All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									RETAINER, Transmission Drive Gear
	4741 543	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	7, 8			EW0	DDX		
2									SEAL, Input
	5012 115AA	1	7, 8			ET0,	DDX		
		1	2, 3			EW0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	2, 3			EW0	DDX		
3									PLUG, Oil Fill
	4637 849	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	2, 3			EW0	DDX		
4									SCREW, Drive Gear
	4637 777	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		4	7, 8			ET0,	DDX		
		4	2, 3			EW0	DDX		
5									MAGNET, Transmission
	4773 012	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	7, 8			EW0	DDX		
6									DOWEL, Gear Shift Cover


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case 5 Speed - 4500 (DDP)(DDX)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 847	2	2, 3			EM0	DDP		
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
		2	2, 3			ET0, EW0	DDX		
7	5019 654AA	1	2, 3			EM0	DDP		CASE, Transmission
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
8	5014 100AA	1	2, 3			EM0	DDP		PLATE, Transmission Module
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
9	0181 088	10	2, 3			EM0	DDP		BOLT, Hex Head, .312-18x1.00
		10	7, 8			EM0	DDP		
		10	7, 8			ET0, EW0	DDX		
		10	2, 3			ET0, EW0	DDX		
10	4637 785	1	2, 3			EM0	DDP		PLATE, Transmission Module
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
11	0556 875	2	2, 3			EM0	DDP		COVER, Power Take Off
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
		2	2, 3			ET0, EW0	DDX		
12									SCREW

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Case 5 Speed - 4500 (DDP)(DDX)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 221AA	12	7, 8			ET0, EWO	DDX		
		12	2, 3			ET0, EWO	DDX		
13									BEARING CUP, Intermediate Shaft
	4637 691	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EWO	DDX		
		1	7, 8			ET0, EWO	DDX		
14									PLUG, Countershaft
	4637 689	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EWO	DDX		
		1	7, 8			ET0, EWO	DDX		
15									DOWEL, Transmission Case
	4637 804	2	2, 3			EM0	DDP		
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EWO	DDX		
		2	2, 3			ET0, EWO	DDX		
16									RETAINER, Transmission Case Rear
	5003 035AA	1	2, 3			EM0	DDP		
		1	2, 3			ET0, EWO	DDX		
	5014 479AA	1	7, 8			EM0	DDP		
		1	7, 8			ET0, EWO	DDX		
17									SEAL, Adapter
	4269 956AB	1	7, 8			EM0	DDP		
		1	7, 8			ET0, EWO	DDX		
18	5086 054AA	1	2, 3			ET0, EWO	DDX		SEAL, Output Shaft
19									BUSHING, Extension Housing
	5003 210AA	1	2, 3			EM0	DDP		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case 5 Speed - 4500 (DDP)(DDX)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			ET0, EW0	DDX		
20	4637 805	8	2, 3			EM0	DDP		SCREW, Hex Head
		8	7, 8			EM0	DDP		
		8	7, 8			ET0, EW0	DDX		
		8	2, 3			ET0, EW0	DDX		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cum Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DDP] = 5 Speed Manual Transmissiion

[DDX] = 5 Speed Heavy Duty Manual Transmission

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	4798 769	1	2, 3			ET0, EW0	DDX		BEARING, First Gear
		2	2, 3			EM0	DDP		
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
2	4637 728	1	2, 3			EM0	DDP		GEAR, First
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
3	5003 055AA	1	2, 3			EM0	DDP		GEAR PACKAGE, Reverse Clutch
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
4	4723 145	1	2, 3			EM0	DDP		BEARING, Drive Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
5	5003 056AA	1	2, 3			EM0	DDP		SNAP RING PACKAGE, Transmission
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummm Diesel
ETH = 5.9LCummm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4882 542	1	7, 8			ET0, EW0	DDX		SPACER, Reverse Synchronizer
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
7	5017 924AA	1	2, 3			EM0	DDP		BEARING, Reverse Synchronizer
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
8	5014 478AA	1	2, 3			EM0	DDP		SYNCHRONIZER, Reverse
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
9	4637 763	1	2, 3			EM0	DDP		THRUST WASHER, Reverse Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
10	4773 176	2	2, 3			EM0	DDP		PIN, Split Thrust Washer
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
		2	2, 3			ET0, EW0	DDX		
11	4637 771	1	2, 3			EM0	DDP		BEARING CONE, Main Shaft
		1	7, 8			EM0	DDP		


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	1		2, 3			ET0,	DDX		MAINSHAFT, Transmission
	1		7, 8			EW0			
						ET0,	DDX		
						EW0			
	5016 384AA		1	2, 3		EM0	DDP		
			1	2, 3		ET0,	DDX		
						EW0			
	5016 386AA		1	7, 8		EM0	DDP		
13			1	7, 8		ET0,	DDX		SYNCHRONIZER, First and Second
						EW0			
	5066 046AA		1	2, 3		EM0	DDP		
			1	7, 8		EM0	DDP		
			1	7, 8		ET0,	DDX		
						EW0			
			1	2, 3		ET0,	DDX		
						EW0			
14									STOP RING PACKAGE, Synchronizer
	4637 726		1	2, 3		EM0	DDP		
			1	7, 8		EM0	DDP		
			1	2, 3		ET0,	DDX		
						EW0			
			1	7, 8		ET0,	DDX		
						EW0			
						EW0			
15									GEAR, Second
	4637 730		1	2, 3		EM0	DDP		
			1	7, 8		EM0	DDP		
			1	2, 3		ET0,	DDX		
						EW0			
			1	7, 8		ET0,	DDX		
						EW0			
						EW0			
16									THRUST WASHER, Third Gear
	4637 732		1	2, 3		EM0	DDP		
			1	7, 8		EM0	DDP		
			1	2, 3		ET0,	DDX		
						EW0			
			1	7, 8		ET0,	DDX		
						EW0			
						EW0			
17									SPACER, Third Gear


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 540	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
18									GEAR, Third
	4874 369	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
19									BEARING, Third Gear
	4798 768	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
20									RING, Blocker
	4897 883AA	2	2, 3			EM0	DDP		
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
		2	2, 3			ET0, EW0	DDX		
21									SYNCHRONIZER, Third and Fourth
	4740 824	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
22									GEAR, Clutch Drive
	4874 370	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
-23									RING, Blocker


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 883AA-	2	2, 3			EM0	DDP		
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
		2	2, 3			ET0, EW0	DDX		
24	4637 755	1	2, 3			EM0	DDP		THRUST BEARING, Drive Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
25	4637 774	1	2, 3			EM0	DDP		NEEDLE BEARING, Input Shaft
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
26	4882 357	1	2, 3			EM0	DDP		SHAFT, Input
		1	7, 8			EM0	DDP		
	4882 358	1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DDP] = 5 Speed Manual Transmissiion

[DDX] = 5 Speed Heavy Duty Manual Transmission

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0]= All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines


1									BEARING CUP, Main Shaft
	4637 782	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
2									SHIM PACKAGE, Rear Mainshaft Bearing
	4864 284	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
3									GEAR, Overdrive Mainshaft
	4741 551	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
4									WASHER, Overdrive Gear
	4741 552	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
5									NUT AND WASHER PACKAGE
	5013 887AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX		
6	4269 956AB	1	7, 8			EM0	DDP		SEAL, Adapter
		1	7, 8			ET0, EW0	DDX		
7	4882 366	1	2, 3			EM0	DDP		SHAFT, Idler
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
8	4882 538	2	2, 3			EM0	DDP		WASHER, Reverse Idler
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
		2	2, 3			ET0, EW0	DDX		
9	5017 923AA	1	2, 3			EM0	DDP		BEARING, Idler Gear
		1	7, 8			EM0	DDP		
10	4882 364	1	2, 3			EM0	DDP		GEAR, Reverse Idler
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
11	4637 705	1	2, 3			EM0	DDP		BEARING CONE, Cluster Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
12	4882 367	1	2, 3			EM0	DDP		COUNTERSHAFT
		1	7, 8			EM0	DDP		


DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummm Diesel	DGP = 47RE 4 Speed Auto.					
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.					
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual					
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual					
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual					
				DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train 5 Speed - 4500 (DDP) (DDX) Figure 4500-420

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

**DODGE
SERIES**

L = Ram Truck (All)

LINE

2, 7 = 2500 33 = Quad Cab (138 WB)

3, 8 = 3500 34 = Quad Cab (154 WB)

3, 6 = 3500 34 = Quad Cab (154 WB) E111 = 5.9L Cummins ITC Turbo Diesel
EML, EM0 = Magnum 5.9L V8

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

EWA, EW0 = 8.0E V TO MP1

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

34 = Quad Cab (134 WD)

ENGINE

ETC, ET0 = 5.9L Cummm Diesel

ETH = 5.9LCumm HO Turbo Disl

EML,EM0 = Magnum 5.9L V8

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

EWA, EWU = 8.0L V 10 MPI

TRANSMISSION

TRANSMISSION
DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train 5 Speed - 4500 (DDP) (DDX)
Figure 4500-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 156AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
19	4637 786								GEAR, Countershaft
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
20									
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
	4882 541	1	2, 3			ET0, EW0	DDX		BEARING, Overdrive
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
21	4637 778								THRUST WASHER, Countershaft
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Forks And Controls 5 Speed - 4500 (DDP) (DDX)
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissiion									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0]= All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5003 036AA	1	2, 3			EM0	DDP		HOUSING, Shift Lever
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	7, 8			ET0,	DDX		
2	4741 660	1	2, 3			EM0	DDP		VENT, Transmission
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	7, 8			ET0,	DDX		
3	4638 633	1	2, 3			EM0	DDP		CLIP, Vent Tube
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	7, 8			ET0,	DDX		
4	1664 355	2	2, 3			EM0	DDP		PIN, Shift Fork
		2	7, 8			EM0	DDP		
		2	7, 8			ET0,	DDX		
		2	2, 3			ET0,	DDX		
5	5003 214AA	1	2, 3			EM0	DDP		SPACER, Shift Tower
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	7, 8			ET0,	DDX		
6									BUSHING, Gearshift Lever

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Forks And Controls 5 Speed - 4500 (DDP) (DDX)
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 212AA	4	2, 3			EM0	DDP		
		4	7, 8			EM0	DDP		
		4	7, 8			ET0, EW0	DDX		
		4	2, 3			ET0, EW0	DDX		
7	5003 213AA	1	2, 3			EM0	DDP		BOLT
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
8	5003 211AA	1	2, 3			EM0	DDP		LEVER, Gearshift
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
9	0181 088	10	2, 3			EM0	DDP		BOLT, Hex Head, .312-18x1.00
		10	7, 8			EM0	DDP		
		10	7, 8			ET0, EW0	DDX		
		10	2, 3			ET0, EW0	DDX		
10	5211 8181	5	2, 3			EM0	DDP		CLIP
		5	7, 8			EM0	DDP		
		5	7, 8			ET0, EW0	DDX		
		5	2, 3			ET0, EW0	DDX		
11	6016 203	1	7, 8			EM0	DDP		CLIP, Vacuum Harness
		1	7, 8			ET0, EW0	DDX		
12	1302 807	1	2, 3			EM0	DDP		GASKET, Back Up Lamp Switch
		1	7, 8			EM0	DDP		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks And Controls 5 Speed - 4500 (DDP) (DDX)
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			ET0, EW0	DDX		
13									SWITCH, Back Up Lamp
	5600 7270	1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		LUG, Overdrive
14	4637 692	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
									RAIL, Over Drive Lug
15	4778 216	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
									PAD PACKAGE, Shift Fork
16	5012 019AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
									FORK, Transmission
17	4773 178	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
									PIN, Shift Fork
18	1664 355	2	2, 3			EM0	DDP		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Forks And Controls 5 Speed - 4500 (DDP) (DDX) Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7, 8			EM0	DDP		
		2	7, 8			ET0, EW0	DDX		
		2	2, 3			ET0, EW0	DDX		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Gear Shift Controls 5 Speed - 4500 (DDP) (DDX)
Figure 4500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Code

[DBB] = All Manual Transmissions

[DD0] = All 5 Speed Manual Transmission

1	4446 921	1					DD0		INSERT, Transmission Shift Knob
2	6502 556	1					DBB		NUT, Hex, M10-1.5
3	5210 4174	1					DBB		KNOB, Gearshift
4	52107 614AC	1					DBB		BOOT, Gear Shift Lever
5	6101 946	6							SCREW, Tapping
6	5210 7612	1					DBB		LEVER, Gearshift
7									CONSOLE, Floor
	5EZ5 4LAZ	1					DBB		AGATE
	5EZ5 4RC8	1					DBB		DARK CIRRUS
	5EZ5 4VK9	1					DBB		DARK SUEDE
8	52107 613AB	1					DBB		BOOT, Gear Shift Lever
9	6101 946	6							SCREW, Tapping

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 5600

Manual Transmission 6 Speed

GROUP 5600 - Manual Transmission 6 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission - 5600 6 Speed (DEE) Fig. 5600-110

Case and Extension

Case and Related Parts - 5600 6 Speed (DEE) Fig. 5600-210

Gear Train

Gear Train - 5600 6 Speed (DEE) Main Shaft Fig. 5600-410


Gear Train - 5600 6 Speed (DEE) Counter Shaft Fig. 5600-420






Fork and Rails

Fork and Rails - 5600 6 Speed (DEE) Fig. 5600-910

Gear Shift Controls

Controls, Gearshift- 5600 6 Speed [DEE] Fig. 5600-1210




5600-100 Transmission Assembly	5600-200 Case and Extension	5600-400 Gear Train	5600-900 Fork and Rails
			
5600-1200 Gear Shift Controls			
			

Transmission - 5600 6 Speed (DEE)
Figure 5600-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DEE] = 6 Speed Heavy Duty Manual Transmission
[ETH] = 5.9L Cummins Turbo Diesel
1 TRANSMISSION, 6 speed

52108 501AB	1	2, 3	ETH	DEE					
52108 502AB	1	7, 8	ETH	DEE					



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel


1	5003 578AA	1	2, 3			ETH	DEE		CASE, Transmission
		1	7, 8			ETH	DEE		
-2	4882 280	1	2, 3			ETH	DEE		PLUG, Oil Fill
		1	7, 8			ETH	DEE		
-3	5003 579AA-	6	2, 3			ETH	DEE		BUSHING, Shift Rail
		1	7, 8			ETH	DEE		
-4	4761 099	2	2, 3			ETH	DEE		PIN, Locating
		1	7, 8			ETH	DEE		
5	0556 875	2	2, 3			ETH	DEE		COVER, Power Take Off
		1	7, 8			ETH	DEE		
6	5016 174AA	1	2, 3			ETH	DEE		LABEL, Equipemnt Identification
		1	7, 8			ETH	DEE		
7	5015 221AA	12	2, 3			ETH	DEE		SCREW
		1	7, 8			ETH	DEE		
8	5003 580AA	1	2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	7, 8			ETH	DEE		
9	5012 134AA	1	2, 3			ETH	DEE		CUP, Bearing Inner
		1	7, 8			ETH	DEE		[Timken# 554241]
10	5003 582AA	1	2, 3			ETH	DEE		HOUSING, Clutch
		1	7, 8			ETH	DEE		
11	5003 583AA	1	2, 3			ETH	DEE		BEARING CUP, Input Shaft
		1	7, 8			ETH	DEE		
12	5003 584AA	1	2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	7, 8			ETH	DEE		
13	5015 205AA	1	2, 3			ETH	DEE		GUIDE, Oil
									[Input]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ETH	DEE		[Input]
14	5012 112AA	1	2, 3			ETH	DEE		GUIDE, Oil
		1	7, 8			ETH	DEE		[Countershaft]
15	5208 7542	1	2, 3			ETH	DEE		PIVOT, Clutch Release
		1	7, 8			ETH	DEE		
-16	6022 190	1	2, 3			ETH	DEE		WASHER, Clutch Pivot
		1	7, 8			ETH	DEE		
-17	5222 757	1	2, 3			ETH	DEE		DOWEL
		1	7, 8			ETH	DEE		
18	5015 213AA	1	2, 3			ETH	DEE		RETAINER, Transmission Input Shaft
		1	7, 8			ETH	DEE		
-19	5015 211AA-	1	2, 3			ETH	DEE		GUIDE, Oil
		1	7, 8			ETH	DEE		
-20	5015 214AA-	1	2, 3			ETH	DEE		SEAL, Input
		1	7, 8			ETH	DEE		
21	5003 585AA	1	2, 3			ETH	DEE		HOUSING, Transmission Rear
	5003 586AA	1	7, 8			ETH	DEE		Extension
-22	4740 901	1	2, 3			ETH	DEE		VENT, Transmission
		1	7, 8			ETH	DEE		
-23	5003 587AA-	1	2, 3			ETH	DEE		BUSHING, Crossover Shaft
		1	7, 8			ETH	DEE		
-24	5072 896AA-	1	2, 3			ETH	DEE		SEAL, Output Shaft
		1	7, 8			ET0, EWO	DDX, DEE		
-25	5003 210AA-	1	2, 3			ETH	DEE		BUSHING, Extension Housing
26	5011 966AA	1	2, 3			ETH	DEE		CAM, Alignment
		1	7, 8			ETH	DEE		
27									WASHER

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500


BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EWO = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6100 880	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
28	6501 474	1	2, 3			ETH	DEE		BOLT, Hex Head, M8x1.25x16
		1	7, 8			ETH	DEE		
-29	5003 589AA-	1	2, 3			ETH	DEE		PLUNGER
		1	7, 8			ETH	DEE		
-30	5011 967AB-	1	2, 3			ETH	DEE		SPRING, Crossover Lever
		1	7, 8			ETH	DEE		
-31	4210 616	1	2, 3			ETH	DEE		PLUG, Oil Fill, Plug w/Washer Detent
		1	7, 8			ETH	DEE		
32	5210 3101	1	2, 3			ETH	DEE		BRACKET, Exhaust Pipe to T/Case
		1	7, 8			ETH	DEE		
33	5208 5085	1	2, 3			ETH	DEE		BUSHING, Exhaust Hanger
		1	7, 8			ETH	DEE		
34	5600 7270	1	7, 8			ETH	DEE		SWITCH, Back Up Lamp
		1	2, 3			ETH	DEE		
-35	5012 138AA-	1	2, 3			ETH	DEE		GASKET, Back Up Lamp Switch
		1	7, 8			ETH	DEE		
-36	5300 8550	2	2, 3			ETH	DEE		CLIP
		2	7, 8			ETH	DEE		
-37	5012 136AA-	1	2, 3			ETH	DEE		CLIP, Wiring
		1	7, 8			ETH	DEE		
-38	4773 012	1	2, 3			ETH	DEE		MAGNET, Transmission
		1	7, 8			ETH	DEE		
-39	4269 956AB-	1	7, 8			ETH	DEE		SEAL, Adapter

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Main Shaft Figure 5600-410

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETH] = 5.9L Cummins Turbo Diesel									
1	5010 047AA	1	2, 3			ETH	DEE		BEARING CONE, Input Shaft
		1	7, 8			ETH	DEE		
2	5066 027AB	1	2, 3			ETH	DEE		GEAR AND CONE PACKAGE
		1	7, 8			ETH	DEE		Input and Fifth Gear
-3	5015 211AA-	1	2, 3			ETH	DEE		GUIDE, Oil
		1	7, 8			ETH	DEE		Input
4									BEARING CUP, Input Shaft
	5010 046AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
5	5019 886AB	4	2, 3			ETH	DEE		CONE, Input Shaft
		6	7, 8			ETH	DEE		
6	5010 054AA	1	2, 3			ETH	DEE		RING, Blocker
		1	7, 8			ETH	DEE		
7	5010 058AA	1	2, 3			ETH	DEE		RETAINING RING, Bearing
		1	7, 8			ETH	DEE		
8	5010 057AA	1	2, 3			ETH	DEE		BEARING CONE, Output Shaft
		1	7, 8			ETH	DEE		
-9									SHIM PACKAGE, Drive Pinion Bearing
	5011 376AA-	1	7, 8			ETH	DEE		
		1	2, 3			ETH	DEE		
10	5080 806AA	1	2, 3			ETH	DEE		SYNCHRONIZER, Fifth
		1	7, 8			ETH	DEE		
11	5012 350AA	3	2, 3			ETH	DEE		SPRING, Synchronizer
		3	7, 8			ETH	DEE		
12	5010 056AA	3	2, 3			ETH	DEE		KEY, Synchronizer
		3	7, 8			ETH	DEE		
13									BALL, Shift Lever, M5

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Main Shaft Figure 5600-410

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4741 136	3	2, 3			ETH	DEE		GEAR, Sixth
		3	7, 8			ETH	DEE		
	5019 885AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-15	5010 051AA-	1	2, 3			ETH	DEE		BEARING, Sixth Gear
		1	7, 8			ETH	DEE		
16									SHAFT, Output
17	5010 049AA	1	2, 3			ETH	DEE		SLEEVE, First Gear
	5010 050AA	1	7, 8			ETH	DEE		
	5010 077AA	1	2, 3			ETH	DEE		
18		1	7, 8			ETH	DEE		BEARING
	5010 059AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
19	5066 010AA	1	2, 3			ETH	DEE		GEAR AND CONE PACKAGE
		1	7, 8			ETH	DEE		
20									RING, Blocker
21	5015 202AA	1	2, 3			ETH	DEE		SYNCHRONIZER, First and Second
		1	7, 8			ETH	DEE		
	5080 808AA	1	2, 3			ETH	DEE		
22		1	7, 8			ETH	DEE		GEAR, First
	5019 907AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
23	5010 059AA	1	7, 8			ETH	DEE		BEARING
		1	2, 3			ETH	DEE		
24									THRUST WASHER, First Gear
25	5010 064AA	1	2, 3			ETH	DEE		FORK, Transmission, Reverse
		1	7, 8			ETH	DEE		
	5012 128AA	1	2, 3			ETH	DEE		
26		1	7, 8			ETH	DEE		RING
	5012 127AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
27									SYNCHRONIZER, Reverse

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Main Shaft
Figure 5600-410

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	5080 810AA	1	2, 3			ETH	DEE		GEAR, Reverse
		1	7, 8			ETH	DEE		
	5019 887AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
29									BEARING, Reverse Synchronizer
	5017 924AA	1	2, 3			ETH	DEE		
30		1	7, 8			ETH	DEE		SLEEVE, Reverse
31	5012 129AA	1	2, 3			ETH	DEE		WASHER, Reverse Thrust
		1	7, 8			ETH	DEE		
	5012 131AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
32									BEARING CUP, Output Shaft
	5003 580AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
33									BEARING CONE, Output Shaft
	5010 065AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-34									SNAP RING PACKAGE, Mainshaft
	5011 352AA-	1	2, 3			ETH	DEE		
35		1	7, 8			ETH	DEE		NUT, Locking
	5012 133AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-36									BEARING CONE, Output Shaft
	5010 065AA-	1	7, 8			ETH	DEE		
		1	2, 3			ETH	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Gear Train - 5600 6 Speed (DEE) Counter Shaft **Figure 5600-420**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel


1	5012 124AA	1	2, 3			ETH	DEE		CONE ASSEMBLY, Countershaft Reverse
		1	7, 8			ETH	DEE		Reverse
2	5012 122AA	1	2, 3			ETH	DEE		GEAR, Countershaft, Reverse
		1	7, 8			ETH	DEE		
3	5012 123AA	1	2, 3			ETH	DEE		SLEEVE, Reverse
		1	7, 8			ETH	DEE		
4	5003 581AA	1	2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	7, 8			ETH	DEE		[Timken NP882000]
5									CONE ASSEMBLY, Countershaft, Center
	5010 076AA	1	2, 3			ETH	DEE		Center
		1	7, 8			ETH	DEE		Center
6									COUNTERSHAFT, Serviced w/ Bearing
	5073 361AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
7	5012 111AA	1	2, 3			ETH	DEE		BEARING, Countershaft
		1	7, 8			ETH	DEE		
8									THRUST WASHER, Second And Third Gear
	5019 908AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
9	5019 909AA	1	2, 3			ETH	DEE		GEAR, Third
		1	7, 8			ETH	DEE		
10	5019 886AA	4	2, 3			ETH	DEE		CONE, Input Shaft
		6	7, 8			ETH	DEE		
11	5010 054AA	2	2, 3			ETH	DEE		RING, Blocker
		2	7, 8			ETH	DEE		
12	5080 809AA	1	2, 3			ETH	DEE		SYNCHRONIZER, Third and Fourth

DODGE RAM QUAD CAB/CLUB CAB (BE)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train - 5600 6 Speed (DEE) Counter Shaft Figure 5600-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ETH	DEE		
13	4741 136	3	2, 3			ETH	DEE		BALL, Shift Lever, M5
		3	7, 8			ETH	DEE		
14									KEY, Synchronizer
	5010 056AA	3	2, 3			ETH	DEE		
		3	7, 8			ETH	DEE		
15									SPRING, Synchronizer
	5012 350AA	3	2, 3			ETH	DEE		
		3	7, 8			ETH	DEE		
16									SLEEVE, Fourth Gear
	5010 071AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
17									GEAR, Fourth
	5019 904AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
18									GEAR, Countershaft, Sixth
	5010 074AA	1	2, 3			ETH	DEE		Sixth
		1	7, 8			ETH	DEE		Sixth
19									GEAR, Countershaft, Input
	5010 073AA	1	2, 3			ETH	DEE		Input
		1	7, 8			ETH	DEE		Input
20									CONE ASSEMBLY, Countershaft, Front
	5010 075AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-21									SNAP RING PACKAGE, Countershaft
	5011 358AA-	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
22									WASHER, Idler Gear
	5012 118AA	2	2, 3			ETH	DEE		
		2	7, 8			ETH	DEE		
23									GEAR, Idler
	5012 121AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
24									BEARING, Idler
	5012 119AA	2	2, 3			ETH	DEE		
		2	7, 8			ETH	DEE		
25									SPACER, Idler
	5012 120AA	1	2, 3			ETH	DEE		

SERIES LINE
L = Ram Truck (All) 2, 7 = 2500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train - 5600 6 Speed (DEE) Counter Shaft Figure 5600-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ETH	DEE		
26	5012 117AA	1	2, 3			ETH	DEE		SHAFT, Idler
		1	7, 8			ETH	DEE		
-27									SLINGER, Oil
	5010 067AA-	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DGO = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Rails - 5600 6 Speed (DEE) Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETH] = 5.9L Cummins Turbo Diesel									
1	5010 078AA	1	2, 3			ETH	DEE		RAIL, Shift
		1	7, 8			ETH	DEE		
2	5010 086AA	1	2, 3			ETH	DEE		SOCKET, Shift Shaft
		1	7, 8			ETH	DEE		
3	4741 139	1	2, 3			ETH	DEE		PIN, Shift Shaft
		1	7, 8			ETH	DEE		
-4	4761 094	1	2, 3			ETH	DEE		DETENT, Valve Body
		1	7, 8			ETH	DEE		
-5	5012 137AA-	1	2, 3			ETH	DEE		SPRING, Detent
		1	7, 8			ETH	DEE		
-6	4740 904	1	2, 3			ETH	DEE		PIN, Detent
		1	7, 8			ETH	DEE		
7	5010 090AA	1	2, 3			ETH	DEE		FORK, Third and Fourth
		1	7, 8			ETH	DEE		
8	5010 083AA	1	2, 3			ETH	DEE		PIN, Roll
		1	7, 8			ETH	DEE		
9	5010 091AA	1	2, 3			ETH	DEE		FORK, First and Second
		1	7, 8			ETH	DEE		
10	5010 079AA	1	2, 3			ETH	DEE		RAIL, Shift
		1	7, 8			ETH	DEE		
11	5010 082AA	1	2, 3			ETH	DEE		PIN, Roll
		1	7, 8			ETH	DEE		
-12	5010 088AA-	1	2, 3			ETH	DEE		BLOCKER, Shift
		1	7, 8			ETH	DEE		
-13	5010 089AA-	1	2, 3			ETH	DEE		GATE, Gearshift Rod

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Rails - 5600 6 Speed (DEE) Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ETH	DEE		
14	5010 097AA	1	2, 3			ETH	DEE		RAIL, Reverse Shift, Rail and Gate Served in Assembly
		1	7, 8			ETH	DEE		
15	5012 128AA	1	2, 3			ETH	DEE		FORK, Transmission, Reverse
		1	7, 8			ETH	DEE		
16	5010 093AA	1	2, 3			ETH	DEE		FORK, Fifth Shift
		1	7, 8			ETH	DEE		
17	5016 173AA	1	2, 3			ETH	DEE		ARM, Transmission Shift
		1	7, 8			ETH	DEE		
-18	5010 084AA-	1	2, 3			ETH	DEE		PIN, Shift Shaft
		1	7, 8			ETH	DEE		
19	5010 095AA	1	2, 3			ETH	DEE		BRACKET, Shift Fork
		1	7, 8			ETH	DEE		
20	5010 096AA	2	2, 3			ETH	DEE		BOLT, M8
		2	7, 8			ETH	DEE		
-21	5010 085AA-	1	2, 3			ETH	DEE		PIN, Shift Shaft Roller
		1	7, 8			ETH	DEE		Roller
-22	5012 135AA-	2	2, 3			ETH	DEE		ROLLER, Transmission Shift Shaft
		2	7, 8			ETH	DEE		Shift Shaft
-23	5013 419AA-	13	2, 3			ETH	DEE		BOLT, Hex Head, M8
		13	7, 8			ETH	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift- 5600 6 Speed [DEE] Figure 5600-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETH] = 5.9L Cummins Turbo Diesel Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
1	5012 139AA	1	2, 3			ETH	DEE		LEVER, Gearshift
		1	7, 8			ETH	DEE		
2	5003 213AA	4	2, 3			ETH	DEE		BOLT
		4	7, 8			ETH	DEE		
3	5003 212AA	4	2, 3			ETH	DEE		BUSHING, Gearshift Lever
		4	7, 8			ETH	DEE		
4	5003 214AA	1	2, 3			ETH	DEE		SPACER, Shift Tower
		1	7, 8			ETH	DEE		
5	5210 7612	1					DBB		LEVER, Gearshift
6	5210 4174	1					DBB		KNOB, Gearshift
7	5210 8192	1				ET0	DEE		INSERT, Transmission Shift Knob
8	6502 556	1					DBB		NUT, Hex, M10-1.5
9	52107 614AC	1					DBB		BOOT, Gear Shift Lever
10	52107 613AB	1					DBB		BOOT, Gear Shift Lever
11	5EZ5 4LAZ	1					DBB		CONSOLE, Floor
									[Agate]
	5EZ5 4RC8	1					DBB		[Dark Mist Gray]
	5EZ5 4VK9	1					DBB		[Dark Tan]
12									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 241

Transfer Case Model 241 [DHE, DHG, DHH]




GROUP 241 - Transfer Case Model 241 [DHE, DHG, DHH]

Illustration Title	Group-Fig. No.
Transfer Case Assembly	
Transfer Case [DHH][DHG] Shift on the Fly	Fig. 241-110
Case and Related Parts	
Case and Related Parts [DHH][DHG] Shift on the Fly.	Fig. 241-210
Gear Train	
Gear Train [DHH][DHG] Shift on the Fly	Fig. 241-410
Fork and Rails	
Forks (DHH)(DHG) Shift on the Fly	Fig. 241-910
Gearshift Controls	
Controls (DHH)(DHG) Shift on the Fly	Fig. 241-1210

<div><div>241-100</div><div>Transfer Case Assembly</div><div></div></div>	<div><div>241-200</div><div>Case and Related Parts</div><div></div></div>	<div><div>241-400</div><div>Gear Train</div><div></div></div>	<div><div>241-900</div><div>Fork and Rails</div><div></div></div>
<div><div>241-1200</div><div>Gearshift Controls</div><div></div></div>			

Transfer Case [DHH][DHG] Shift on the Fly
Figure 241-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DDP] = 5 Speed Manual Transmission
[DDX] = 5 Speed Heavy Duty Manual Transmission
[DEE] = 6 Speed Heavy Duty Manual Transmission
[DG0] = All Automatic Transmissions
[EM0] = All 5.9L 8 Cylinder Gas Engines
[ET0] = All 5.9L Turbo Diesels
[EW0] = All 8.0L Gas Engines


1	TRANSFER CASE, NP241								
	52105 024AC	1	7, 8			ET0, EW0	DDX, DEE		Thru 11/20/01
		1	7, 8			EM0	DDP		Thru 11/20/01
	52105 025AC	1	7, 8				DG0		Thru 11/20/01
	52105 024AD	1	7, 8			ET0, EW0	DDX, DEE		From 11/21/01
		1	7, 8			EM0	DDP		From 11/21/01
	52105 025AD	1	7, 8				DG0		From 11/21/01
-2	TRANSFER CASE, NP241 HD								
	52105 027AC-	1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty Thru 11/20/01
		1	7, 8			EM0	DDP		Heavy Duty Thru 11/20/01
	52105 028AC-	1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty Thru 11/20/01
	52105 027AD-	1	7, 8			ET0, EW0	DDX, DEE		From 11/21/01
		1	7, 8			EM0	DDP		From 11/21/01
	52105 028AD-	1	7, 8			EM0, ET0, EW0	DG0		From 11/21/01

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[DGO] = All Automatic Transmissions									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesels									
[EW0] = All 8.0L Gas Engines									
1	CASE, Transfer Front								
	5015 446AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DGO		W/[52105028AC]
	5015 449AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DGO		W/[52105025AC]
	5015 446AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DGO		W/[52105028AD]
						ET0, EW0			
	5015 449AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DGO		W/[52105025AD]
2	STUD								
	4746 253	6	7, 8			EM0, ET0, EW0	DGO		W/[52105028AC]
		6	7, 8			EM0	DDP		W/[52105027AC]
		6	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		6	7, 8				DGO		W/[52105025AC]
		6	7, 8			EM0	DDP		W/[52105024AC]
		6	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DGO = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly.
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		6	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
3	4219 065	1	7, 8						SNAP RING, Annulus Gear W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105027AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
4	4797 550	1	7, 8						CASE, Transfer Rear W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Case and Related Parts [DHH][DHG] Shift on the Fly.
Figure 241-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
5	4897 980AA	1	7, 8				DG0		EXTENSION, Transfer Case Thru 11/20/01
		1	7, 8			ET0, EW0	DDX, DEE		Thru 11/20/01
		1	7, 8			EM0	DDP		Thru 11/20/01
		1	7, 8			ET0, EW0	DDX, DEE		From 11/21/01
		1	7, 8			EM0	DDP		From 11/21/01
6	5072 895AA	1	7, 8				DG0		From 11/21/01 RETAINER, Transfer Case Rear W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
7	5018 919AA	1	7, 8			ET0, EW0			PLUG W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
						ET0, EW0	DDX, DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly.
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
8	5080 069AA	1	7, 8				DG0		EXTENSION, Transfer Case W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
9	4210 617	1	7, 8			ET0, EW0	DDX, DEE		BOLT, Transfer Case W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		12	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		7	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		12	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		7	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
10						ET0, EW0			BOLT, Retainer

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 051AA	4	7, 8			ET0,	DDX,		W/[52105024AD]
		4	7, 8			EW0	DEE		
		4	7, 8			EM0	DDP		W/[52105024AD]
		4	7, 8				DG0		W/[52105025AD]
	6501 371	4	7, 8			EM0,	DG0		W/[52105028AC]
		4	7, 8			ET0,			
		4	7, 8			EW0	DDP		W/[52105027AC]
		4	7, 8			ET0,	DDX,		W/[52105027AC]
		4	7, 8			EW0	DEE		
		4	7, 8				DG0		W/[52105025AC]
		4	7, 8			EM0	DDP		W/[52105024AC]
		4	7, 8			ET0,	DDX,		W/[52105024AC]
		4	7, 8			EW0	DEE		
		4	7, 8			ET0,	DDX,		W/[52105027AD]
		4	7, 8			EW0	DEE		
		4	7, 8			EM0	DDP		W/[52105027AD]
		4	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
11	6033 172	6	7, 8						NUT AND WASHER, Hex, .375-24
12									SEAL, Output Shaft
	5072 896AA	1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
	5019 026AA	1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
	5086 054AA	1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

2, 7 = 2500

3, 8 = 3500

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo Disl

EML,EM0 = Magnum 5.9L V8

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual


DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly.
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4796 910	1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			ET0, EW0	DDX, DEE		VENT, Transfer Case W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		W/[52105027AD]
14	4338 943	1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0,	DG0		W/[52105028AD]
						EW0			
									FILTER, Transfer Case Oil W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly.
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4338 944	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		CONNECTOR, Oil Tube Pickup W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8						TUBE, Oil Pickup
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
16	8350 3523	1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8						
		1	7, 8						
		1	7, 8						
		1	7, 8						
		1	7, 8						
		1	7, 8						

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
17									SEAL, Oil
	4338 942	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
18									MAGNET, Transmission
	3681 601	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
19	4856 641	1	7, 8			ET0, EW0	DDX, DEE		PLUG, Oil Fill W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		2	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		2	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		2	7, 8			EM0, EW0	DG0		W/[52105028AD]
20	5300 1101	1	7, 8			ET0, EW0	DDX, DEE		SWITCH, Transfer Case Mode W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
	J813 4473	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
21	4338 956	1	7, 8			ET0,	DDX,		SEAL, Vacuum Switch W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
22									SCREW
	4886 473AA	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
23									SPRING, Poppet
	4798 257	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
24									PLUNGER
	5300 8217	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
25	4210 983	2	7, 8						WASHER, Flat W/[52105024AC]
		2	7, 8			EM0	DDP		W/[52105024AC]
		2	7, 8				DG0		W/[52105025AC]
		2	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		2	7, 8			EM0	DDP		W/[52105027AC]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		2	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		2	7, 8			EM0	DDP		W/[52105024AD]
		2	7, 8				DG0		W/[52105025AD]
		2	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		2	7, 8			EM0	DDP		W/[52105027AD]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
26	4210 614	1	7, 8						BOLT, Hex Flange Head W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Case and Related Parts [DHH][DHG] Shift on the Fly.
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
27	0556 875	1	7, 8			ET0, EW0	DDX, DEE		COVER, Power Take Off W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
28	4637 851	1	7, 8			ET0, EW0	DDX, DEE		BOLT, Transfer Case W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
29						ET0, EW0			STUD

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly. Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
4746	253	6	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]	
		6	7, 8			EM0	DDP		W/[52105024AC]	
		6	7, 8				DG0		W/[52105025AC]	
		6	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]	
		6	7, 8			EM0	DDP		W/[52105027AC]	
		6	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]	
		6	7, 8			EW0 ET0, EW0	DDX, DEE		W/[52105024AD]	
		6	7, 8			EM0	DDP		W/[52105024AD]	
		6	7, 8				DG0		W/[52105025AD]	
		6	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]	
		6	7, 8			EM0	DDP		W/[52105027AD]	
		6	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]	
		30								BOLT, Transfer Case
		4210	617	7	7, 8		ET0, EW0	DDX, DEE		W/[52105027AC]
				7	7, 8		EM0	DDP		W/[52105027AC]
				7	7, 8		ET0, EW0	DDX, DEE		W/[52105027AD]
				7	7, 8		EM0	DDP		W/[52105027AD]
				7	7, 8		EM0, ET0, EW0	DG0		W/[52105028AD]
				7	7, 8		EM0, ET0, EW0	DG0		W/[52105028AC]
				12	7, 8			DG0		W/[52105025AC]
		12	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]	
		12	7, 8			EM0	DDP		W/[52105024AC]	
		12	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]	
		12	7, 8			EM0	DDP		W/[52105024AD]	
		12	7, 8				DG0		W/[52105025AD]	
31									GASKET, Rear Oil Seal Retainer	


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts [DHH][DHG] Shift on the Fly.
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4856 645	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDP] = 5 Speed Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DEE] = 6 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesels

[EW0] = All 8.0L Gas Engines

1								SNAP RING	
	3821 558	1	7, 8			EM0, ET0, EW0	DG0	W/[52105028AC]	
		1	7, 8			EM0	DDP	W/[52105027AC]	
		1	7, 8			ET0, EW0	DDX, DEE	W/[52105027AC]	
		1	7, 8				DG0	W/[52105025AC]	
		1	7, 8			EM0	DDP	W/[52105024AC]	
		1	7, 8			ET0, EW0	DDX, DEE	W/[52105024AC]	
		1	7, 8			ET0, EW0	DDX, DEE	W/[52105024AD]	
		1	7, 8			EM0	DDP	W/[52105024AD]	
		1	7, 8				DG0	W/[52105025AD]	
		1	7, 8			ET0, EW0	DDX, DEE	W/[52105027AD]	
		1	7, 8			EM0	DDP	W/[52105027AD]	
		1	7, 8			EM0, ET0, EW0	DG0	W/[52105028AD]	
2								SNAP RING	
	4338 910	1	7, 8			ET0, EW0	DDX, DEE	W/[52105024AC]	
		1	7, 8			EM0	DDP	W/[52105024AC]	
		1	7, 8				DG0	W/[52105025AC]	
		1	7, 8			ET0, EW0	DDX, DEE	W/[52105027AC]	
		1	7, 8			EM0	DDP	W/[52105027AC]	
		1	7, 8			EM0, ET0, EW0	DG0	W/[52105028AC]	

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
3	4746 127	1	7, 8						BEARING, Input Shaft W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
4	4338 909	1	7, 8						RING W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
5									THRUST WASHER, Planetary Carrier
	4338 908	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
6									GEAR, Input
	4797 029	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AC]
	5015 447AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8				DG0		W/[52105025AC]
	4797 029	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
	5015 447AA	1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
7									BEARING, Input Shaft
	4746 127	1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
							DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
8									PLANETARY, Transfer Case
	4797 030AB	1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4797 032	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
	4797 030AB	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
	4797 032	1	7, 8			ET0, EW0	DDX, DEE		W/[52105025AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
9									SNAP RING, Mainshaft
	4746 128	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
10									SPRING, Synchronizer
	4746 138	2	7, 8			ET0, EW0	DDX, DEE		
		2	7, 8			EM0	DDP		
		2	7, 8				DG0		
		2	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		2	7, 8			EM0	DDP		Heavy Duty
		2	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
11									KEY, Synchronizer

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 137	3	7, 8			ET0,	DDX,		
		3	7, 8			EW0	DEE		
		3	7, 8			EM0	DDP		
		3	7, 8				DG0		
		3	7, 8			ET0,	DDX,		Heavy Duty
		3	7, 8			EW0	DEE		
		3	7, 8			EM0	DDP		Heavy Duty
		3	7, 8			EM0,	DG0		Heavy Duty
						ET0,			
12						EW0			SLEEVE, Synchronizer
	4746 144	1	7, 8			ET0,	DDX,		
						EW0	DEE		
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0,	DDX,		Heavy Duty
						EW0	DEE		
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0,	DG0		Heavy Duty
						ET0,			
						EW0			
13									RING, Blocker
	4746 139	1	7, 8			ET0,	DDX,		
						EW0	DEE		
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0,	DDX,		Heavy Duty
						EW0	DEE		
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0,	DG0		Heavy Duty
						ET0,			
						EW0			
14									SPROCKET, Transfer Case
	4746 142	1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
	4746 256	1	7, 8			ET0,			
						EW0			
						ET0,	DDX,		W/[52105024AC]
						EW0	DEE		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DEB = All Manual Transmissions

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
	5086 050AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
	5086 053AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
15									CHAIN, Transfer Case
	4746 147	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
	4746 257	1	7, 8				DG0		W/[52105025AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
	4746 147	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
	4746 257	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
16									MAINSHAFT, Transfer Case
	5080 068AA	1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			EM0	DDP		W/[52105024AD]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions


Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
	5086 052AA	1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
17		1	7, 8			EM0	DDP		W/[52105027AD]
	4210 603	1	7, 8			ET0, EW0	DDX, DEE		SEAL, Main Shaft W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
18		1	7, 8						PUMP, Transfer Case Oil
	4338 936	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
	4883 596AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
	4338 936	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
	4883 596AA	1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]


DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DEB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4856 643	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, DDX, DEE			SNAP RING, Output Bearing W/[52105027AC]
		1	7, 8			EM0 DDP			W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, DDX, DEE			W/[52105027AD]
		1	7, 8			EM0 DDP			W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			EM0, ET0, EW0	DG0		BEARING, Output Shaft W/[52105028AD]
		1	7, 8			ET0, DDX, DEE			W/[52105027AC]
		1	7, 8			EM0 DDP			W/[52105027AC]
20	4883 601AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, DDX, DEE			W/[52105027AC]
		1	7, 8			EM0 DDP			W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, DDX, DEE			W/[52105027AD]
		1	7, 8			EM0 DDP			W/[52105027AD]
		1	7, 8			ET0, DDX, DEE			W/[52105024AC]
		1	7, 8			EM0 DDP			W/[52105024AC]
		1	7, 8			EM0 DDP	DG0		W/[52105025AC]
		1	7, 8			ET0, DDX, DEE			W/[52105024AD]
21	4897 981AA	1	7, 8			EM0 DDP			W/[52105024AC]
		1	7, 8			EM0 DDP	DG0		W/[52105025AC]
		1	7, 8			ET0, DDX, DEE			W/[52105024AD]
		1	7, 8			EM0 DDP			W/[52105024AD]
		1	7, 8			EM0 DDP	DG0		W/[52105025AD]
		1	7, 8			ET0, DDX, DEE			W/[52105024AD]
		1	7, 8			EM0 DDP			W/[52105024AD]
		1	7, 8			EM0 DDP	DG0		W/[52105025AD]
		2	7, 8			ET0, DDX, DEE			SNAP RING W/[52105027AC]
		2	7, 8			EM0 DDP			W/[52105027AC]


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		2	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		2	7, 8			EM0	DDP		W/[52105027AD]
	4897 982AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
22	4269 189	1	7, 8			ET0, EW0	DDX, DEE		BEARING, Output Shaft W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
23	4746 145	1	7, 8			ET0, EW0	DDX, DEE		SPROCKET, Driven W/[52105027AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DDB = All Manual Transmissions


Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
4746 259		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
4746 145		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
4746 259		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
24		1	7, 8				DG0		W/[52105025AD]
8350 3517		1	7, 8				DG0		OUTPUT SHAFT, Transfer Case W/[52105025AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
-25		1	7, 8						SHAFT, Output W/[52105027AC]
4746 146		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
26									SNAP RING, Bearing

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DDB = All Manual Transmissions


Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4167 991	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
27									SEAL, Output Shaft
	4798 125	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
28									YOKE, Transfer Case Output

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4897	983AA	1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105024AD]
						ET0,	DEE		
		1	7, 8			EW0	DDP		W/[52105024AD]
29	4210 973						DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
						ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
30						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
30									NUT, Transfer Case Yoke

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4167 924	1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0			
						ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
31								HUB, Synchronizer	
	4746 143	1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
	1	7, 8			EM0	DDP		W/[52105027AD]	
	1	7, 8			EM0,	DG0		W/[52105028AD]	
					ET0,				
					EW0				
32								SLEEVE, Range Fork	

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 129	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
	4797 013	1	7, 8			EM0, ET0, EW0	DDP, DDX, DEE		W/[52105027AC] W/[52105024AD]
	4897 955AA	1	7, 8			EM0	DDP		W/[52105024AD]
	4897 994AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105025AC] W/[52105028AC]
	4746 129	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
	4797 013	1	7, 8			EM0	DDP		W/[52105027AD]
	4897 955AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
	4897 994AA	1	7, 8			EM0	DDP		W/[52105024AC]
	4897 994AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105025AD] W/[52105028AD]
33									HUB, Synchronizer Range
	4746 130	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
34									SEAL, Input Gear
	5019 020AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Gear Train [DHH][DHG] Shift on the Fly
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
35	4338 973	1	7, 8			ET0, EW0	DDX, DEE		EXTENSION, Transfer Case W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
36	6500 318	4	7, 8						BOLT
		4	7, 8			ET0, EW0	DDX, DEE		
		4	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		4	7, 8			EM0	DDP		Heavy Duty

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES L = Ram Truck (All)	LINE 2, 7 = 2500 3, 8 = 3500	BODY 33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ENGINE ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	TRANSMISSION DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions
-------------------------------	------------------------------------	--	--	---

Figure 241-410

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG) Shift on the Fly
Figure 241-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes


- [DDP] = 5 Speed Manual Transmission
[DDX] = 5 Speed Heavy Duty Manual Transmission
[DEE] = 6 Speed Heavy Duty Manual Transmission
[DG0] = All Automatic Transmissions
[EM0] = All 5.9L 8 Cylinder Gas Engines
[EW0] = All 8.0L Gas Engines
[EW0] = All 8.0L Gas Engines

1						FORK, Range	
	4798 136	1	7, 8		ET0, EW0	DDX, DEE	W/[52105024AC]
		1	7, 8		EM0	DDP	W/[52105024AC]
		1	7, 8			DG0	W/[52105025AC]
		1	7, 8		ET0, EW0	DDX, DEE	W/[52105027AC]
		1	7, 8		EM0	DDP	W/[52105027AC]
		1	7, 8		EM0,	DG0	W/[52105028AC]
		1	7, 8		ET0, EW0		
		1	7, 8		ET0, EW0	DDX, DEE	W/[52105024AD]
		1	7, 8		EM0	DDP	W/[52105024AD]
		1	7, 8			DG0	W/[52105025AD]
		1	7, 8		ET0, EW0	DDX, DEE	W/[52105027AD]
		1	7, 8		EM0	DDP	W/[52105027AD]
		1	7, 8		EM0, ET0, EW0	DG0	W/[52105028AD]
2						FORK, Mode	
	4746 136	1	7, 8		ET0, EW0	DDX, DEE	W/[52105024AC]
		1	7, 8		EM0	DDP	W/[52105024AC]
		1	7, 8			DG0	W/[52105025AC]
		1	7, 8		ET0, EW0	DDX, DEE	W/[52105027AC]
		1	7, 8		EM0	DDP	W/[52105027AC]
		1	7, 8		EM0, ET0, EW0	DG0	W/[52105028AC]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Forks (DHH)(DHG) Shift on the Fly
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
3	4167 969	2	7, 8			ET0, EW0	DDX, DEE		PAD, Shift Fork
		2	7, 8			EM0	DDP		
		2	7, 8				DG0		
		2	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		2	7, 8			EM0	DDP		Heavy Duty
		2	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
4	4746 140	1	7, 8			ET0, EW0	DDX, DEE		PAD, Shift Fork
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
5	8350 3515	1	7, 8			ET0, EW0	DDX, DEE		CUP, Shift Fork Spring
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG) Shift on the Fly
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	0013 816	1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
		1	7, 8			ET0, EW0	DDX, DEE		SPRING, Mode Fork
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DDP DG0		Heavy Duty Heavy Duty
7	4897 962AA	1	7, 8			ET0, EW0	DDX, DEE		SECTOR, Transfer Case
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
8	5086 049AA	1	7, 8			ET0, EW0	DDX, DEE		[52105024AD]
		1	7, 8			EM0	DDP		[52105024AD]
		1	7, 8				DG0		[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		[52105027AD]
		1	7, 8			EM0	DDP		[52105027AD]
		1	7, 8						WASHER, (NOT SERVICED) (Not Serviced)
9	4167 964	1	7, 8			ET0, EW0	DDX, DEE		SEAL, O-Ring
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks (DHH)(DHG) Shift on the Fly
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
10									SEAL, O-Ring
	4167 963	1	7, 8			ET0, EW0	DDX, DEE		
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0,	DG0		Heavy Duty
						ET0, EW0			
11									LEVER, Transfer Case
	4897 959AA	1	7, 8			ET0, EW0	DDX, DEE		
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0,	DDX,		Heavy Duty
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
12									NUT
	0152 345	1	7, 8			ET0, EW0	DDX, DEE		
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
13									GROMMET, Shift Lever
	3467 791	1	7, 8			ET0, EW0	DDX, DEE		
		1	7, 8			EM0	DDP		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 241-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0,	DG0		Heavy Duty
						ET0, EW0			

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls (DHH)(DHG) Shift on the Fly Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[DG0] = All Automatic Transmissions									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesels									
[EW0] = All 8.0L Gas Engines									
1	52105 214AF	1	7, 8						SHIFTER, Transfer Case
2	6101 467	2	7, 8						NUT, Hex Flange, M8x1.25
3	4338 909	1	7, 8			ET0, EW0	DDX, DEE		RING
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
4	6502 064	2	7, 8						SCREW, Tapping, M6x1x20
5									BOLT, Hex Head, (NOT SERVICED) (Not Serviced)
6									LEVER, Transfer Case
	4897 959AA	1	7, 8			ET0, EW0	DDX, DEE		
		1	7, 8			EM0	DDP		
		1	7, 8				DG0		
		1	7, 8			ET0, EW0	DDX, DEE		Heavy Duty
		1	7, 8			EM0	DDP		Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		Heavy Duty
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	7, 8				DG0		[Agate]
	5FB39 RC8AB	1	7, 8				DG0		[Dark Mist Gray]
	5FB39 VK9AB	1	7, 8				DG0		[Dark Tan]
8	52105 059AB	1	7, 8						BOOT, Gearshift
9	5210 4174	1	7, 8						KNOB, Gearshift


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls (DHH)(DHG) Shift on the Fly
Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	6502 556	1	7, 8						NUT, Hex, M10-1.5
11	5210 5001	1	7, 8						INSERT, Gearshift Knob
12									ROD, Gear Shift Control, Transfer Case
	5210 5006	1	7, 8				DG0		
		1	7, 8				DDP, DDX		
	5210 5213	1	7, 8				DEE		
13									SWIVEL, Gearshift Control Rod
	3467 790	1	7, 8				DG0		
		1	7, 8				DDP, DDX		
14									CLAMP, Shift Rod
	4377 309	1	7, 8				DG0		
		1	7, 8				DDP, DDX		
15	0181 086	1							BOLT, Hex Head, .312-18x.75
16	52020 357AA	1	7, 8						CROSSMEMBER, Skid Plate
17	52058 674AD	1	7, 8						SKID PLATE, Front
18	6101 340	2	7, 8						U-NUT, M10-1.50

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 022

Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.

Wheels and Hardware

Wheels And Hardware Fig. 022-130

Wheel Covers and Center Caps


Caps And Covers, Wheel Fig. 022-230





Jack Stowage

Jack And Stowage Fig. 022-340

Spare Tire Stowage





Wheel, Spare Underslung Mounting Fig. 022-430



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	022-400 Spare Tire Stowage
			

Wheels And Hardware

Figure 022-130

 1	 2	 3	
			 4

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52113 156AA	6	3, 8		34				WHEEL, Steel, WDW, 16x6, Argent
2	5GE66 S4AAA	4	2, 7						WHEEL, Steel, WDV, 16x7.5, Argent
3	52106 367AA	4	2, 7						WHEEL, Aluminum, WDZ, 16x8, Forged Aluminum
4	6034 726	32	3, 8		34				NUT, Hex Flange, .56-18, with WDW wheel
5	2530 153	2	3, 8		34				STEM, Wheel Valve
	52057 949AB	1							
6	6034 727	32	2, 7						NUT, Hex, .516-18

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005





01700 070

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

September 16, 2005


Jack And Stowage
Figure 022-340

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									STRAP, Jack Storage
	5203 8254	1	3, 8		34				
	5203 8253	1	2, 7						
2									JACK, Screw Type
	52038 317AD	1	2, 7						
	52038 318AD	1	3, 8		34				
3									SCREW AND WASHER, .25-20x.75, (NOT SERVICED) (Not Serviced)
4									BRACKET, Jack
	5203 8376	2							Tool Storage
	55275 327AB	1							Jack Storage
5									BAG, Jack Tool Storage
	52020 344AA	1	2, 7						
		1	3, 8		34				
6									TOOL, Wrench Adapter
	52020 343AA	1	3, 8		34				
	52020 339AA	1	2, 7						
7									DRIVER, Jack Handle
	52020 330AC	1	3, 8		34				
		1	2, 7						
8									EXTENSION, Jack Handle
	52020 337AA	1	2, 7						
		1	3, 8		34				
9	5203 8377	2							STRAP, Jack Tool Storage



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Figure 022-430

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cum Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer	Fig. 23D-230



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
			

Lock Cylinders and Components
Figure 23D-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5003 845AA	1							CYLINDER, Ignition Lock
2	4778 125	1							LOCK CYLINDER, Door (Bright)/ Liftgate
3	4778 117	1							TUMBLER, Door and Deck Number 1, Wide
4	4778 118	1							TUMBLER, Door and Deck Number 2, Wide
5	4778 119	1							TUMBLER, Door and Deck Number 3, Wide
6	4778 120	1							TUMBLER, Door and Deck Number 4, Wide
7	5010 879AA	1							TUMBLER, Ignition Number 1, Sidebar
8	5010 880AA	1							TUMBLER, Ignition Number 2, Sidebar
9	5010 881AA	1							TUMBLER, Ignition Number 3, Sidebar
10	5010 882AA	1							TUMBLER, Ignition Number 4, Sidebar
11	5010 883AB	1							SPRING, Ignition Tumbler, Sidebar
12	4378 793	1							SPRING, Cylinder Return
13	4778 121	1							SPRING, Door and Deck Tumbler
14	4778 149	1							CAP, Door Lock Cylinder, Bright
15	4778 150	1							SHUTTER, Door, Deck and Liftgate, Bright
16	5018 701AB	1							KEY, Master
17	6026 125	1							CLIP, Retainer
18	5507 5824	1							LEVER, Door Lock Cylinder
19	56045 497AC	2							TRANSMITTER, Keyless Entry
20	8350 4802	2							BATTERY, Transmitter

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Windshield Wiper and Washer
Figure 23D-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55154 582AC	2							ARM, Wiper
2	55076 910AA	2							BLADE, Wiper, w/Refill
-3	4897 022AA-	2							REFILL, Wiper Blade
4	6100 568	1							BOLT AND WASHER, Implement Attaching
5	55076 549AH	1							MODULE, Wiper
6									MOTOR, Wiper, Serviced w/Wiper Module Assembly, (NOT SERVICED) (Not Serviced)
7									NUT, (NOT SERVICED) (Not Serviced)
8	55077 279AA	1							HOSE, Windshield Washer
9	4334 799	1							CHECK VALVE, Washer, 3/16
10	5515 4703	1							HOSE, Windshield Washer
11	J323 6813	1							CONNECTOR, Washer Hose, Y, 3/16
12	5515 4781	1							HOSE, Windshield Washer
13	5600 5414	2							NOZZLE, Washer, Windshield
14	4756 656	1							CAP, Washer Reservoir
15	5066 540AA	1							RESERVOIR, Washer
16	4334 568	2							GROMMET, Washer Reservoir
17	5515 5039	1							SENSOR, Washer Fluid Level
18	5515 4758	1							PUMP, Washer, Windshield

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 024

Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Air Conditioner And Heater Unit Fig. 024-160

Air Conditioner and Heater Plumbing

Plumbing Air Conditioning Fig. 024-220

Plumbing, Heater 5.9L Gas Engine Fig. 024-260

Plumbing, Heater 8.0L Engine Fig. 024-265

Plumbing, Heater Diesel Engine Fig. 024-267

Plumbing, Cabin Heater Diesel Engine Fig. 024-269

Plumbing, Air Conditioning Diesel Engine Fig. 024-280

Air Conditioner and Heater Controls

Controls Heater and Air Conditioning Fig. 024-310

Control, Air Conditioning Fig. 024-350

Air Conditioning Compressor

Compressor Fig. 024-410

Compressor, Air Conditioning Diesel Engine Fig. 024-440

Air Conditioning Compressor Mounting


Mounting, Compressor 5.9L Gas Engine Fig. 024-520







Mounting, Air Conditioning Compressor 8.0L Engine Fig. 024-525

Mounting, Compressor Diesel Engine Fig. 024-530


Air Ducts and Outlets

Air Ducts Fig. 024-630



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Air Conditioner And Heater Unit Figure 024-160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4886 383AA	1							HOUSING, Air Recirculating
2	5012 919AB	1							CASE, Heater And A/C Unit
3	5012 920AB	1							CASE, Heater And A/C Unit
4	4720 026	1							DOOR, Fresh Air
5	4886 070AB	1							ACTUATOR, Fresh Air Door
6	4720 029	1							CLIP, Fresh Air Door
7	4720 023	1							DOOR, Vent
8	4778 420	1							DOOR, Floor Defroster Duct
9	4882 286	1							ACTUATOR, Heater Door
10	4720 279AB	1							ACTUATOR, Heater
11	5012 923AB	1							COUPLING, Servo
12	5012 922AA	1							DOOR, A/C Temperature
13	5012 924AA	1							SERVO, A/C Temperature Door
14	4720 347	1							LEVER, A/C Floor Door Duct
15	4720 348	1							LEVER, A/C Vent Defrost Door
16	4720 278	1							RESISTOR, Blower Motor
17	5012 534AA	1							EVAPORATOR PACKAGE, Air Conditioning
18	4720 039	1							SEAL, Blower Motor
19	5015 866AA	1							MOTOR, Blower with Wheel
20	4720 009	1							BLOWER
21	5210 066	1							TUBE, A/C Motor Cooling
22	4720 037	1							SEAL, Evaporator Drain
23	4720 033	1							SEAL, Heater Tubes
24	4720 034	1							SEAL, Evaporator Tubes
25									U-NUT, Implement Mounting, (NOT SERVICED) (Not Serviced)
26	4720 533	20							SCREW, Heater Housing
27	4720 534	12							SCREW, Pan Head
28	4720 555	1							CLAMP, Heater Core
29	4720 028	1							CLIP, Heater Core
30	5011 724AA	1							COVER, A/C and Heater
31	4720 008	1							CORE, Heater
32	4720 031	1							RETAINER, Wiring Harness
33	5011 713AA	1							DUCT, A/C And Heater
34	4746 208AB	1							HARNESS, A/C And Heater Vacuum
35	5012 921AB	1							WIRING, Resistor Block Jumper
36	4720 032	4							STUD, A/C Heater Housing
37	4778 421	1							DOOR, Floor Defroster Duct
38	4778 415	1							INSULATOR, Air Conditioning
39	4746 884	1							BAFFLE, Air Inlet, without Air Conditioning

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 024-160

[illegible]

SERIES LINE

L = Ram Truck (All)

2, 7 :

$$33 = Q$$

34 = Quad Cab (154 WB)

ETC, ETC

ETH = 5.9LCumm HO Turbo Disl

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

DGP = 47RE 4 S

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual


DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning
 Figure 024-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code EML,EMM,EM0 = 5.9L Gas Engine									
Sales Code EWA,EW0 = 8.0L Gas Engine									
Sales Code ETC,ET0 = 5.9L Diesel Engine									
Sales Code ELF,EL0 = 5.2L Gas Engine									
1	55055 838AE	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator
3	55055 830AA	1				EM0			LINE, A/C Suction & Discharge
	55055 832AA	1				EW0			
4	5010 432AA	1				EM0			BRACKET, A/C Line
5	4596 152	2				EM0, EW0			CLIP, A/C Quick Disconnect
6	55055 835AB	1				EM0, EW0			LINE, A/C Liquid
7	5503 6022	1	7, 8						CLIP, A/C Liquid Line
8	4897 617AA	1				EW0			SWITCH, A/C High Pressure Cut Off
		1				EM0			
9	5015 805AA	1				EM0, EW0			O RING, High Pressure
10	55055 824AB	1				EM0, EW0			CONDENSER, Air Conditioning
11									SCREW, (NOT SERVICED) (Not Serviced)
12	55036 206AD	1							BAND, Accumulator Retaining
13	4761 737AC	2				EM0			O RING, A/C Suction Line
		2				EW0			
14	4728 705	1							O RING, Low Pressure Cutout Switc
15	5018 449AA	1							SWITCH, A/C Cycling
-16	55056 130AA-	1							LABEL, Air Conditioning System

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Heater 5.9L Gas Engine
Figure 024-260




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EH0 = 3.9L Gas Engine
Note: Sales Code ELF = Magnum 5.2L SMPI V8 Engine
Note: Sales Code EL0 = 5.2L Gas Engine
Note: Sales Code EM0 = 5.9L Gas Engine

1	4741 932AB	1				EM0			HOSE, 5/8" I.D. 50 Foot Roll
2	55036 503AD	1				EM0			HOSE, Heater
3	55036 413AB	1				EM0			HOSE, Heater
4	6502 017	1				EM0			CLAMP, Heater Hose
5	5503 6160	1				EM0			TUBE, Water Pump Inlet
6	4740 906	1				EM0			O RING, Tube Assy, Heater Return
-7	55056 105AA-	1				EM0			CLIP, Heater Hose

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Plumbing, Heater 8.0L Engine
Figure 024-265



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Code EW0 = 8.0L Gas Engine

1	5503 6776	1				EW0			HOSE, Heater Return
-2	4637 938	1				EW0			SLEEVE, Heater Hose
3	5503 6777	1				EW0			HOSE, Heater Supply
-4	4637 938	1				EW0			SLEEVE, Heater Hose
5	5503 6415	1				EW0			HOSE AND TUBE, Thermostat
6	5503 6056	1				EW0			CLIP, Heater Hose
-7	6032 878	2							STUD, .312-18x2.00
8	5503 6735	1				EW0			CLIP, Heater Hose
9	5505 5328	1				EW0			HOSE, Heater
10	6502 017	6				EW0			CLAMP, Heater Hose

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummi Diesel ETH = 5.9LCummi HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Plumbing, Heater Diesel Engine
Figure 024-267




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
ETC = 5.9L Cummins 24V Diesel Engine									
ETH = 5.9L HO Cummins Turbo Diesel Engine									
ET0 = 5.9L Diesel Engine									
EW0 = All 8.0L Gas Engines									
1	4429 114	3				ETC			SCREW, Hex Flange Head
		3				ETH			
2	4429 089	2				ETC			CLAMP, Tube Retaining
3	4429 631	6				ETC			SCREW, Hex Head
		6				ETH			
4									TUBE, Heater
	5014 191AA	1				ETC			
		1				ETH			
5	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			
6	5011 901AC	1				ETC			COUPLING, Hose
		1				ETH			
7									CLAMP, Oil Cooler, (NOT SERVICED) (Not Serviced)
8	4429 689	1				ETC			NUT, Hex Flange
9									HOSE, Transmission Oil Cooler, 04638704, (NOT SERVICED) (Not Serviced)
10	5011 901AC	1				ETC			COUPLING, Hose
		1				ETH			
11	4429 812	1				ETC			ELBOW, Oil Cooler Hose
12	55036 506AB	1				ET0			HOSE, Heater
13	5503 6776	1				EW0			HOSE, Heater Return

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Cabin Heater Diesel Engine
 Figure 024-269



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

ETC = 5.9L Cummins 24V Diesel Engine

ETH = 5.9L HO Cummins Turbo Diesel Engine

ET0 = 5.9L Diesel Engine

1									PLUG, Pipe
	4429 369	1				ETC			
		1				ETH			
2	4429 862	1				ETC			NUT, Hex Flange, M10x1.5
		1				ETH			
3	4429 976	1				ETC			COUPLING, Elbow Hose
		1				ETH			
4	5011 409AA	1				ETC			HOSE, Oil Cooler
		1				ETH			
5	5011 900AA	2				ETC			CLAMP, Heater
		2				ETH			
6	5011 901AC	1				ETC			COUPLING, Hose
		1				ETH			
7	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code ET0 = 5.9L Diesel Engine									
1	55055 838AE	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator
3	55055 833AD	1				ET0			LINE, A/C Suction & Discharge
-4	4897 617AA-	1				ET0			SWITCH, A/C High Pressure Cut Off
-5	4728 705	1							O RING, Low Pressure Cutout Switc
6	55055 834AB	1				ET0			LINE, A/C Liquid
7	5503 6022	1	7, 8						CLIP, A/C Liquid Line
8	55055 825AB	1				ET0			CONDENSER, Air Conditioning
9	6502 885	1				ET0			SCREW AND WASHER, Hex Head, M6x1x18.5
10	6100 048	2				ET0			NUT, Hex, M6x1.00
11	55036 206AD	1							BAND, Accumulator Retaining
12	4761 737AC	2				ET0			O RING, A/C Suction Line
13	4741 705	1				ET0			O RING, A/C and Heater
14	4741 705	1				ET0			O RING, A/C and Heater
15	5018 449AA	1							SWITCH, A/C Cycling
16	4728 705	1							O RING, Low Pressure Cutout Switc

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES L = Ram Truck (All)

LINE 2, 7 = 2500
3, 8 = 3500


BODY 33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE ETC, ET0 = 5.9L Cummm Diesel
ETH = 5.9LCummm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

September 16, 2005

Controls Heater and Air Conditioning
Figure 024-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5015 735AA	1							CONTROL, Heater
	5015 737AA	1							Without Power Mirrors
2									With Power Mirrors
									SCREW, Self Tapping, M4.2x1.69x19.05, (NOT SERVICED) (Not Serviced)
3	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-4	5003 281AA-	1							BULB, Heater and A/C Control

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Control, Air Conditioning
Figure 024-350



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	5015 734AA	1							without Power Mirrors
	5015 736AA	1							with Power Mirrors
2	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
3	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-4	5003 281AA-	1							BULB, Heater and A/C Control

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummm Diesel ETH = 5.9LCummm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Compressor
Figure 024-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code:									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	55055 540AM	1				EM0, EW0			COMPRESSOR, Air Conditioning
2	4882 008	1				EM0, EW0			CLUTCH, A/C Compressor

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummi Diesel ETH = 5.9LCummi HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Compressor, Air Conditioning Diesel Engine
Figure 024-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Code ET0 = 5.9L Diesel Engine

1	55055 339AH	1				ET0			COMPRESSOR, Air Conditioning
-2	5016 127AA-	1				ET0			CLUTCH, A/C Compressor

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Mounting, Compressor 5.9L Gas Engine
Figure 024-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code:

EH0 = All 3.9L V6 Gas Engines

EL0 = All 5.2L 8 Cyl Gas Engines

EMM = Magnum 5.9L SMPI V8 Engine

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1									BOLT, (NOT SERVICED) (Not Serviced)
2									BOLT, (NOT SERVICED) (Not Serviced)
3	5301 0252	1				EM0			BRACE, A/C Compressor
4	6034 246	1				EM0			BOLT, Hex Head, .375-16x.75
5									NUT, Lock, (NOT SERVICED) (Not Serviced)
6	5300 8614	1				EM0			BRACKET, Alternator And Compressor
7	3300 2201	1				EM0			BUSHING, Idler Pulley
8									BOLT, (NOT SERVICED) (Not Serviced)
9	6034 247	1				EM0			BOLT, Hex Head, .375-16x.25
10	5300 9508	1				EM0			PULLEY, Idler


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mounting, Air Conditioning Compressor 8.0L Engine
Figure 024-525




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code									
EL0 = All 5.2L 8 Cyl Gas Engines									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	5301 0014	1				EW0			BRACE, A/C Compressor
2									SCREW, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4									SCREW, (NOT SERVICED) (Not Serviced)
5									SCREW, (NOT SERVICED) (Not Serviced)
6	5300 5619	1				EW0			BRACKET, A/C Compressor

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cummm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCummm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Mounting, Compressor Diesel Engine
 Figure 024-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code ET0 = 5.9L Diesel Engine


1	4638 933	1				ETC			CONNECTOR, Water Inlet
		1				ETH			
2									SCREW, [M8x1.25x100], (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Ducts
Figure 024-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: All other distribution ducts are serviced in instrument panel.

1	5505 5442	1							ADAPTER, Defroster Duct
2	5503 6517	1							BAFFLE, Air Intake
3	55115 857AC	1							DUCT, Air Distribution

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA) Fig. 025-110

Vacuum Canister

Vacuum Canister, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA) Fig. 025-310

Emission Harness

Emission Control Vacuum Harness 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine Fig. 025-410


Leak Detection Pump, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA) Fig. 025-420

Vacuum Pump, 5.9L Diesel (ETC,ETH) Fig. 025-430

Air Pumps

Air Pump, 5.9L Heavy Duty (EMM), 8.0L (EWA) Fig. 025-510

Air Injection Plumbing, 8.0L (EWA) Fig. 025-520



025-100 Emission Labels	025-300 Vacuum Canister	025-400 Emission Harness	025-500 Air Pumps

Emission Labels, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)
Figure 025-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELF]= 5.2L Magnum V-8,[EML]= 5.9L Light Duty Magnum V-8,
[EMM]= 5.9L Heavy Duty Magnum V-8,[EWA]= 8.0L Magnum V-10,
DBB= Manual Transmissions, DGO= All Automatic Transmissions

1	52113 793AA	1	2, 7			EML			LABEL, Emission [Federal]
	52113 809AA	1	2, 7			EML			[Clean Lean Fuel Fleet]
	52113 812AA	1	3		34	EML			[California]
	52113 813AA	1	2, 7			EML			[California] Or [Clean Lean Fuel Fleet]
	52113 817AA	1	8		34	EML			[California]
	52113 819AA	1	2, 3, 7			EW0			[California]
	52113 825AA	1				EM0			[EXPORT]
	52113 871AA	1	8		34	EW0			[California]
	52113 824AA	1				EW0			[Federal Label For Engine]]
	52113 827AA	1	3, 8		34	EMM			[Federal]
	52113 831AA	1				EW0			[Federal]
	52113 823AA	1	3, 8		34	EMM			[Federal Label For Engine]

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE
TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB
WEIGHT GREATER THAN POUNDS AT ALL ALTITUDES.

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN
PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER
PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL
PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG


SPARK PLUGS

IDLE *
TIMING BTC

MAN
X

AUTO
X

NO OTHER ADJUSTMENTS NEEDED




CATALYST

CHRYSLER
CORPORATION

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Vacuum Canister, 5.2L (ELF), 5.9L Light Duty (EML), 5.9L Heavy Duty (EMM), 8.0L (EWA)
Figure 025-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ELO]= All 5.2L Gas Engines,[EMO]= All 5.9L Gas Engines,
[EWO]= All 8.0L Gas Engines

1	53030 893AB	1				EM0, EW0			BRACKET, Vapor Canister
2	6100 048	4				ET0			NUT, Hex, M6x1.00
3									BOLT, M8x1.25x13.00, (NOT SERVICED) (Not Serviced)
4	53031 584AC	1				EM0, EW0			CANISTER, Fuel Vapor
5	5303 0837	1				EM0, EW0			CANISTER, Vapor

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Emission Control Vacuum Harness 5.2L (ELF), 5.9L (EML), 5.9L (EMM), 8.0L (EWA) Engine
Figure 025-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note[ELO]= All 5.2L Gas Engines, [EMO]= All 5.9L Gas Engines,
[EWO]= All 8.0L Gas Engines

1	53032 155AC	1				EMM, EWO			HARNESS, Vacuum Canister Purge [Federal or Export]
	53032 156AC	1				EML EWO			[California] HARNESS, Emission Control
2	5303 2154	1				EWO			
	5303 2153	1				EMO			
3									STUD, Double Ended, M6x1.0x38, (NOT REQUIRED)
4									SOLENOID, Duty Cycle Purge
	4669 475AB	1				EWO EMO			California Leaded Fuel
5		1							BRACKET, Duty Cycle Purge Solenoid
	5017 181AA	1				EWO EMO			California Leaded Fuel
-6	4897 709AA-	1				EML			BRACKET PACKAGE, LDP/DCP And Filter
7	6035 956AA	1				EMM, EWO			SCREW, .250-14X1.500
-8	6101 839	3				EMO, EWO			SCREW AND WASHER, Hex Head, M8x1.25x40
9	53031 611AC	1				EMO, EWO			HOSE, Carbon Canister
-10									HARNESS, Emission Control Vacumn
	5304 1076	1				EWO			
	5503 6098	1				EMO			

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: The main cylindrical body of the assembly.
- 2**: A long, angled bracket or arm attached to the top of the main body.
- 3**: A small, rectangular component located between the main body and the base.
- 4**: A bolt used to secure the top of the main body.
- 5**: A circular cap or cover on top of the main body.
- 6**: A small, rectangular component located between the main body and the base.
- 7**: A circular base plate or flange at the bottom of the assembly.
- 8**: A screw used to secure the base plate.

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

September 16, 2005

Vacuum Pump, 5.9L Diesel (ETC,ETH) Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ETC]= 5.9L Cummins 24 Valve Diesel, [ETH]= 5.9L HO Cummins Turbo Diesel, [DBB]= Manual Transmissions									
1	4638 531	1				ETC			GASKET, Hydraulic Pump
2	4429 568	1				ETH	DBB		PLUG, Pipe
		1				ETC	DG0		
3	4429 369	1				ETH	DBB		PLUG, Pipe
		1				ETC			
4	5003 614AA	4				ETC			PLUG, Expansion
5	5003 604AA	4				ETH	DBB		
		2				ETC			O RING
6	4429 637	2				ETH	DBB		
		1				ETC			SCREW, Hex Head, m12X1.75X.35
7	4429 862	1				ETH	DBB		
		1				ETC			NUT, Hex Flange, M10x1.5
8	5011 818AA	1				ETH	DBB		
		1				ETC			SCREW, Hex Head, M8x1.25x12
9	4429 862	1				ETH	DBB		
		1				ETC			NUT, Hex Flange, M10x1.5
10	4728 162	1				ETH	DBB		
		1				ETC			HUB, Hydraulic Brake Pump
11	4883 960AA	1				ETH	DBB		
		1				ETC			PUMP, Power Steering
12	4761 972	4				ETH	DBB		
		4				ETC			STUD
13	5011 797AA	1				ETH			
		1				ETC			GEAR, Accessory Drive

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Vacuum Pump, 5.9L Diesel (ETC,ETH)
Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
14	5019 734AA	1				ETC			PUMP, Vacuum
		1				ETH	DBB		
15	5011 617AA	1				ETC			CHECK VALVE, Vacuum Pump
		1				ETH	DBB		
16	5003 637AA	1				ETC			NIPPLE, Pump
		1				ETH	DBB		
17	5011 421AA	1				ETC			SCREW
		1				ETH	DBB		
18	5015 841AA	1				ETC			HOSE, Vacuum Pump
		1				ETH	DBB		
19	5011 799AA	1				ETC			BRACKET, Vacuum Pump
		1				ETH	DBB		
20	4638 529	1				ETC			CONNECTOR, Vacuum, With Caps
		1				ETH	DBB		

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Pump, 5.9L Heavy Duty (EMM), 8.0L (EWA)
Figure 025-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[EMM]= 5.9L Heavy Duty Magnum V-8 Engine

[EWO]= All 8.0L Gas Engines

1									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	3				EMM			
		3				EWO			
2	5300 8638	1				EMM			PULLEY, Air Pump
		1				EWO			
3									BOLT, [.375-16x5.0], (NOT SERVICED) (Not Serviced)
4									PUMP, Air
	5303 0503	1				EMM			
		1				EWO			
5	53005 621AB	1				EWO			BRACKET, Air Pump And Tensioner
	5300 8344	1				EMM			
6	53010 013AB	1				EWO			BRACE, Alternator
7									BOLT, [.312-18x.75], (NOT SERVICED) (Not Serviced)

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Injection Plumbing, 8.0L (EWA)
Figure 025-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: [EWO]= All 8.0L Gas Engines									
1	53031 701AA	1				EWO			FILTER, Air Pump
2									CAP, Air Pump Filter, (NOT REQUIRED)
3	5304 1045	2				EWO			CLAMP, Hose
4	5304 0053	1				EWO			TUBE, Air Pump Inlet
5	5013 449AA	1				EWO			BODY, Air Cleaner
6									BRACKET, Air Pump Silencer Filter, (NOT REQUIRED)
7	5013 450AA	1				EWO			COVER, Air Cleaner
8	6033 560	4				EWO			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
9	5303 0577	1				EWO			VALVE, Air Injection
10	5303 0217	1				EWO			HOSE, Relief Valve
11	5303 0535	1				EMM			TUBE, Fuel
-12	5304 1060	1				EWO			HOSE, Relief Valve
13	2448 762	1				EWO			CLAMP, Hose
-14	53030 661AC-	1			34	EWO			TUBE, Aspirator Downstream
15	6502 468	4				EWO			SCREW, Hex Flange Head, M8x1. .25x20
16	5303 0467	2				EWO			VALVE, Air Injection
17									TUBE, Aspirator Downstream
	53031 224AB	1	2, 7		33	EWO			
	53031 557AB	1			34	EWO			
18	2448 761	1				EWO			CLAMP, Hose
19	5013 448AA	1				EWO			FILTER, Air


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EWO = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions





AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – DBE

Doors and Related Parts





DBE-100 Front Door	DBE-200 Rear Door	DBE-500 Exterior Mirror	DBE-600 Weatherstrips and Seals
			

GROUP DBE - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell and Hinges	Fig. DBE-110
Door, Front Glass and Regulators	Fig. DBE-120
Door, Front Lock and Controls	Fig. DBE-130
Rear Door	
Half Door, and Hinges	Fig. DBE-210
Half Door, Glass and Controls	Fig. DBE-220
Exterior Mirror	
Exterior Mirror	Fig. DBE-515
Weatherstrips and Seals	
Front Door	Fig. DBE-610
Half Door	Fig. DBE-620

Door, Front Shell and Hinges
Figure DBE-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55274 978AG	1							Right
	55274 979AG	1							Left
2									PANEL, Door Outer
	5527 4972	1							Right
	5527 4973	1							Left
-3									WATERDAM, Front Door
	5513 4612	1							Right
	5513 4613	1							Left
-4	55275 459AA-	2							TAPE, Anti Chip
5									HINGE, Door
	55075 956AB	1							Upper Right
	55075 957AB	1							Upper Left
6	55275 464AA	2							HINGE, Door, Lower
7	5507 4736	AR							SHIM, Door Hinge
8	6503 538	8							SCREW AND WASHER, Hex Head, M8x1.25x30
9	4440 486	2							PLUG, Body, 19.05mm x 31.75mm
10	5513 5002	2							PATCH, Waterdam Speaker
11	5534 6416	1							REINFORCEMENT, Door Inner
12	6034 715	8							CLIP, Speaker

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Glass and Regulators
Figure DBE-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	55135 396AC	1							Right
	55135 397AC	1							Left
2									REGULATOR, Front Door Window
	5507 5812	1							Manual, Right
	5507 5813	1							Manual, Left
	5515 4924	1							Electric w/Motor, Right
	5515 4925	1							Electric w/Motor, Left
3	6504 055	4							SCREW, Hex Head, M6x1x16
4	6502 691	4							NUT, Hex Flange Lock, M6x1
5	FW80 PX9	2							HANDLE, Window Regulator
6	5507 6218	2							SPACER, Door Handle
7									CHANNEL, Front Door Glass Lower
	5507 5774	1							Right
	5507 5775	1							Left
8	6504 055	4							SCREW, Hex Head, M6x1x16
9									CHANNEL, Glass Run Lower
	4883 358AA	1							Right
	4883 359AA	1							Left
10									SCREW, (NOT SERVICED) (Not Serviced)


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Lock and Controls

Figure DBE-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	55076 288AB	1							Manual, Right
	55076 289AB	1							Manual, Left
	55076 290AB	1							Electric, Right
	55076 291AB	1							Electric, Left
2									CLIP, Latch Link
	4658 674	1							Right
	4658 675	1							Left
3	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
4									HANDLE, Interior Door
	5507 5338	1							Right
	5507 5339	1							Left
5	6503 124	4							SCREW, Hex Head Tapping, M6x1x20
6									REMOTE CONTROL, Door
	5507 6124	1							Right
	5507 6125	1							Left
7	6503 124	4							SCREW, Hex Head Tapping, M6x1x20
8									LINK, Remote Handle to Latch
	5507 4726	1							Right
	5507 4727	1							Left
9									HANDLE, Front Door Exterior
	5527 5022	1							Right
	5527 5023	1							Left
10	6101 443	4							NUT AND WASHER, Hex, M5x.80
11									SCREW, (NOT SERVICED) (Not Serviced)
12	5507 4724	2							LINK, Exterior Door Handle
13									LINK, Key Cylinder To Latch
	5507 6004	1							Right
	5507 6005	1							Left
14									CLIP, Lever Key Cylinder, (NOT SERVICED) (Not Serviced)
15									KNOB, Door
	JS24 MAZ	1							[AZ]
	JS24 RC3	1							[C3]
	JS24 SK5	1							[K9]
16									SPRING, Outside Door Handle, (NOT SERVICED) (Not Serviced)
17									CLIP, (NOT SERVICED) (Not Serviced)


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Lock and Controls
Figure DBE-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18									BRACKET, (NOT SERVICED) (Not Serviced)
19									ROD, Inside Lock to Latch
	5507 6354	1							Right
	5507 6355	1							Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Half Door, and Hinges Figure DBE-210

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9L Cumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION

DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Half Door, Glass and Controls
Figure DBE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Quarter
	55275 054AC	1							Right
	55275 055AC	1							Left
-2	4897 392AB-	1							LATCH, Body Side Glass
-3	6505 407AA-	4							SCREW
-4	6502 640	8							BOLT, Hex Flange Head, M6x1.0x17
-5									LATCH, Cargo Door
	55275 098AE-	1							Upper, Right
	55275 099AE-	1							Upper, Left
	5527 5100	1							Lower, Right
	5527 5101	1							Lower, Left
-6									ROD, Cargo Door Latch to Lock
	55275 114AB-	1							Right
	55275 115AB-	1							Left
-7									HANDLE, Cargo Door Shutface
	5527 5108	1							Right
	5527 5109	1							Left
-8	5527 5106	2							CABLE, DOOR, CARGO

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Exterior Mirror
Figure DBE-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Trailer Tow Mirror GPD does not have Glass only replacement.

1	55076 478AE	1							MIRROR, Outside Rearview
	55076 479AE	1							Manual - Foldaway [GPU], Right
	55076 488AE	1							Manual - Foldaway [GPU], Left
									Elect - Heated Foldaway [GTS],
									Right
	55077 122AE	1							Elect Heated Foldaway (Europe)
									[GTS], Right
	55076 489AE	1							Elect - Heated Foldaway [GTS],
									Left
	55076 744AF	1							Elect - Heated Foldaway [GPV],
									Right
	55076 489AF	1							Elect - Heated Foldaway [GPV],
									Left
2	J420 0408	6							NUT AND WASHER, Hex Nut-Coned
									Washer, M5 x 0.80
3									MIRROR KIT, Trailor Tow
	55156 334AC	1							[GPD], Right
	55156 335AB	1							[GPD], Left
-4									GLASS, Mirror Replacement, See
									Note
	5019 890AA-	1							Foldaway [GPU], Right
	5019 891AA-	1							Foldaway [GPU], Left
	5019 892AA-	1							Elect - Heated Foldaway [GTS],
									Right
	5019 893AA-	1							Elect - Heated Foldaway [GTS],
									Left
		1							Elect - Heated [GPV], Left


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Door
Figure DBE-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WATERDAM, Front Door
	5513 4612	1							Right
	5513 4613	1							Left
2									SEAL, Glass Run, Front
	55135 252AB	1							Right
	55135 253AB	1							Left
3	5513 4598	2							WEATHERSTRIP, Front Door Belt
4									WEATHERSTRIP, Door Belt
	55275 504AC	1							Right
	55275 505AC	1							Left
5									RETAINER, Bodyside Seal
	55275 056AC	1							Right
	55275 057AC	1							Left
6	55275 460AD	2							SEAL, Body Side
7									WEATHERSTRIP, Front Door
	55276 502AA	1							Right
	55276 503AA	1							Left
8	55275 394AB	2							MOLDING, Door
9	0153 341	20							SCREW, Pan Head, .64-18x.50
10									SEAL, (NOT SERVICED) (Not Serviced)
11									SEAL, Body Side
	55275 508AA	1							Right
	55275 509AA	1							Left
	55275 460AD	2							


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Half Door
Figure DBE-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Cargo Door
	55275 040AG	1							Right
	55275 041AG	1							Left
2	55275 426AA	2							WEATHERSTRIP, Cargo Door
-3									WEATHERSTRIP, Front Door
	55276 502AA-	1							Right
	55276 503AA-	1							Left



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

Group – EBE

Exterior Ornamentation

GROUP EBE - Exterior Ornamentation

Illustration Title Group-Fig. No.

Nameplates


Name Plates Fig. EBE-140









Moldings and Ornamentation

Mouldings Fig. EBE-210


Decals and Tapestripes

Tape Stripes and Decals Fig. EBE-350



EBE-100 Nameplates	EBE-200 Moldings and Ornamentation	EBE-300 Decals and Tapestripes	
   	 	 	

Name Plates
Figure EBE-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55296 307AB	2							NAMEPLATE, Door, V8 MAGNUM
2	55295 306AB	2							NAMEPLATE, Door, V10 MAGNUM
3	55274 860AB	2							NAMEPLATE, Cab, Laramie SLT
-4	55295 311AB-	2	2, 7						NAMEPLATE, Front Fender, Ram 2500
5	55295 312AB	2	3, 8		34				NAMEPLATE, Front Fender, Ram 3500
-6	55295 313AC-	2	2, 7						NAMEPLATE, Front Fender, Ram 2500 Cummins
7	55295 314AC	2	3, 8		34				NAMEPLATE, Front Fender, Ram 3500 Cummins
8	55077 386AA	2							NAMEPLATE, Sport
9	55077 386AA	2							NAMEPLATE

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mouldings
Figure EBE-210

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI


TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Tape Stripes and Decals
Figure EBE-350

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECAL, Dodge
	5DV7 3PX9	1							Black
	5DV7 3TA1	1							Silver
2									DECAL, 4 x 4
	5DV7 6PX9	1	7, 8						Black
	5DV7 6TA1	1	7, 8						Silver
3									TAPE, Pillar, Blackout
	55077 366AA	1							Right
	55077 367AA	1							Left




DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions









AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – IBE

Interior Trim



IBE-100 Headliner and Visor	IBE-200 Moldings, Scuff Plates	IBE-300 Carpet	IBE-400 Door Trim Panels
			
IBE-500 Front Seats and Attaching Parts	IBE-600 Rear Seats	IBE-700 Seat Belts	IBE-800 Adjusters, Covers, Shields, and Risers
			

GROUP IBE - Interior Trim

Illustration Title

Group-Fig. No.

Headliner and Visor

Headliner, Sunvisors, Coat Hooks and Assist Straps Fig. IBE-110

Moldings, Scuff Plates

A-Pillar Fig. IBE-210

Cowl And Sill Fig. IBE-220

Quarter Trim Panels Fig. IBE-230

Trim, Cab Back Fig. IBE-240

Carpet

Carpets, Mats Fig. IBE-310

Door Trim Panels

Front Door Trim Panel Fig. IBE-410

Rear Door Trim Panels Fig. IBE-420

Front Seats and Attaching Parts

Seat, Front, Trim Code [DP] Fig. IBE-510

Seat, Front, Trim Code [R1] Fig. IBE-520

Seat, Front, Trim Code [S9] Fig. IBE-530

Seats, Front, Trim Codes [SX, TY] Fig. IBE-540

Seat, Front, Trim Code [DZ] Fig. IBE-550

Rear Seats

Rear Seat Fig. IBE-610

Seat Belts

Belts, Lap Fig. IBE-710

Belt Shoulder, Front & Rear, Belt Lap Rear Seat Fig. IBE-720

Adjusters, Covers, Shields, and Risers

Seat, Floor Attaching Fig. IBE-810

Adjusters and Recliners Fig. IBE-820

Headliner, Sunvisors, Coat Hooks and Assist Straps
Figure IBE-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									VISOR
	5ES00 TL2AF	1						O0	Right
	5ES01 TL2AF	1						O0	Left
2	5ES02 TL2AF	1						O0	VISOR, W/Mirror, Right
-3									LABEL, Diesel Starting
	53040 084AA-	1							CANADA
	53040 085AA-	1							
-4	55350 848AA-	2							LABEL, Air Bag Warning, CANADA
5	5EZ9 2SL2	2						O0	BRACKET, Sunvisor
6	0152 383	2							SCREW, Pan Head, .19-16x.75
7	6036 201AA	6							SCREW, Oval Head Tapping, .164x18x.984
8									HEADLINER
	5ET05 TL2AI	1						O0	With Overhead Console
	5ET10 TL2AE	1						O0	Without Overhead Console
-9									PIN, Push
	5FU8 2TL2	2						O0	Backlite Area, Shorter
	5GG00 TL2AA-	2						O0	Dome Light Area, Longer
10	5FY27 TL2AB	2						O0	HOOK, Coat
11									SCREW, M5x0.8x16.00, (NOT SERVICED) (Not Serviced)
12									COVER, Striker
	5FV5 2TL2	1						O0	Right
	5FV5 3TL2	1						O0	Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

A-Pillar
Figure IBE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5ES4 4LAZ	1						O0	[AZ], Without Infinity Sound, Right
	5ES4 4RC3	1						O0	[C3], Without Infinity Sound, Right
	5ES4 4RK5	1						O0	[K9], Without Infinity Sound, Right
	5ES5 7LAZ	1						O0	[AZ], Without Infinity Sound, Left
	5ES5 7RC3	1						O0	[C3], Without Infinity Sound, Left
	5ES5 7RK5	1						O0	[K9], Without Infinity Sound, Left
	5GK68 LAZAA	1						O0	[AZ], With Infinity Sound, Right
	5GK68 RC3AA	1						O0	[C3], With Infinity Sound, Right
	5GK68 RK5AA	1						O0	[K9], With Infinity Sound, Right
	5GK69 LAZAA	1						O0	[AZ], With Infinity Sound, Left
	5GK69 RC3AA	1						O0	[C3], With Infinity Sound, Left
	5GK69 RK5AA	1						O0	[K9], With Infinity Sound, Left
2	5521 4846	2						O0	CLIP, Trim Panel
3	6503 910	1							NUT
4									HANDLE, Roof Grab
	5DX76 LAZAC	1						O0	[AZ]
	5DX76 RC3AC	1						O0	[C3]
	5DX76 RK5AC	1						O0	[K9]
5	6504 432	2							SCREW, Pan Head, M6-1.00x29.00
6									PLUG, Assist and Grab Handle
	H526 TAZ	2						O0	
	H526 TC3	2						O0	[C3]
	H526 TK5	2						O0	[K9]

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl And Sill
Figure IBE-220


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0154 562	12							SCREW, Pan Head, .19-16x1.50
2									PANEL, Cowl
	5FH90 LAZAB	1						O0	[AZ], Right
	5FH90 RC3AB	1						O0	[C3], Right
	5FH90 RK5AB	1						O0	[K9], Right
	5FH91 LAZAB	1						O0	[AZ], Left
	5FH91 RC3AB	1						O0	[C3], Left
	5FH91 RK5AB	1						O0	[K9], Left
3	4386 474	2							SILENCER, Wheelhouse
4									MOLDING, Side Sill
	5FY04 LAZAA	1						O0	[AZ], Right
	5FY04 RC3AA	1						O0	[C3], Right
	5FY04 RK5AA	1						O0	[K9], Right
	5FY05 LAZAA	1						O0	[AZ], Left
	5FY05 RC3AA	1						O0	[C3], Left
	5FY05 RK5AA	1						O0	[K9], Left
5									INSULATION, Dash Panel
	55350 755AD	1							Gas
	55350 884AC	1							Diesel
6	6031 321	4							PIN, Retainer

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Quarter Trim Panels
Figure IBE-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, C Pillar
	5ES66 LAZAB	1						O0	[AZ], Right
	5ES66 RC3AB	1						O0	[C3], Right
	5ES66 RK5AB	1						O0	[K9], Right
	5ES67 LAZAB	1						O0	[AZ], Left
	5ES67 RC3AB	1						O0	[C3], Left
	5ES67 RK5AB	1						O0	[K9], Left
2	5521 4846	5						O0	CLIP, Trim Panel


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Trim, Cab Back
Figure IBE-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cab Back Trim
	5FZ52 LAZAF	1						O0	[AZ]
	5FZ52 RC8AF	1						O0	[C3]
2									FASTENER, Trim Panel Attaching
	5DV6 2LAZ	5						O0	[AZ]
	5DV6 2RC8	5						O0	[C3]
3									BAG, Jack Tool Storage
	52020 344AA	1	2, 7						
		1	3, 8		34				



DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Carpets, Mats
Figure IBE-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Floor
	5ES73 LAZAG	1						O0	[AZ]
	5ES73 RC8AG	1						O0	[C3]
	5ES73 VK9AG	1						O0	[K9]
2	55350 782AA	2							COVER, Carpet Anchor Hole
3	5ES76 DX9AD	1						O0	MAT, Floor
4									MAT KIT, Floor - Front
	8220 3771	1		L	31, 33, 34				[AZ]
	8220 3772	1		L	31, 33, 34				[C3]
	8220 3773	1		L	31, 33, 34				[K9]

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Door Trim Panel
Figure IBE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; When replacing Door Trim Panel installer must replace X-mas style pin 6505878AA.


1									PANEL, Door Trim Front
	RH68 LAZAA	1						TY	[AZ], Right
		1						SX	[AZ], Right
		1						S9	[AZ], Right
	RH68 RC3AA	1						TY	[C3], Right
		1						SX	[C3], Right
		1						S9	[C3], Right
	RH69 LAZAA	1						TY	[AZ], Left
		1						SX	[AZ], Left
		1						S9	[AZ], Left
	RH69 RC3AA	1						TY	[C3], Left
		1						SX	[C3], Left
		1						S9	[C3], Left
	RH70 1AZAA	1						R1	[AZ], Right
	RH70 1C3AA	1						R1	[C3], Right
	RH70 1K5AA	1						R1	[K9], Right
	RH71 1AZAA	1						R1	[AZ], Left
	RH71 1C3AA	1						R1	[C3], Left
	RH71 1K5AA	1						R1	[K9], Left
	RH72 1AZAA	1						DZ	[AZ], Right
	RH72 1K9AA	1						DZ	[K9], Right
	RH73 1AZAA	1						DZ	[AZ], Left
	RH73 1K9AA	1						DZ	[K9], Left
	UP70 1K5AA	1						DP	[K9], Right
	UP70 LAZAA	1						DP	[AZ], Right
	UP71 1K9AA	1						DP	[K9], Left
	UP71 LAZAA	1						DP	[AZ], Left
-2									PLUG, Mirror Switch
	KM64 LAZ	1						DP	[AZ]
	KM64 1K9	1						DP	[K9]
	KM64 1AZ	1						DZ	[AZ]
	KM64 1K5	1						DZ	[K9]
	KM64 1C3	1						R1	[C3]
	KM64 1AZ	1						R1	[AZ]
	KM64 1K5	1						R1	[K9]
	KM64 RC3	1						S9	[C3]
	KM64 LAZ	1						S9	[AZ]
		1						SX	[AZ]
	KM64 RC3	1						SX	[C3]
	KM64 LAZ	1						TY	[AZ]

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Front Door Trim Panel
Figure IBE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
3	KM64 RC3	1						TY	[C3]
									PIN, Push
	6505 878AA	13						DP	
		13						DZ	
		13						R1	
		11						S9	
		11						SX	
		11						TY	
4									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5									PULL CUP, Front Door Trim Panel
	5535 0343	1						DP	Left
	5535 0342	1						DP	Right
		1						DZ	Right
	5535 0343	1						DZ	Left
		1						R1	Left
	5535 0342	1						R1	Right
	55350 756AA	1						S9	Right
	55350 757AA	1						S9	Left
		1						SX	Left
	55350 756AA	1						SX	Right
		1						TY	Right
	55350 757AA	1						TY	Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

Rear Door Trim Panels
Figure IBE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; When replacing Door Trim Panel installer must replace X-mas style pin 6505878AA.

1									PANEL, Rear Door Trim
	5EV54 LAZAC	1						O0	[AZ], Right
	5EV54 RC3AC	1						O0	[C3], Right
	5EV54 RK5AC	1						O0	[K9], Right
	5EV55 LAZAC	1						O0	[AZ], Left
	5EV55 RC3AC	1						O0	[C3], Left
	5EV55 RK5AC	1						O0	[K9], Left
2	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
3									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
4	6505 878AA	8						O0	PIN, Push
5									CUP, Door Pull
	5535 0344	1						O0	Right
	5535 0345	1						O0	Left
6	5521 4846	3						O0	CLIP, Trim Panel

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [DP]
Figure IBE-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	TB90 1AZAA	1						DP	[AZ], Right
	TB90 1K5AA	1						DP	[K9], Right
	TB91 1AZAA	1						DP	[AZ], Left
	TB91 1K5AA	1						DP	[K9], Left
	TC94 1AZAA	1						DP	[AZ], Center
	TC94 1K5AA	1						DP	[K9], Center
2									COVER, Front Seat Cushion
	SP00 1AZAB	1						DP	[AZ], Right
	SP00 1K5AB	1						DP	[K9], Right
	SP01 1AZAB	1						DP	[AZ], Left
	SP01 1K5AB	1						DP	[K9], Left
	SP57 1AZAA	1						DP	[AZ], Center
	SP57 1K5AA	1						DP	[K9], Center
3									SEAT BACK, Front
	TD04 1AZAA	1						DP	[AZ], Right
	TD04 1K5AA	1						DP	[K9], Right
	TD05 1AZAA	1						DP	[AZ], Left
	TD05 1K5AA	1						DP	[K9], Left
4									COVER, Front Seat Back
	SP58 1AZAA	1						DP	[AZ], Right
	SP58 1K5AA	1						DP	[K9], Right
	SP59 1AZAA	1						DP	[AZ], Left
	SP59 1K5AA	1						DP	[K9], Left
5									BASE, Armrest
	UR09 1AZAB	1						DP	[AZ]
	UR09 1K5AB	1						DP	[K9]
6									LID, Armrest Bin
	UP98 1AZAA	1						DP	[AZ]
	UP98 1K5AA	1						DP	[K9]
7	4778 673	1						DP	BEZEL, Armrest, Lid
8	5278 455AA	1						DP	BEZEL, Armrest, Bin
9	4773 684	1						DP	PIN, Armrest Lid Hinge
10	4773 685	1						DP	SPRING, Armrest Lid Hinge
11	5278 456AA	1						DP	LINER, Armrest Lid
12	4797 715	1						DP	BEZEL, Armrest, Lid Latch Release Button
13	4773 507	1						DP	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure IBE-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 418	1						DP	Right
	4773 419	1						DP	Left
16	5010 197AA	2						DP	BELLOWS, Seat Mechanism



DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [R1]
Figure IBE-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UP78 1AZAA	1						R1	[AZ], Passenger
	UP78 1C3AA	1						R1	[C3], Passenger
	UP78 1K5AA	1						R1	[K9], Passenger
	UP79 1AZAA	1						R1	[AZ], Driver,Manual
	UP79 1C3AA	1						R1	[C3], Driver,Manual
	UP79 1K5AA	1						R1	[K9], Driver,Manual
	UP83 1AZAA	1						R1	[AZ], Center
	UP83 1C3AA	1						R1	[C3], Center
	UP83 1K5AA	1						R1	[K9], Center
	UP89 1AZAA	1						R1	[AZ], Driver,Power
	UP89 1C3AA	1						R1	[C3], Driver,Power
	UP89 1K5AA	1						R1	[K9], Driver,Power
2									COVER, Front Seat Cushion
	UP73 1AZAA	1						R1	[AZ], Center
	UP73 1C3AA	1						R1	[C3], Center
	UP73 1K5AA	1						R1	[K9], Center
	UP74 1AZAA	1						R1	[AZ], Passenger
	UP74 1C3AA	1						R1	[C3], Passenger
	UP74 1K5AA	1						R1	[K9], Passenger
	UP75 1AZAA	1						R1	[AZ], Driver,Manual
	UP75 1C3AA	1						R1	[C3], Driver,Manual
	UP75 1K5AA	1						R1	[K9], Driver,Manual
	UP88 1AZAA	1						R1	Driver,Power
	UP88 1C3AA	1						R1	[C3], Driver,Power
	UP88 1K5AA	1						R1	[K9], Driver,Power
3									SEAT BACK, Front
	TD14 1AZAA	1						R1	[AZ], Passenger
	TD14 1C3AA	1						R1	[C3], Passenger
	TD14 1K5AA	1						R1	[K9], Passenger
	TD15 1AZAA	1						R1	[AZ], Driver,Manual
	TD15 1C3AA	1						R1	[C3], Driver,Manual
	TD15 1K5AA	1						R1	[K9], Driver,Manual
	TD17 1AZAA	1						R1	[AZ], Driver,Power
	TD17 1C3AA	1						R1	[C3], Driver,Power
	TD17 1K5AA	1						R1	[K9], Driver,Power
4									COVER, Front Seat Back
	SP78 1AZAA	1						R1	[AZ], Passenger
	SP78 1C3AA	1						R1	[C3], Passenger
	SP78 1K5AA	1						R1	[K9], Passenger
	SP79 1AZAA	1						R1	[AZ], Driver

DODGE RAM QUAD CAB/CLUB CAB (BE)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [R1] Figure IBE-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SP79 1C3AA	1						R1	[C3], Driver
5	SP79 1K5AA	1						R1	[K9], Driver
									BASE, Armrest
	UP81 1AZAB	1						R1	[AZ]
	UP81 1C3AB	1						R1	[C3]
6	UP81 1K5AB	1						R1	[K9]
									LID, Armrest Bin
	UP98 1AZAA	1						R1	[AZ]
	UP98 1C3AA	1						R1	[C3]
	UP98 1K5AA	1						R1	[K9]
7	4778 673	1						R1	BEZEL, Armrest, Lid
8	5278 455AA	1						R1	BEZEL, Armrest, Bin
9	4773 684	1						R1	PIN, Armrest Lid Hinge
10	4773 685	1						R1	SPRING, Armrest Lid Hinge
11	5278 456AA	1						R1	LINER, Armrest Lid
12	4797 715	1						R1	BEZEL, Armrest, Lid Latch Release Button
13	4773 507	1						R1	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket
	4773 418	1						R1	Right
	4773 419	1						R1	Left
16	5010 197AA	2						R1	BELLOWS, Seat Mechanism

DODGE RAM QUAD CAB/CLUB CAB (BE)

L = Ram Truck (All)

LINE

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [S9]
Figure IBE-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UQ26 1AZAA	1						S9	[AZ], Passenger
	UQ26 1C3AA	1						S9	[C3], Passenger
	UQ27 1AZAA	1						S9	[AZ], Driver
	UQ27 1C3AA	1						S9	[C3], Driver
	UQ30 1AZAA	1						S9	[AZ], Center
	UQ30 1C3AA	1						S9	[C3], Center
2									COVER, Front Seat Cushion
	UQ28 1AZAA	1						S9	[AZ], Passenger
	UQ28 1C3AA	1						S9	[C3], Passenger
	UQ29 1AZAA	1						S9	[AZ], Driver
	UQ29 1C3AA	1						S9	[C3], Driver
	UQ42 1AZAA	1						S9	[AZ], Center
	UQ42 1C3AA	1						S9	[C3], Center
3									SEAT BACK, Front
	TD26 1AZAA	1						S9	[AZ], Passenger
	TD26 1C3AA	1						S9	[C3], Passenger
	TD27 1AZAA	1						S9	[AZ], Driver
	TD27 1C3AA	1						S9	[C3], Driver
4									COVER, Front Seat Back
	SP92 1AZAA	1						S9	[AZ], Passenger
	SP92 1C3AA	1						S9	[C3], Passenger
	SP93 1AZAA	1						S9	[AZ], Driver
	SP93 1C3AA	1						S9	[C3], Driver
5									BASE, Armrest
	UQ25 1AZAB	1						S9	[AZ]
	UQ25 1C3AB	1						S9	[C3]
6									LID, Armrest Bin
	UP98 1AZAA	1						S9	[AZ]
	UP98 1C3AA	1						S9	[C3]
7	4778 673	1						S9	BEZEL, Armrest, Lid
8	5278 455AA	1						S9	BEZEL, Armrest, Bin
9	4773 684	1						S9	PIN, Armrest Lid Hinge
10	4773 685	1						S9	SPRING, Armrest Lid Hinge
11	5278 456AA	1						S9	LINER, Armrest Lid
12	4797 715	1						S9	BEZEL, Armrest, Lid Latch Release Button
13	4773 507	1						S9	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [S9]
Figure IBE-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 418	1						S9	Right
	4773 419	1						S9	Left
16	5010 197AA	2						S9	BELLOWS, Seat Mechanism

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats, Front, Trim Codes [SX, TY] Figure IBE-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UQ43 1AZAA	1						SX	[AZ], Center
	UQ43 1C3AA	1						SX	[C3], Center
	UQ45 1C3AA	1						SX	[C3], Driver
	UQ45 1AZAA	1						SX	[AZ], Driver
	UQ44 1AZAA	1						SX	[AZ], Passenger
	UQ44 1C3AA	1						SX	[C3], Passenger
	UQ43 1AZAA	1						TY	[AZ], Center
	UQ43 1C3AA	1						TY	[C3], Center
	UQ45 1AZAA	1						TY	[AZ], Driver
	UQ45 1C3AA	1						TY	[C3], Driver
	UQ44 1C3AA	1						TY	[C3], Passenger
	UQ44 1AZAA	1						TY	[AZ], Passenger
2									COVER, Front Seat Cushion
	UQ42 1AZAA	1						SX	[AZ], Center
	UQ42 1C3AA	1						SX	[C3], Center
	UQ41 1AZAA	1						SX	[AZ], Driver
	UQ41 1C3AA	1						SX	[C3], Driver
	UQ40 1AZAA	1						SX	[AZ], Passenger
	UQ40 1C3AA	1						SX	[C3], Passenger
	UQ42 1AZAA	1						TY	[AZ], Center
	UQ42 1C3AA	1						TY	[C3], Center
	UQ41 1AZAA	1						TY	[AZ], Driver
	UQ41 1C3AA	1						TY	[C3], Driver
	UQ40 1C3AA	1						TY	[C3], Passenger
	UQ40 1AZAA	1						TY	[AZ], Passenger
3									SEAT BACK, Front
	TD40 1AZAA	1						SX	[AZ], Passenger
	TD40 1C3AA	1						SX	[C3], Passenger
	TD41 1AZAA	1						SX	[AZ], Driver
	TD41 1C3AA	1						SX	[C3], Driver
	TD44 1AZAA	1						TY	[AZ], Passenger
	TD44 1C3AA	1						TY	[C3], Passenger
	TD45 1AZAA	1						TY	[AZ], Driver
	TD45 1C3AA	1						TY	[C3], Driver
4									COVER, Front Seat Back
	SP70 1AZAA	1						SX	[AZ], Passenger
	SP70 1C3AA	1						SX	[C3], Passenger
	SP71 1AZAA	1						SX	[AZ], Driver
	SP71 1C3AA	1						SX	[C3], Driver
	SP71 1AZAA	1						TY	[AZ], Driver

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seats, Front, Trim Codes [SX, TY] Figure IBE-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	SP70 1C3AA	1						TY	[C3], Passenger
	SP71 1C3AA	1						TY	[C3], Driver
	SP70 1AZAA	1						TY	[AZ], Passenger
	UQ25 1C3AB	1						SX	BASE, Armrest
	UQ25 1AZAB	1						SX	[C3]
6	UQ25 1C3AB	1						TY	[AZ]
	UQ25 1AZAB	1						TY	[C3]
	UP98 1AZAA	1						SX	[AZ]
	UP98 1C3AA	1						SX	[C3]
	UP98 1AZAA	1						TY	[AZ]
7	UP98 1C3AA	1						TY	[C3]
	4778 673	1						SX	LID, Armrest Bin
		1						TY	[AZ]
	5278 455AA	1						SX	[C3]
		1						TY	[AZ]
8	4773 684	1						SX	PIN, Armrest Lid Hinge
		1						TY	[C3]
	4773 685	1						SX	BEZEL, Armrest, Lid
		1						TY	[AZ]
	5278 456AA	1						SX	BEZEL, Armrest, Bin
9		1						TY	[C3]
	4797 715	1						SX	PIN, Armrest Lid Hinge
		1						TY	[C3]
	4773 507	1						SX	SPRING, Armrest Lid Hinge
		1						TY	[AZ]
10	4773 419	1						SX	LINER, Armrest Lid
	4773 418	1						SX	[C3]
	4773 419	1						TY	[AZ]
	4773 418	1						TY	[C3]
	5010 197AA	2						SX	BEZEL, Armrest
11									
12									
13									
14									
15									

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure IBE-540

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

RAM TRUCK SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure IBE-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	TC94 1AZAA	1						DZ	[AZ], Center
	TC94 1K5AA	1						DZ	[K9], Center
	WF50 1AZAA	1						DZ	[AZ], Passenger
	WF50 1K5AA	1						DZ	[K9], Passenger
	WF51 1AZAA	1						DZ	[AZ], Driver
	WF51 1K5AA	1						DZ	[K9], Driver
2									COVER, Front Seat Cushion
	SP00 1AZAA	1						DZ	[AZ], Passenger
	SP00 1K5AA	1						DZ	[K9], Passenger
	SP01 1AZAA	1						DZ	[AZ], Driver
	SP01 1K5AA	1						DZ	[K9], Driver
	SP57 1AZAA	1						DZ	[AZ], Center
	SP57 1K5AA	1						DZ	[K9], Center
3									SEAT BACK, Front
	WN42 1AZAA	1						DZ	[AZ], Passenger
	WN42 1K5AA	1						DZ	[K9], Passenger
	WN43 1AZAA	1						DZ	[AZ], Driver
	WN43 1K5AA	1						DZ	[K9], Driver
4									COVER, Front Seat Back
	SP58 1AZAA	1						DZ	[AZ], Passenger
	SP58 1K5AA	1						DZ	[K9], Passenger
	SP59 1AZAA	1						DZ	[AZ], Driver
	SP59 1K5AA	1						DZ	[K9], Driver
5									BASE, Armrest
	UR09 1AZAB	1						DZ	[AZ]
	UR09 1K5AA	1						DZ	[K9]
6									LID, Armrest Bin
	UP98 1AZAA	1						DZ	[AZ]
	UP98 1K5AA	1						DZ	[K9]
7	4778 673	1						DZ	BEZEL, Armrest, Lid
8	5278 455AA	1						DZ	BEZEL, Armrest, Bin
9	4773 684	1						DZ	PIN, Armrest Lid Hinge
10	4773 685	1						DZ	SPRING, Armrest Lid Hinge
11	5278 456AA	1						DZ	LINER, Armrest Lid
12	4797 715	1						DZ	BEZEL, Armrest
13	4773 507	1						DZ	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket
	4773 418	1						DZ	Right

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

$$2, 7 = 2500$$

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo D

EML,EM0 = Magnum 5.9L V8
EMM,EM2 = 5.9L 6MBL V8

EMM, EMU = 5.9L SMP1 V8
EWA, EWU = 8.0L V10 MPI

EWA, EWU = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual
DDP, DDG = 5 Speed ManualDDP, DD0 = 5 Speed Manual
DDF = 6 Speed HD Manual


DEE = 6 Speed HD Manual
 DBB = All Manual Transmission

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure IBE-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 419	1						DZ	Left
16	5010 197AA	2						DZ	BELLOWS, Seat Mechanism
-17									PAD, Heater, Peel and Stick
	5073 080AA-	1						DZ	Passenger,Cushion
	5073 081AA-	1						DZ	Driver,Cushion
	5073 082AA-	1						DZ	Back,Right & Left

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

$$2, 7 = 2500$$
$$3, 8 = 3500$$

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo D

EML,EM0 = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual


DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Seat Figure IBE-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 CUSHION, Rear Seat									
	TD00 1K5AA	1						DP	[K9]
	TD00 1AZAA	1						DP	[AZ]
		1						DZ	[AZ]
	TD00 1K5AA	1						DZ	[K9]
	UP80 1K5AA	1						R1	[K9]
	UP80 1C3AA	1						R1	[C3]
	UP80 1AZAA	1						R1	[AZ]
	UQ39 1C3AA	1						S9	[C3]
	UQ39 1AZAA	1						S9	[AZ]
	UQ48 1C3AA	1						SX	[C3]
	UQ48 1AZAA	1						SX	[AZ]
2 COVER, Rear Seat Cushion									
	SP61 1K5AA	1						DP	[K9]
	SP61 1AZAA	1						DP	[AZ]
		1						DZ	[AZ]
	SP61 1K5AA	1						DZ	[K9]
	UP77 1K5AA	1						R1	[K9]
	UP77 1C3AA	1						R1	[C3]
	UP77 1AZAA	1						R1	[AZ]
	UQ33 1C3AA	1						S9	[C3]
	UQ33 1AZAA	1						S9	[AZ]
	UQ47 1C3AA	1						SX	[C3]
	UQ47 1AZAA	1						SX	[AZ]
3 SEAT BACK, Rear									
	TD01 1K5AA	1						DP	[K9]
	TD01 1AZAA	1						DP	[AZ]
		1						DZ	[AZ]
	TD01 1K5AA	1						DZ	[K9]
	UP82 1K5AA	1						R1	[K9]
	UP82 1C3AA	1						R1	[C3]
	UP82 1AZAA	1						R1	[AZ]
	UQ38 1C3AA	1						S9	[C3]
	UQ38 1AZAA	1						S9	[AZ]
	UQ49 1C3AA	1						SX	[C3]
	UQ49 1AZAA	1						SX	[AZ]
4 COVER, Rear Seat Back									
	SP60 1K5AA	1						DP	[K9]
	SP60 1AZAA	1						DP	[AZ]
		1						DZ	[AZ]
	SP60 1K5AA	1						DZ	[K9]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Seat
Figure IBE-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UP76 1K5AA	1						R1	[K9]
	UP76 1C3AA	1						R1	[C3]
	UP76 1AZAA	1						R1	[AZ]
	UQ32 1C3AA	1						S9	[C3]
	UQ32 1AZAA	1						S9	[AZ]
	UQ46 1C3AA	1						SX	[C3]
	UQ46 1AZAA	1						SX	[AZ]
5	6500 664	4							SCREW AND WASHER, Hex Head, M8x1.25x35
6	55350 643AB	2							BUMPER, Seat Cushion
7									BUSHING, Pivot
	4778 684	2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
8									COVER, Seat latch
	4778 683	1						DP	Left
	4778 682	1						DP	Right
	4778 683	1						DZ	Left
	4778 682	1						DZ	Right
		1						R1	Right
	4778 683	1						R1	Left
		1						S9	Left
	4778 682	1						S9	Right
	4778 683	1						SX	Left
	4778 682	1						SX	Right
9									LATCH, Seat
	5010 285AA	1						DP	Left
	5010 284AA	1						DP	Right
		1						R1	Right
	5010 285AA	1						R1	Left
		1						S9	Left
	5010 284AA	1						S9	Right
	5010 285AA	1						SX	Left
	5010 284AA	1						SX	Right
10									LATCH, Seat
	5015 489AB	1						DP	
		1						DZ	
		1						R1	
		1						S9	


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cummins Diesel ETH = 5.9L Cummins HO Turbo Diesel EML, EM0 = Magnum 5.9L V8 EMM, EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Seat
Figure IBE-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						SX	
11									HANDLE, Recliner
	5519 6021	1						DP	Left
	5519 6020	1						DP	Right
	5519 6021	1						DZ	Left
	5519 6020	1						DZ	Right
	5519 6021	1						R1	Left
	5519 6020	1						R1	Right
		1						S9	Right
	5519 6021	1						S9	Left
	5519 6020	1						SX	Right
	5519 6021	1						SX	Left
		1						TY	Left
	5519 6020	1						TY	Right
12									COVER, Quarter Trim Opening
	5FH8 6LAZ	1						O0	[AZ], Right
	5FH8 6RC3	1						O0	[C3], Right
	5FH8 6RK5	1						O0	[K9], Right
	5FH8 7LAZ	1						O0	[AZ], Left
	5FH8 7RC3	1						O0	[C3], Left
	5FH8 7RK5	1						O0	[K9], Left
-13									SPRING, Seat Latch Return
	4778 719	1						DP	
		1						DZ	
		1						R1	
		1						S9	
		1						SX	
		1						TY	
14	5505 0160	2							FOOTMAN LOOP, Hold Down
15									FASTENER, Push Pin
	5GE96 LAZAA	6						O0	[AZ]
	5GE96 RC3AA	6						O0	[C3]
	5GE96 RK5AA	6						O0	[K9]
16									BIN, Storage
	5012 913AA	1						DP	
		1						DZ	
		1						R1	
		1						SX	
17									LATCH, Storage Bin Lid
	5012 915AA	1						DP	Left
	5012 914AA	1						DP	Right

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cummins Diesel
ETH = 5.9L Cummins HO Turbo Diesel
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Seat
Figure IBE-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5012 915AA	1						DZ	Left
	5012 914AA	1						DZ	Right
		1						R1	Right
	5012 915AA	1						R1	Left
		1						SX	Left
	5012 914AA	1						SX	Right
18									BOLT
	5012 916AA	4						DP	
		4						DZ	
		4						R1	
		1						S9	
		4						SX	
19									SUPPORT, Rear Seat
	5527 5000	1							Right
	5527 5001	1							Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts, Lap Figure IBE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Order Color ['AZ', C3'] should use Agate.									
Order Color ['K9'] should use Camel.									
1									SEAT BELT, Front Inner, Passenger
	5GT64 RK5AC	1						DP	[K9]
	5GT64 LAZAC	1						DP	[AZ]
	5GT64 RK5AC	1						DZ	[K9]
	5GT64 LAZAC	1						DZ	[AZ]
	5GT64 RK5AC	1						R1	[K9]
	5GT64 LAZAC	1						R1	[AZ,C3]
		1						S9	[AZ,C3]
		1						SX	[AZ,C3]
		1						TY	[AZ,C3]
2									BOLT, Seat Belt Anchor
	5010 812AA	2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
		2						TY	
3									LAP BELT, Buckle Half
	5GE46 1AZAA	1						DP	[AZ]
	5GE46 1K5AA	1						DP	[K9]
		1						DZ	[K9]
	5GE46 1AZAA	1						DZ	[AZ]
		1						R1	[AZ,C3]
	5GE46 1K5AA	1						R1	[K9]
	5GE46 1AZAA	1						S9	[AZ,C3]
		1						SX	[AZ,C3]
		1						TY	[AZ,C3]
4									LAP BELT, Tip Half
	5GE47 LAZAA	1						DP	[AZ]
	5GE47 RK5AA	1						DP	[K9]
		1						DZ	[K9]
	5GE47 LAZAA	1						DZ	[AZ]
		1						R1	[AZ,C3]
	5GE47 RK5AA	1						R1	[K9]
	5GE47 LAZAA	1						S9	[AZ,C3]
		1						SX	[AZ,C3]
		1						TY	[AZ,C3]
5									SEAT BELT, Front Inner, Driver
	5GT65 RK5AD	1						DP	[K9]


DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts, Lap Figure IBE-710

[illegible]

DODGE RAM QUAD CAB/CLUB CAB (BE)

**BODGE RAM QUAD
SERIES**
L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML, EM0 = Magnum 5.9L V8
EMM, EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belt Shoulder, Front & Rear, Belt Lap Rear Seat Figure IBE-720

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Rear Outer
	5GT78 LAZAB	2						O0	[AZ, C3]
	5GT78 RK5AB	2						O0	[K9]
2	6034 395	4							SCREW, Pan Head, .437-20x1.79
3	6036 108AA	2							SCREW, Pan Head
4	0152 477	2							NUT, Hex Flange Lock, .437-20
5									SEAT BELT, Rear Inner
	5EX5 8SAZ	1						O0	[AZ, C3], Right
	5EX5 8TK5	1						O0	[K9], Right
	5EX5 9SAZ	1						O0	[AZ, C3], Left
	5EX5 9TK5	1						O0	[K9], Left
6									SEAT BELT, Front Outer
	5GD71 RK5AB	1						DP	[K9], Left
	5GD71 LAZAB	1						DP	[AZ], Left
	5GD70 RK5AB	1						DP	[K9], Right
	5GD70 LAZAB	1						DP	[AZ], Right
	5GD71 RK5AB	1						DZ	[K9], Left
	5GD71 LAZAB	1						DZ	[AZ], Left
	5GD70 RK5AB	1						DZ	[K9], Right
	5GD70 LAZAB	1						DZ	[AZ], Right
		1						R1	[AZ, C3], Right
	5GD71 RK5AB	1						R1	[K9], Left
	5GD70 RK5AB	1						R1	[K9], Right
	5GD71 LAZAB	1						R1	[AZ, C3], Left
		1						S9	[AZ, C3], Left
	5GD70 LAZAB	1						S9	[AZ, C3], Right
		1						SX	[AZ, C3], Right
	5GD71 LAZAB	1						SX	[AZ, C3], Left
		1						TY	[AZ, C3], Left
	5GD70 LAZAB	1						TY	[AZ, C3], Right
7									BEZEL, Seat Belt, Serviced with Seat Belt Outer, Item #6, (NOT SERVICED) (Not Serviced)
8	55350 951AC	3							STRAP, Seat
9	55350 950AC	1							ANCHOR, Tether
10									BUTTON, BELT WEBBING, Front
	5093 280AA	2						O0	[AZ, C3]
	5093 281AA	2						O0	[K9]
11									BUTTON, BELT WEBBING, Rear
	5093 280AA	2						O0	[AZ, C3]
	5093 281AA	2						O0	[K9]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI



TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Floor Attaching Figure IBE-810

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 401AA	4							SCREW AND WASHER, M10x1.5x45
2	0152 477	2							NUT, Hex Flange Lock, .437-20



DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

2, 7 = 2500

$$3, 8 = 3500$$

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo D

EML,EM0 = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual


DEE = 6 Speed HD Manual

DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adjusters and Recliners
Figure IBE-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Control Unit
	5010 212AA	1						R1	
		1						S9	
		1						SX	
		1						TY	
2									BOLT
	4773 714	8						DP	
		8						DZ	
		8						R1	
		8						S9	
		8						SX	
		8						TY	
3									TOWEL BAR, Seat Adjuster Handle
	5010 314AA	1						DP	
		1						DZ	
		1						R1	
		1						S9	
		1						SX	
		1						TY	
-4									SPRING, Return Assist
	5010 307AA-	1						DP	
		1						DZ	
		1						R1	
		1						S9	
		1						SX	
		1						TY	
5									REINFORCEMENT, Seat Mount
	5010 281AA	1						DP	
		1						DZ	
		1						R1	
		1						S9	
		1						SX	
		1						TY	
6									BOLT, Seat
	5010 191AA	8						DP	
		8						DZ	
		8						R1	
		8						S9	
		8						SX	
		8						TY	
7									BOLT, Seat Belt Anchor

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adjusters and Recliners
Figure IBE-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 812AA	2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
		2						TY	
8									RISER, Seat
	5019 225AA	1						DP	Inboard,Passenger
	5010 296AA	1						DP	Outboard,Passenger
	5010 298AA	1						DP	Outboard,Driver
	5010 297AA	1						DP	Inboard,Driver
	5019 225AA	1						DZ	Inboard,Passenger
	5010 296AA	1						DZ	Outboard,Passenger
	5010 298AA	1						DZ	Outboard,Driver
	5010 297AA	1						DZ	Inboard,Driver
	5019 225AA	1						R1	Inboard,Passenger
	5010 296AA	1						R1	Outboard,Passenger
	5010 297AA	1						R1	Inboard,Driver
	5010 298AA	1						R1	Outboard,Driver
	5010 297AA	1						S9	Inboard,Driver
	5019 225AA	1						S9	Inboard,Passenger
	5010 296AA	1						S9	Outboard,Passenger
	5010 298AA	1						S9	Outboard,Driver
	5019 225AA	1						SX	Inboard,Passenger
	5010 298AA	1						SX	Outboard,Driver
	5010 296AA	1						SX	Outboard,Passenger
	5010 297AA	1						SX	Inboard,Driver
	5019 225AA	1						TY	Inboard,Passenger
	5010 296AA	1						TY	Outboard,Passenger
	5010 297AA	1						TY	Inboard,Driver
	5010 298AA	1						TY	Outboard,Driver
9	5010 312AA	8						TY	BOLT, Adjuster to Seat Frame
10									NUT, Hex, M12x1.25
	5010 277AA	2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
		2						TY	
11									BRACKET, Seat
	5010 299AA	1						DP	Driver

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adjusters and Recliners Figure IBE-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 300AA	1						DP	Passenger
		1						DZ	Passenger
	5010 299AA	1						DZ	Driver
	5010 300AA	1						R1	Passenger
	5010 299AA	1						R1	Driver
	5010 300AA	1						S9	Passenger
	5010 299AA	1						S9	Driver
	5010 300AA	1						SX	Passenger
	5010 299AA	1						SX	Driver
	5010 300AA	1						TY	Passenger
	5010 299AA	1						TY	Driver
12	RT66 1AZAA	1						DP	SHIELD, Seat Cushion [AZ], Passenger,Manual
	RT66 1K5AA	1						DP	[K9], Passenger,Manual
	RT73 1AZAA	1						DP	[AZ], Driver,Power
	RT73 1K9AA	1						DP	[K9], Driver,Power
		1						DZ	[K9], Driver,Power
	UC16 1AZAA	1						DZ	[AZ], Passenger,Power
	UC16 1K5AA	1						DZ	[K9], Passenger,Power
	RT73 1AZAA	1						DZ	[AZ], Driver,Power
	RT66 1AZAA	1						R1	[AZ], Passenger,Manual
	RT66 1K5AA	1						R1	[K9], Passenger,Manual
	RT66 1C3AA	1						R1	[C3], Passenger,Manual
	RT73 1AZAA	1						R1	[AZ], Driver,Power
	RT73 1C3AA	1						R1	[C3], Driver,Power
	RT72 1C3AA	1						R1	[C3], Driver,Manual
	RT72 1K9AA	1						R1	[K9], Driver,Manual
	RT72 1AZAA	1						R1	[AZ], Driver,Manual
	RT73 1K9AA	1						R1	[K9], Driver,Power
	RT66 1AZAA	1						S9	[AZ, C3], Passenger,Manual
	RT72 1AZAA	1						S9	[AZ, C3], Driver,Manual
		1						SX	[AZ, C3], Driver,Manual
	RT66 1AZAA	1						SX	[AZ, C3], Passenger,Manual
		1						TY	[AZ, C3], Passenger,Manual
	RT72 1AZAA	1						TY	[AZ, C3], Driver,Manual
13									ADJUSTER, Power Seat, Includes Motors
	5010 175AB	1						DP	Driver
		1						DZ	Driver
	5017 818AA	1						DZ	Passenger
	5010 175AB	1						R1	Driver
14									ADJUSTER, Manual Seat

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adjusters and Recliners
Figure IBE-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 172AA	1						DP	Driver,Inboard
	5010 178AB	1						DP	Passenger,Outer
	5010 177AA	1						DP	Without Easy Entry, Passenger, Inboard
	5010 172AA	1						DZ	Driver,Inboard
	5010 177AA	1						DZ	Without Easy Entry, Passenger, Inboard
	5010 172AA	1						R1	Driver,Inboard
	5010 174AB	1						R1	Driver,Outboard
	5010 178AB	1						R1	Passenger,Outer
	5010 177AA	1						R1	Without Easy Entry, Passenger, Inboard
	5010 172AA	1						S9	Driver,Inboard
	5010 174AB	1						S9	Driver,Outboard
	5010 177AA	1						S9	Without Easy Entry, Passenger, Inboard
	5010 172AA	1						SX	Driver,Inboard
	5010 174AB	1						SX	Driver,Outboard
	5010 177AA	1						SX	Without Easy Entry, Passenger, Inboard
	5010 178AB	1						SX	Passenger,Outer
	5010 172AA	1						TY	Driver,Inboard
	5010 177AA	1						TY	Without Easy Entry, Passenger, Inboard
	5010 178AB	1						TY	Passenger,Outer
15	5010 174AB	1						TY	Driver,Outboard
	5010 191AA	8						DP	BOLT, Seat
		8						DZ	
		8						R1	
		8						S9	
		8						SX	
		8						TY	
16	5010 816AA	2							BOLT, Recliner
		2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
		2						TY	HANDLE, Seat Recliner
17									

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adjusters and Recliners
Figure IBE-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 258AA	1						DP	Passenger
	5010 259AA	1						DP	Driver
		1						DZ	Driver
	5010 258AA	1						DZ	Passenger
		1						R1	Passenger
	5010 259AA	1						R1	Driver
		1						S9	Driver
	5010 258AA	1						S9	Passenger
	5010 259AA	1						SX	Driver
	5010 258AA	1						SX	Passenger
	5010 259AA	1						TY	Passenger
	5010 258AA	1						TY	Driver
18									RECLINER, Front Seat Back
	5010 286AA	1						DP	Passenger
	5010 287AA	1						DP	Driver
		1						DZ	Driver
	5010 286AA	1						DZ	Passenger
	5010 287AA	1						R1	Driver
	5010 286AA	1						R1	Passenger
	5010 287AA	1						S9	Driver
	5010 286AA	1						S9	Passenger
	5010 287AA	1						SX	Driver
	5010 286AA	1						SX	Passenger
	5010 287AA	1						TY	Driver
	5010 286AA	1						TY	Passenger
19									SHIELD, Seat Adjuster
	5010 305AA	2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
		2						TY	
20									PIN, Roll
	5010 826AA	2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
		2						TY	
21									SPRING, Return Assist
	5010 309AA	1						DP	Driver

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure IBE-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 308AA	1						DP	Passenger
	5010 309AA	1						DZ	Driver
	5010 308AA	1						DZ	Passenger
	5010 309AA	1						R1	Driver
	5010 308AA	1						R1	Passenger
		1						S9	Passenger
	5010 309AA	1						S9	Driver
	5010 308AA	1						SX	Passenger
	5010 309AA	1						SX	Driver
	5010 308AA	1						TY	Passenger
	5010 309AA	1						TY	Driver
22									BOLT, Pivot
	5010 813AA	2						DP	Inboard,Passenger,Driver
	5010 815AA	1						DP	Outboard,Passenger
		1						DZ	Outboard,Passenger
	5010 813AA	2						DZ	Inboard,Passenger,Driver
	5010 815AA	1						R1	Outboard,Passenger
	5010 813AA	2						R1	Inboard,Passenger,Driver
	5010 815AA	1						S9	Outboard,Passenger
	5010 813AA	2						S9	Inboard,Passenger,Driver
	5010 815AA	1						SX	Outboard,Passenger
	5010 813AA	2						SX	Inboard,Passenger,Driver
	5010 815AA	1						TY	Outboard,Passenger
	5010 813AA	2						TY	Inboard,Passenger,Driver
23									BOLT, Recliner to Seat Back
	5010 210AA	4						DP	
		4						DZ	
		4						R1	
		4						S9	
		4						SX	
		4						TY	
24									BOLT, Seat Belt
	5010 818AA	4						DP	
		4						DZ	
		4						R1	
		4						S9	
		4						SX	
		4						TY	
25									HANDLE, Seat Back
	RS18 1AZAA	2						DP	[AZ]
	RS18 1K5AA	2						DP	[K9]

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo Dis

EML,EM0 = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual


DDP, DD0 = 5 Speed Manual

DEE = 6 Speed HD Manual

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure IBE-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2						DZ	[K9]
	RS18 1AZAA	2						DZ	[AZ]
		2						R1	[AZ]
	RS18 1C3AA	2						R1	[C3]
	RS18 1K5AA	2						R1	[K9]
	RS18 1AZAA	2						S9	[AZ]
	RS18 1C3AA	2						S9	[C3]
		2						SX	[C3]
	RS18 1AZAA	1						SX	[AZ]
26									CAP, Assist Handle Screw Cover
	RS80 1AZAA	4						DP	[AZ]
	RS80 1K5AA	1						DP	[K9]
		1						DZ	[K9]
	RS80 1AZAA	4						DZ	[AZ]
		1						R1	[AZ]
	RS80 1K5AA	1						R1	[K9]
	RS80 1C3AA	4						R1	[C3]
	RS80 1AZAA	4						S9	[AZ]
	RS80 1C3AA	4						S9	[C3]
		4						SX	[C3]
	RS80 1AZAA	1						SX	[AZ]
27									LUMBAR, Support
	5010 279AA	1						DP	
	5017 856AA	1						DZ	Passenger
	5010 279AA	1						DZ	Driver
28		1						R1	BELLOWS, Seat Mechanism
	5010 197AA	2						DP	
		2						DZ	
		2						R1	
		2						S9	
		2						SX	
		2						TY	
29									RETAINER, Push On
	5010 315AA	6						DP	
		6						DZ	
		6						R1	
		6						SX	

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES

L = Ram Truck (All)

LINE

BODY

33 = Quad Cab (138 WB)

34 = Quad Cab (154 WB)

ENGINE

ETC, ET0 = 5.9L Cumm Diesel

ETH = 5.9LCumm HO Turbo Dis

EML,EM0 = Magnum 5.9L V

EMM,EM0 = 5.9L SMPI V8

EWA, EW0 = 8.0L V10 MPI

TRANSMISSION

DGP = 47RE 4 Speed Auto.

DGT, DG0 = 46RE 4 Speed Auto.

DDX, DDC = 5 Speed HD Manual

DDP, DD0 = 5 Speed Manual


DEE = 6 Speed HD Manual

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Group – SBE









Body Sheet Metal Except Doors



Group – SBE

Body Sheet Metal Except Doors

SBE-1100 Roof Panel 	SBE-1300 Tailgate 		
---	---	--	--


SBE-200 Floor Pans 	SBE-300 Plugs 	SBE-400 Front Fenders 	SBE-500 Hood and Hood Release 
SBE-600 Cowl and Dash Panel 	SBE-700 Glass and Rear View Mirror 	SBE-800 Aperture Panel 	SBE-900 Quarter Panel and Pillar 

GROUP SBE - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SBE-210
Floor Box And Panel	Fig. SBE-220
Plugs	
Plugs	Fig. SBE-310
Front Fenders	
Fender Front	Fig. SBE-410
Hood and Hood Release	
Hood And Hood Release	Fig. SBE-510
Cowl and Dash Panel	
Cowl And Dash Panel	Fig. SBE-610
Glass and Rear View Mirror	
Glass, Windshield, Backlite, Quarter, Inside Mirror	Fig. SBE-710
Aperture Panel	
Aperture Panel Bodyside	Fig. SBE-810
Quarter Panel and Pillar	
Quarter Panel	Fig. SBE-910
Roof Panel	
Roof Panel	Fig. SBE-1110
Tailgate	
Tailgate	Fig. SBE-1310



Floor Pan
Figure SBE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 180AC	1							PANEL, Front Floor Pan
2	5527 5000	1							SUPPORT, Rear Seat Right
	5527 5001	1							Left
3	5527 5152	1							PANEL, Floor Outer Right
	5527 5153	1							Left
4	5527 4926	1							SUPPORT, Underbody Hold Down Right
	55274 927AB	1							Left
5	5527 5084	2							SUPPORT, Front Seat, Front
6	5527 5087	1							SUPPORT, Front Seat, Left,Rear
7	5527 5184	1							SUPPORT, Underbody Hold Down Right,Middle
	5527 5185	1							Left,Middle
8	5527 4580	2							SUPPORT, Underbody Hold Down
9	55275 327AB	1							BRACKET, Jack
10	5527 5362	1							CROSSMEMBER, Rear Floor
11	5527 4638	1							REINFORCEMENT, Floor Pan
12	5527 5296	1							SHIELD, Heat, Upper Right
13	5527 4656	1							SHIELD, Heat, Center
14	55274 655AB	1							SHIELD, Heat, Rear Upper,Left
15	5525 4778	1							REINFORCEMENT, Seat Belt Anchor
16	5527 5165	1							REINFORCEMENT, Front Seat
17	5527 4570	1							SUPPORT, Cowl Side Right
	5527 4571	1							Left
18	5527 5420	1							EXTENSION, Cab Back Right
	5527 5421	1							Left

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Floor Box And Panel
Figure SBE-220


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									EXTENSION, Cab Back
	5527 5420	1							Right
	5527 5421	1							Left
2	5534 5618	1							CROSSMEMBER, Rear Box
3	5527 5107	1							PANEL, Cab Back
4	55276 498AA	1							REINFORCEMENT, Cab Back
5									PANEL, Box Floor
	55275 375AB	1			34				
	5527 5374	1	2, 7		33				
6	5502 3626	1							PANEL, Front Box
7	5527 5253	1							CROSSMEMBER, Rear Box
8									CROSSMEMBER, Rear Box
	55275 476AA	1			34				[8] Foot Box
	5527 4766	1	2, 7		33				[6 1/2] Box
9									CROSSMEMBER, Rear Box
	5527 4770	2			34				[#3] And #4 For 8 Foot Box
		1	2, 7		33				[#3] For 6 1/2 Foot Box
10	5534 6091	2							TAPPING PLATE, Floor
									Crossmember, Tie Downs, Also Served in Crossmember #1 and #2
11									BRACKET, Box Floor Center, (NOT SERVICED) (Not Serviced)
12									BRACE, Box Side Wheelhouse
	5534 5734	2							Right
	5534 5735	2							Left
13	5502 3614	2							WHEELHOUSE, Rear Inner
14									REINFORCEMENT, Quarter Rear Corner
	55274 806AB	1							Right
	55274 807AB	1							Left
15									EXTENSION, Wheel House
	55276 288AA	1	3, 8		34				Dual Wheel, Right Front
	55276 289AA	1	3, 8		34				Dual Wheel, Left Front
	55276 476AA	1	3, 8		34				Right Rear
		1	2, 7						Right Rear
	55276 477AA	1	3, 8		34				Left Rear
		1	2, 7						Left Rear
16	5527 5186	1							SILL, Box
17	55275 466AA	4							ISOLATOR
-18	5527 5188	2							TAPPING PLATE, Sill to Frame

DODGE RAM QUAD CAB/CLUB CAB (BE)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Floor Box And Panel
Figure SBE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19									REINFORCEMENT, Cab Back to
									Floor
	5527 5092	1							Right
	5527 5093	1							Left
-20									SCREW AND WASHER, Hex Head,
									M10x1.5x45
	6506 318AA-	8			34				
		6	2, 7		33				
21									PANEL, Box Side
	4856 380AB	1			34				[8] Foot Box, Right
	4856 381AB	1			34				[8] Foot Box, Left
	4856 376AB	1	2, 7		33				[6 1/2] Foot Box, Right
	4856 377AB	1	2, 7		33				[6 1/2] Foot Box, Left
22									PANEL, Box Side Outer
	5502 3618	1	2, 7		33				[6 1/2] Foot Box, Right
	5502 3619	1	2, 7		33				[6 1/2] Foot Box, Left
	55023 620AB	1			34				[8] Foot Box, Right
	55023 621AC	1			34				[8] Foot Box, Left
23									PANEL, Box Side, Dual Wheels
	4856 384AB	1			34				Right
	4856 385	1			34				Left
24	6503 221	2							PIN


DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plugs
Figure SBE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4440 486	2							PLUG, Body, 19.05mm x 31.75mm, Left
2	55276 319AA	2							PLUG, Floor
3	4475 385	2							PLUG, Plenum Lower Push Rod Access
4	5503 5931	2							SEAL, Plenum Drain
5	5255 216	2							PLUG, Body, .875 Diameter
6	1774 076	2							PLUG, Body Side
7	55257 380AA	8							PLUG, Floor Pan Outer Drain
8	4586 055	19							PLUG, Floor Pan
-9	5600 6990	1							PLUG, Sealing, Antenna Hole
-10	52108 193AB-	1							PLUG, Dash Panel Clutch Opening
-11	4084 000	2							PLUG, Hood, Rear Round
-12	4475 385	2							PLUG, Hood Rear Oval




DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fender Front Figure SBE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEELHOUSE, Front Inner
	55275 310AH	1							Right
	55275 311AH	1							Left
2									REINFORCEMENT, Fender
	5502 3530	1							Right
	5502 3531	1							Left
3									PANEL, Fender
	55234 708AG	1							Right
	55234 709AG	1							Left
-4	6503 757	2							SCREW AND WASHER, Hex Head, M8-1.25x22.00, Fender Outer to Aperture
-5	6502 282	12							SCREW, Hex Head, M8x1.25x30, Fender Inner to Radiator Closure
-6	6503 461	AR							SCREW, Fender Outer to Radiator Closure
7									REINFORCEMENT, Fender
	5523 4648	1							Upper,Right
	5523 4649	1							Upper Left
8									REINFORCEMENT, Fender
	55275 396AB	1							Right
	55275 397AB	1							Left
9									SHIELD, Wheelhouse
	5534 6014	1	2, 3						Two Wheel Drive, Right
	5534 6015	1	2, 3						Two Wheel Drive, Left
	5534 6052	1	7, 8						Four Wheel Drive, Right
	5534 6053	1	7, 8						Four Wheel Drive, Left
10	3420 1631	18							RIVET, M6.25x28 Black
11									SEAL, Fender To Cowl
	55135 108AB	1							Right
	55135 109AB	1							Left
-12									LABEL, Battery Jump Start
	5304 0076	2							
	5304 0081	1							CANADA

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)


ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hood And Hood Release Figure SBE-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code [MFN] = Grille Body Color									
1	55075 923AD	1							HOOD
2	5523 4899	2							BUMPER, Hood to Fender
3	2276 804	2							BUMPER, Hood
4	6036 199AA	2							SCREW, Round Head, .312-18x1.50
5	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
6	55075 794AC	1							HINGE, Hood Right
	55075 795AC	1							Left
-7	6503 661	6							SCREW AND WASHER, Hex Head, M8x1.25x25, Hood Hinge to Cowl End Attach
8	6500 787	1							RIVET, M5x11.30
9	5507 5178	1							SKID PLATE, Secondary Hood Catch
10	5527 5379	1							LATCH, Hood
11	6101 455	2							SCREW AND WASHER, Hex Head, M6x1x20
12	5507 6343	1							RELEASE, Hood Latch
-13	5207 294	1							GROMMET, Hood Latch Release
14	6503 794	3							CLIP, M6.3x11.2
-15	6504 288	6							SCREW AND WASHER, Hex Head, Grille Bracket to Hood
16	55076 367AB	1							CATCH, Hood Safety
17	5507 5937	1							STRIKER, Hood Latch
18	5527 5195	1							ROD, Hood Safety Catch
	55275 477AA	1							With Grille Body Color, [MFN]
19	55275 133AB	1							GUIDE, Hood Safety
20	6502 655	1							SCREW, Hex Head, M6x1x15
21	0154 782	3							SCREW, Hex Head, .19-16x.5
22	55135 340AB	1							SEAL, Hood To Plenum
-23	5513 5342	1							SEAL, Cowl Right
	5513 5343	1							Left
-24	5503 6839	2							TAPE, Hood To Seal
-25	6100 557	2							BOLT AND CONED WASHER, Hex Head, M6x20x14, Attach Clip Cable to Body

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl And Dash Panel
Figure SBE-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55274 586AH	1							PANEL, Dash
2	55275 298AC	1							PANEL, Cowl And Plenum
3									PANEL, Plenum End
	5527 4644	1							Right
	5527 4645	1							Left
4	55274 643AC	1							PANEL, Cowl And Plenum
5	5502 3557	1							SUPPORT, Steering Column, Upper
6									PANEL, Cowl Side
	5527 5302	1							Right
	5527 5303	1							Left
7	5527 4575	1							SUPPORT, Steering Column, Lower
8									SEAL, Cowl
	5513 5342	1							Right
	5513 5343	1							Left
9	6503 274	4							NUT, Push On
10	55215 683AD	1							INSULATION, Dash Panel, Diesel
11	55036 871AB	1							PANEL, Cowl Top
12	55350 212AD	1							INSULATION, Dash Panel, Diesel
13	6503 339	5							NUT, Plastic
14	6503 336	5							STUD, .250-20x16.2
15									REINFORCEMENT, Hood Hinge
	5527 4588	1							Right
	5527 4589	1							Left
16	5523 4637	1							REINFORCEMENT, Brake Booster
17	52108 193AB	1							PLUG, Dash Panel Opening

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Glass, Windshield, Backlite, Quarter, Inside Mirror
Figure SBE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WINDSHIELD
	4798 841AB	1							With Shade Ban, Up to 7/10/01
	5083 951AA	1							Without Shade Ban, After 7/10/01
2	55276 389AA	1							MOLDING, Windshield
-3	4864 015	1							INSTALLATION PACKAGE,
									Windshield Glass
4	55275 388AC	2							SPACER, Windshield
5	4278 662	1							SPACER
6	5507 6401	1							BUTTON, Rear View Mirror
7									SCREW, [.190-24x.375], (NOT SERVICED) (Not Serviced)
8	55076 403AB	1							MIRROR, Inside Rear View
9	55076 402AB	1							MIRROR, Inside Rear View, Electric
10	5534 6646	1							BACKLITE, Tinted
11	55346 644AG	1							WINDOW KIT, Slider - Manual Rear
12									GLASS, Backlite, Sliding
	5012 880AC	1							Right
	5012 881AC	1							Left
13	5011 532AB	1							CHANNEL, Sliding Backlite, Upper
14	5011 533AB	1							CHANNEL, Sliding Backlite, Lower
15	4773 094AB	1							LATCH, Sliding Window
-16	5013 085AA-	1							SEALER, Glass, Use to repair backlite leaks

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture Panel Bodyside
Figure SBE-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture Rear
	5013 088AB	1							Right
	5013 089AB	1							Left
2									PANEL, Quarter Inner
	5527 5136	1							Upper Right
	5527 5137	1							Upper Left
3									PANEL, Quarter
	5527 5140	1							Right,Outer
	5527 5141	1							Left,Outer
4	55275 460AD	2							SEAL, Body Side, Upper,Secondary
-5									RETAINER, Bodyside Seal
	55275 056AC-	1							Right
	55275 057AC-	1							Left
6	5527 5238	2							CHECK, Rear Door
7	5527 5157	4							HINGE, Door
8									BRACKET, Aperture to Fender
	5527 5222	1							Right
	5527 5223	1							Left
9									PANEL, Quarter Inner
	5527 5212	1							Lower Right
	5527 5213	1							Lower Left
10									GUSSET, Cowl Plenum To Cowl
	55274 562AC	1							Side
	55274 563AC	1							Right
									Left
11									TAPPING PLATE, Side Pillar Hinge
	5527 4600	1							Right
	5527 4601	1							Left
12									RAIL, Roof
	5527 5226	1							Right
	5527 5227	1							Left
13									STRIKER, Door Latch
	5527 5102	1							Upper Right
	5527 5103	1							Upper Left
14									STRIKER, Door
	5527 5104	1							Lower Right
	5527 5105	1							Lower Left
15									REINFORCEMENT, Sill
	55275 172AB	1							Right
	55275 173AB	1							Left
16									BAFFLE, C Pillar
	55275 208AC	1							Outer,Right

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture Panel Bodyside
Figure SBE-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55275 209AC	1							Outer,Left
17	55275 210AC	1							BAFFLE, C Pillar
	55275 211AC	1							Inner Right
	55275 211AC	1							Inner Left
18	4490 835AB	2							REINFORCEMENT, Shoulder Belt
19									WEATHERSTRIP, Front Door
	55276 502AA	1							Right
	55276 503AA	1							Left
20									SEAL, Front Door
	55275 424AA	1							Right
	55275 425AA	1							Left
21									BAFFLE, A Pillar
	5513 5346	1							Right
	5513 5347	1							Left
22	6100 583	6							BOLT AND CONED WASHER, Hex Head, M8x25x20
23	6505 553AA	4							SCREW
24									SEAL, Body Side
	55275 508AA	1							Right
	55275 509AA	1							Left

DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500	33 = Quad Cab (138 WB)	ETC, ET0 = 5.9L Cumm Diesel	DGP = 47RE 4 Speed Auto.
	3, 8 = 3500	34 = Quad Cab (154 WB)	ETH = 5.9LCumm HO Turbo Disl	DGT, DG0 = 46RE 4 Speed Auto.
			EML,EM0 = Magnum 5.9L V8	DDX, DDC = 5 Speed HD Manual
			EMM,EM0 = 5.9L SMPI V8	DDP, DD0 = 5 Speed Manual
			EWA, EW0 = 8.0L V10 MPI	DEE = 6 Speed HD Manual
				DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Quarter Panel
Figure SBE-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Box Side
	4856 380AB	1			34				[8] Foot Box, Right
	4856 381AB	1			34				[8] Foot Box, Left
	4856 376AB	1	2, 7		33				[6 1/2] Foot Box, Right
	4856 377AB	1	2, 7		33				[6 1/2] Foot Box, Left
2									PANEL, Box Side Outer
	5502 3618	1	2, 7		33				[6 1/2] Foot Box, Right
	5502 3619	1	2, 7		33				[6 1/2] Foot Box, Left
	55023 620AB	1			34				[8] Foot Box, Right
	55023 621AC	1			34				[8] Foot Box, Left
3									PANEL, Box Side, Dual Wheels
	4856 384AB	1			34				Right
	4856 385AB	1			34				Left
4									REINFORCEMENT, Quarter Rear
									Corner
	55274 806AB	1							Right
	55274 807AB	1							Left
5									DOOR, Fuel Fill
	55076 234AB	1	2, 7						
	55076 235AB	1	3, 8		34				Dual Wheel
6									LABEL, Unleaded Fuel Only
	4206 059	1							English
	4490 411	1							French
7	4428 652	1							LABEL, Fuel, Diesel
8									BUMPER, Fuel Door
	5507 6327	2	2, 7						
	5534 5963	2	3, 8		34				Dual Wheel
9									FENDER, Dual Wheel
	5003 144AA	1	3, 8		34				Right
	5003 145AA	1	3, 8		34				Left
10	5534 6010	2	7						SHIELD, Wheelhouse
-11	6502 871	32	3, 8		34				RETAINER, Splash Shield Attach
12	3420 1631	14	7, 8						RIVET, M6.25x28 Black
13	55362 119AA	2							STRIKER, Door Latch
14	6102 002	4							SCREW AND WASHER, Hex Head, M8x1.25x20
15									BOX, Pickup
	4874 785AB	1			34				[8] Foot Box
	4882 570AB	1			34				Dual Wheel, 8 Foot Box
	4874 783AB	1	2, 7		33				[6 1/2] Foot Box
16									REINFORCEMENT, Box Side
	5527 4780	2							Right

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)


LINE
2, 7 = 2500
3, 8 = 3500

BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cummm Diesel
ETH = 5.9LCummm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Quarter Panel
Figure SBE-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5527 4781	2							Left
17	6506 974AA	18	3, 8		34				SCREW, Stake, M6x1x20
18									BRACKET, Stop Lamp
	5534 4816	1							Right
	5534 4817	1							Left
19	5534 5598	2	3, 8		34				EXTENSION, Wheel House, Dual Wheel
20	6503 259	2							SCREW, Tapping, M6x1x20
-21	3420 2335	4							FASTENER, M7.4 Christmas Tree
22									SHIELD, Splash
	55276 478AA	1	3, 8		34				Right,Front
	55276 479AA	1	3, 8		34				Left,Front
	55276 480AA	1	3, 8		34				Right,Rear
	55276 481AA	1	3, 8		34				Left,Rear
23	6503 267	40	3, 8		34				SCREW, Round Head, M6x1x25
24	6101 712	40	3, 8		34				NUT, U, M6x1
25									SCREW AND WASHER, Hex Head, M10x1.5x45
	6506 318AA	8			34				
		6	2, 7		33				
26	6502 780	16	3, 8		34				STUD, M6x1.0x18.0

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES
L = Ram Truck (All)

LINE
2, 7 = 2500
3, 8 = 3500


BODY
33 = Quad Cab (138 WB)
34 = Quad Cab (154 WB)

ENGINE
ETC, ET0 = 5.9L Cumm Diesel
ETH = 5.9LCumm HO Turbo Disl
EML,EM0 = Magnum 5.9L V8
EMM,EM0 = 5.9L SMPI V8
EWA, EW0 = 8.0L V10 MPI

TRANSMISSION
DGP = 47RE 4 Speed Auto.
DGT, DG0 = 46RE 4 Speed Auto.
DDX, DDC = 5 Speed HD Manual
DDP, DD0 = 5 Speed Manual
DEE = 6 Speed HD Manual
DBB = All Manual Transmissions

Roof Panel
Figure SBE-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5322	1							HEADER, Roof Front
2	55275 164AC	1							ROOF, Inner
3	5527 4996	1							ROOF
4									RAIL, Roof
	5527 5226	1							Right
	5527 5227	1							Left
5	55023 541AB	1							HEADER, Roof Rear
6	5527 4636	1							BOW, Roof
7	6030 441	2							PIN, Retainer
8									FRAME, Windshield Side
	55275 280AB	1							Right
	55275 281AB	1							Left




DODGE RAM QUAD CAB/CLUB CAB (BE)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Tailgate
Figure SBE-1310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5016	1							PIVOT, Tailgate
2	55274 833AE	1	3, 8		34				TAILGATE Dual Wheel
	55274 915AE	1	2, 7						
3									CABLE, Tailgate
	55345 124AB	1							Right
	55345 125AB	1							Left
4	5527 4842	2							BUMPER, Tailgate
5	5527 4916	1							PIVOT, Tailgate
6									LATCH, Tailgate
	55275 484AA	1							Right
	55275 485AA	1							Left
7	55075 698AC	2							ROD, Tailgate Handle to Latch
8									REINFORCEMENT, Box Side
	5527 5020	1							Right
	5527 5021	1							Left
9	55074 580AB	1							HANDLE, Liftgate
-10	4658 674	1							CLIP, Latch Link
11									SCREW AND WASHER, Tapping, M6-1.0x20.0, M6x1.00x20.00, (NOT SERVICED) (Not Serviced)
12	6036 019AA	2							SCREW
13	6036 018AA	2							BOLT, Shoulder
14	6034 460	2							STRIKER, Tailgate Latch, .375-16x1. 988
15									SCREW, .19-16x.50, (NOT SERVICED) (Not Serviced)
16	5527 4917	1							PIVOT, Tailgate
17	55274 936AC	2							BUSHING, Tailgate Pivot
18	5507 4751	1							ESCUTCHEON, Tail Gate Handle
19									BOLT, Hex Head, .312-18x1.00
	0181 088	1	2, 3						
		1	7, 8						

DODGE RAM QUAD CAB/CLUB CAB (BE)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = Ram Truck (All)	2, 7 = 2500 3, 8 = 3500	33 = Quad Cab (138 WB) 34 = Quad Cab (154 WB)	ETC, ET0 = 5.9L Cumm Diesel ETH = 5.9LCumm HO Turbo Disl EML,EM0 = Magnum 5.9L V8 EMM,EM0 = 5.9L SMPI V8 EWA, EW0 = 8.0L V10 MPI	DGP = 47RE 4 Speed Auto. DGT, DG0 = 46RE 4 Speed Auto. DDX, DDC = 5 Speed HD Manual DDP, DD0 = 5 Speed Manual DEE = 6 Speed HD Manual DBB = All Manual Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005